







HOPPE 10-year operational guarantee for more information, see on p. 18.

Purchasing Information 2012/2013 Export Markets

Contacts

Hungary

Zelenka Károly Kossuth L. u. 30

H-2314 Halásztelek

+36 20/9521-538

1 +36 24/450-668

karoly.zelenka@hoppe.com

Romania

Mihai Teodorescu

Str. N. Bãlcescu

nr. 65, Ap. 1

RO-500019 Brasov

+40 (0) 744 828 638

1 +40 (0) 268 472 279

mihai.teodorescu@hoppe.ro

Bulgaria

Ivaylo Petrov Bazarski Bul. Svoboda 40

Et. 1, App. 3

BG-4000 Plovdiv

+359 899 965 146

= +359 32 394 188

ivaylo.bazarski@hoppe.com

Serbia, Montenegro, Macedonia, Albania

Najdan Vučković Matice srpske 65G

RS-11000 Beograd

+381 65 334 9281

ajdan.vuckovic@hoppe.com

Slovenia, Croatia, Bosnia & Herzegovina, Kosovo

Aleš Gruškovnjak Planinska Cesta 11 SI-4260 Bled

1 +386 31370393

+386 45743236

1 +386 45743236

ales.gruskovnjak@hoppe.com



Contents



General Information	page 5	1
Program for internal doors		
Program for internal doors	page 77	2
HCS® - HOPPE Compact System	page 211	3
Program for sliding doors	page 237	4
Program for fire-resistant doors	page 271	5
Program for entrance doors		
Pull handles and security escutcheons	page 291	6
Program for profile doors	page 351	7
Security sets	page 381	8
Knobs	page 401	9
Program for windows and balcony doors		
Program for windows	page 419	10
Program for balcony doors	page 469	11
Handles for parallel slide/tilt doors and lift/slide door sets	page 497	12
Complementary products	page 517	13
Accessories	page 523	14
Presentation systems	page 541	15
Appendix	page 551	16

News from the Handle of Excellence



Page

Product innovations

HOPPE Quick-Fit ^{plus}	28
Window handles with DF-technology	62



New products

Pull handles	334
Sliding door sets	254, 256
Bari (M1995)	200
Izmir (M1701)	205
Lucca (M1955)	205



New series

Dallas (M1643)	.149
Houston (M1623)	155
New York (1810)	165
Rotterdam (E1401)	. 171

General Information





General Information



Organisation of the catalogue

page 9




Materials and their maintenance

page 16



Non-fixed bearing

page 25



Explanation of symbols

page 10



Resista®

page 17



HOPPE spring

page 25



Layout of tables

page 10



Operational guarantee

page 18




HOPPE bases

page 25




The product lines

page 12




DIN EN 1906

page 20



HOPPE profile-spindle

page 26



Product range features

page 14




DIN 107 (left/right)

page 22



HOPPE clip-in connection

page 26



Technical standards at HOPPE

page 15



The original

page 24



HOPPE Quick-Fit connection

page 27





HOPPE Quick-Fitplus

page 28



RAL-RG 607/6 and DIN 18257

page 37



Sliding door sets

page 50



Uniform screw hole distance

page 32



DIN EN 1906 (Security sets)

page 38



Windows and breaking in

page 56



Profile door handles

page 33



Resistance/ security classes

page 40



DIN 18267 and RAL-RG 607/9

page 57



Fixing systems

page 34



Fire-resistant door sets

page 42



Fitting HOPPE window handles

page 58



Profile door and security escutcheons

page 35



DIN EN 179 and **DIN EN 1125**

page 44



Secustik®

Secustik®

page 59



Doors as gaps in security

page 36



HCS® -**HOPPE** Compact **System**

page 46



TBT operation

page 60



Double Function

page 62



US950S (lockable window handle rose)

page 65



The HOPPE Group Profile

page 72



Secu100®

page 63



SecuSignal®

page 66




Beneficial Performance

page 74



Secu100®+ Secustik®

page 64



Reference buildings worldwide

page 70



Organisation of the catalogue



How to use this catalogue?

With the help of the information below, you will see how the catalogue is organised.

1. According to product groups:

In its first level of classification, the register, the catalogue is divided into product groups for interior doors, entrance doors, balcony doors as well as windows, the supplementary programme or the mounting accessories (see also index on p. 3).



Sets for internal doors




HCS® - HOPPE Compact System



Program for sliding doors



Program for fireresistant doors ...



In the second level of classification the catalogue is divided into the three product lines.



duravert® product line



duraplus® product line



dura**norm**® product line

3. According to series names:

In the second level of classification, the subdivision within product lines, the products are listed alphabetically by series name. Products not assigned to any series follow after the series, as for example pull handles, security sets and knobs or pads on backplate etc.



Acapulco



Athinai



Bergen



Capri ...

4. According to materials:

If a series is available in several materials, then the material will be listed in the following order: aluminium, stainless steel, nylon and brass. For example: the Verona series comes in three materials, aluminium, stainless steel and brass.



Verona in aluminium



Verona in stainless steel



Verona in brass



Explanation of symbols and layout of tables

Symbol key:



Door thickness (in mm)



Spindle size (in mm)



Fire-resistant door set (for further information see p. 42)



Fire-resistant set for emergency exits according to DIN EN 179 (for further information see p. 44)



RAL-tested products (German institute for quality assurance and marking)



DIN-tested products (German industrial standard)



PIV-tested products (German industrial standard)



Core-range (for further information see p. 14)



Service-range (for further information see p. 14)



DIY-range (DIY-packaging) (for further information see p. 14)

How are the tables set out?

Explanation using the example of a page with a brass interior door set from the dura**plus®** product line:

Series names

The series name is determined by the design of the lever, regardless of material. So, for example, all products used in conjunction with a particular lever have the same name, whether the material of the handle be aluminium, stainless steel or brass. The names themselves are well-known towns, the spelling of which is determined by the language of the appropriate country.

Design number -

The design number serves as a further subdivision and search criterion. In the case of interior doors, the first number stands for the handle and the second for the backplate (or the rose). The letter in front of the number shows the material (in this example M for Messing, which is brass in English. Remember there is no letter in the case of aluminium). With security hardware, the design number always begins with the number of the knob.

Stopwatch

This symbol means the products have the HOPPE Quick-Fit connection (for further information see p. 27, "Sets for interior doors").

Verona (Brass)

Specification

This text briefly outlines the area of application of the product.



M151/265

Description

Set

HOPPE brass lever on backplate for interior fixed spindle) with non-handed spring caset spindle), visible fixing with wood screws. Cor

⇉⇢♭

37-42

Tecl

Product illustration -

With interior door sets, a door handle half set is always shown.

With security sets, a knob (pad) / lever set is always shown.



Description

This column lists the various types of products available in this design (with this lever shape and this backplate).

As the tables with interior door sets always show and describe the door handle on the right-hand side of the page, you will find a picture of a privacy set and a knob (pad) / lever set on the right-hand side of the page.

Door thickness

The exact measurement of door thickness is given in mm in this column (see more information on p. 15, "Technical Standards at HOPPE").

Drawing

Illustrated is the set as shown and described accordingly.

Product lines

This is where the product line duravert®, duraplus® or duranorm® is indicated (for further information see p. 12, "The product dura**plus**®



Examples



doors, Verona Series. Loose lever (receiver handle/handle with te (RFL-R/L) and HOPPE Quick-Fit connection (HCPPE solid responding to DIN EN 1906/Category of use: grade 3)

finish key

nnical information see introduction pages of the catalogue.

F71 •

2828768

74.25

2851984

74,25

2852215

2828717

41.38

41,38

2852194

61,28

For space reasons, only the abbreviation of the finish key is given (see inside of coverflap for finish chart). The letter **R** in the finish number means the handle comes with the Resista® surface guarantee (for further information about Resista® see p. 17).

The bold type finish key refers to the product shown.

P.U. | 0.C.

The Resista® guarantee applies to all finishes with the letter R in the

Resista®
10 years' surface
guarantee

40

10

-Core range

The white fields in the table indicate products in the core-range (for further information see p. 14, "Product-range features").

-Packing unit

This shows how many products are packed into one folding box.

Outer cartons

This column shows how many products are packed into an outer carton (transport packaging).

Price

The price is without VAT.

If you add the VAT to the gross price you get the recommended retail price.

Service range

The red-shaded fields indicate products in the service-range (for further information see p. 14, "Product-range features").

Text below chart

This text gives additional information about the set as well as cross-references to products.

Keyhole/distance


Precise measurements are given here (for further information see p. 15, "Technical standards at HOPPE").


Spindle size

The exact size of the spindle used in the handle (or in the turn button of a privacy set) is given here in mm (for further information see p. 15, "Technical standards at HOPPE").

Footer text

Indicates 3 important sections





For further information about Knob / (pad) lever set see pages 22 and 23.

Abbreviations:

RF = Spring-loaded

RFL = Spring casette

F/L = Outside fixed, inside not flanged

F/D = Fixed/movable

F/FD = Outside fixed, inside fixed/movable

FDW = Spindle type


The product lines


HOPPE divides its product range into three clearly separate lines based on the customers' different requirements in price and perception of value – dura**vert**®, dura**plus**® and dura**norm**®. The purpose behind this is to enable you, our partners, to get a better overview of our product range and to make it easier for you to find the right handle of excellence.

Whatever the differences in technology, design, packaging and pricing, all three product lines have one thing in common: the proverbial HOPPE quality.

Product lines









Product range

Packaging (examples)

Technology and Security Classes (ES)

Guarantees

Service range

DIYrange

(by order only)



- Security handles ES1-3 (SK2-4)
- Interior door handles with HOPPE Quick-Fit connection and spring cassette technology
- Window handles within existing requirements, RAL and market standards, with Secu100®+Secustik®, Secu100® and Secustik® technology





... on selected finishes

Core range

Service range

DIYrange





- Security handles ES1-3 (SK2-4)
- Selected interior door handles with HOPPE Quick-Fit connection and spring cassette technology
- Window handles within existing requirements, RAL and market standards, selected products with Secu100®+Secustik®, Secu100® and Secustik® technology





... on selected finishes

Core range

DIYrange

(by order only)





- Security handles ES0 (SK1)
- Interior door handles with HOPPE profile spindle
- Window handles below existing requirements and market standards, no RAL



Product range features

Product ranges

and price-positioning

Delivery times

(from date of order until dispatch from HOPPE)

and pack-units



Gross prices less rebate



HOPPE

Service range

Gross prices less rebate (NB: different rebate from core-range)



Transport packaging

(outer carton)



DIY range (DIY-packaging)

Gross prices less rebate (NB: same rebate

(**NB:** same rebate as service-range)





Please note here the respective markings in the product tables.

Technical standards at HOPPE



Types of keyhole and distances

Sets supplied by HOPPE come with the following technical specification, unless ordered otherwise.

Sets for			Keyhole		Distance	
Profile doors	P	8 mm	PZ (profile cylinder)		Distance between centre of lock follower and centre of profile cylinder hole Standard: 92 mm	
Entrance doors		10 mm		PZ (profile cylinder)	Distance between centre of lock follower and centre of profile cylinder hole Standard: 92 mm	
	(stan		BB (standard keyhole)	Distance between centre of lock follower and centre of keyhole Standard: 72 mm or 90 mm		
Interior doors		8 mm		OB (oval standard keyhole)	Distance between centre of lock follower and centre of keyhole Standard: 70 mm or 90 mm	
				PZ (profile cylinder)	Distance between centre of lock follower and centre of keyhole Standard: 90 mm	
Privacy doors		8/8 mm		SK/OL (external: slotted head/ internal: turn button)	Distance between centre of lock follower and centre of privacy spindle Standard: 90 mm	
,				RW-SK/OL (external: red-white-plate indicator/ internal: turn button)	Distance between centre of lock follower and centre of privacy spindle Standard: 90 mm	
Fire doors	1 +	9 mm		PZ (profile cylinder)	Distance between centre of lock follower and centre of profile cylinder hole Standard: 72 mm	
Lift/slide doors		10 mm		PZ (profile cylinder)	Distance between centre of lock follower and centre of profile cylinder hole Standard: 69 mm	
Balkony doors		7 mm	PZ (profile cylinder)		-	
Windows	9	7 mm		-	-	

Materials and their maintenance





HOPPE brand fittings are manufactured using high quality, corrosion-resistant primary alloys. The surface of HOPPE Aluminium fittings is protected by either anodising or powder coating. The protective film developed through the anodising process makes the products resistant to environmental influences such as sweat, humidity and light mechanical action. Aluminium fittings do not need any special maintenance as dirt can be removed with a damp cloth. In powder coating, powder paint is applied to the aluminium surface by means of an electrostatic process.



It is then heated to a temperature of 150°-200° causing the paint particles to melt to a film of paint. There is no known risk to health in aluminium hardware. No special care is needed for aluminium as the oxide layer protects it. Dirt can easily be removed by a damp cloth.

Stainless steel:



HOPPE brand fittings are manufactured from chrome-nickel-steel. As it is environmentally-friendly, harmless and easy to maintain it is also used in the production of kitchen utensils and food industry. Stainless steel is corrosion (rust)-resistant because the alloy components, chromium and nickel, develop an invisible protective film.

If stainless steel fittings show signs of rust, they are caused by rust particles naturally present in the atmosphere. Traces of dirt and grease can be removed with a household detergent suitable for stainless steel.

Stainless steel fittings are also available with the **HOPPE Resista® surface- guarantee** (see page 17).



Nylon:



HOPPE brand fittings are manufactured using high quality polyamide which keeps its positive properties: antistatic quality, resistance to weathering, chemicals and wear and tear despite adverse atmospheric influences. HOPPE nylon products are additionally resistant to UV-rays. Soiling can be removed with water and/or conventional cleaners.



Brass:



HOPPE brand fittings are made of best quality brass alloys. The surface is protected from corrosion either by a transparent lacquer, by electro-plating such as chrome-plating or by a special vacuum-coating process. Surfaces protected by chrome-plating or vacuum-coating have a high scratch resistance.

Brass requires no special care. Dirt can be removed with a damp cloth; use of caustic and abrasive cleansers should be avoided. Brass hardware is also available with the **HOPPE Resista® surface-guarantee** (see page 17).



Resista® - HOPPE's surface guarantee

HOPPE Resista® hardware has a 10-year surface guarantee (see also "Guarantee" on page 562).

They are therefore ideal for coastal areas and highly frequented areas such as public buildings, shops and hotels.

All products with the Resista® surface guarantee have undergone continual quality testing and, when new, conform to the requirements of the European standard **EN 1670** ("Locks and hardware – corrosion resistance – requirements and test methods").

Care:

Dirt can easily be removed with a damp cloth. The use of caustic cleansers or chemicals should be avoided. No further special care is needed.





Brass sets with chrome finish in the dura**vert**® and dura**plus**® product lines also have the HOPPE Resista® surface guarantee, providing 10 years' cover on the surface of these products, too.



Operational guarantee



HOPPE's operational guarantee

According to **HOPPE**, a brand name product keeps its promise of quality to the enduser. As a way of ensuring this, HOPPE gives a **10-year guarantee** on all door and window handles (as long as the respective assembly and maintenance guidelines are fulfilled; please see "Guarantee" on page 563).

HOPPE brand name products undergo numerous tests to ensure flawless operation. Static impact tests and durability tests are also made depending on the product type. These closely reflect the everyday knocks hardware has to take and extend beyond the tests and requirements of DIN EN 1906 or RAL-RG 607/9.

Whereas for DIN EN 1906 and RAL-RG 607/9 hardware is tested in isolation, HOPPE, more realistically, conducts operational tests on the door and window itself. This means that not just the function, but also the durability of the attachment between hardware and door or window, too, is tested. The number of operation cycles here is far higher than those demanded by the standards mentioned above – but after all we are talking about the HOPPE Handle of Excellence here.

HOPPE realistically tests door and window handles in situ, – on doors and windows





With the **10-year operational guarantee**, HOPPE extends way beyond the statutory 4 years of European regulations.

The next page gives you an overview of the tests made by HOPPE compared with DIN EN 1906 and RAL-RG 607/9.



1. Tests on door handles

There are two durability grades for door handles (see also p. 20) in DIN EN 1906 necessitating durability tests with various test cycles.


• Grade 6:

Medium frequency of use, for residential hardware: 100,000 test cycles (1 test cycle = once opening and closing of a door)

• Grade 7:

High frequency of use, for non-residential hardware: 200,000 test cycles.

Far higher standards are set for the HOPPE operational guarantee. In all durability tests, the door handles are tested on the doors themselves. Residential hardware is tested in 182,500 operational cycles (1 cycle = 1 x opening and closing the door) and handles for non-residential use are tested in 255,500 operational cycles. This is the equivalent of 50 or 70 operational cycles a day over a period of 10 years. Neither the door handle itself, nor any part of it, must become loose during the course of the test. The sets are then tested for their stability, ensuring they work flawlessly.






2. Tests on window handles

RAL-RG 607/9 prescribes 10,000 tilt/turn test cycles in durability tests for window handles.

HOPPE, again, goes a step further. In tests for the operational guarantee, HOPPE window handles undergo a **15,000** tilt/turn cycle test on the window itself. This is the equivalent to 4 x opening and closing plus 4 x tilting and closing per day over 10 years (1 tilt/turn cycle = 1 x opening and closing of the window plus 1 x tilting and closing of window). The window handles are then tested for their stability to ensure perfect operation.





Still the Handle of Excellence, even after 10 years' hard use!

DIN EN 1906 (general)



Example of certificate

DIN EN 1906 – European and national standardisation for hardware

For the purposes of European standardisation the DIN EN 1906 has been introduced to specify requirements and test methods for door handles and door knobs. It became valid throughout Europe in October 2001 and has been included step-by-step into national regulations.

The DIN EN 1906 defines only performance parameters (hardware dimensions have not been taken into account). It introduces a classification code system, allowing products to be compared.

This European Standard specifies test methods and requirements for spindle and fastening elements, operating torques, permissible free play and safety, free angular movement and misalignment durability, static strength and corrosion resistance for sprung and unsprung lever handles and knobs for doors on backplates or roses. Requirements and test methods are structured in such a way that everyday use is simulated:

1	2	3	4	5	6	7	8
Category of use	Durability	Door mass	Fire resistance	Safety	Corrosion resistance	Security	Type of operation

Meaning of the numbers in the classification key:

Classification key	Grades	Description of grades
1. digit: Category of use	1 - 4	more information on p. 21
2. digit: Durability	6 or 7	6 = 100,000 cycles 7 = 200,000 cycles
3. digit: Door mass	no clas- sification	
4. digit: Fire resistance (You can find further information about fire-resistant door sets on p. 42)	0, A, B or C	O = Not approved for use on fire/smoke door assemblies A = Suitable for use on smoke door assemblies B = Suitable for use on fire/smoke door assemblies C = Suitable for use on fire/smoke door assemblies with require for a steel core in the handle
5. digit: Safety *	0 or 1	0 = Normal use 1 = Safety applications
6. digit: Corrosion resistance (You can find further information on HOPPE's surface guarantee on p. 17)	0 - 5	0 = No defined corrosion resistance (no test) 1 = Mild resistance (24-hr salt-spray test) 2 = Moderate resistance (48-hr salt-spray test) 3 = High resistance (96-hr salt-spray test) 4 = Very high resistance (240-hr salt-spray test) 5 = Extremely high resistance to corrosion (480-hour salt-spray test)
7. digit: Security (You can find further infor- mation about Security on p. 36)	0 - 4	0 = Furniture not approved for use on burglary resistant doors 1 = Mild burglary resistance 2 = Moderate burglary resistance 3 = High burglary resistance 4 = Very high burglary resistance
8. digit: Type of operation	A, B or U	A = Spring-assisted furniture B = Spring-loaded furniture U = Unsprung furniture

The hardware is classified into 4 categories of use which are based on frequency of use and the expected area of use. The requirements and test loads are graded according to these categories.

* According to DIN EN 1906 the increased safety tests (for example for doors to cellars where there is risk of falling) are optional, so the figure 0 may appear by digit 5 in the classification key.

However, according to DIN 18255, all public building sets, and as such subject to categories of use grades 3 and 4, must pass this test.



1. Category of use (excerpt from the most important tests out of a total of 13)

Rotational torque strength test	Axial strength test	Free play "at rest"	Free angular movement	Grades	Description
20Nm	300N	< 10mm	< 10mm	1	Medium frequency of use by people with a high incentive to exercise care and with a small chance of misuse, e.g. internal residential doors.
30Nm	500N	< 10mm	< 10mm	2	Medium frequency of use by people with some incentive to exercise care but where there is some chance of misuse, e.g. internal office doors.
40Nm	800N	< 6mm	< 5mm	3	High frequency of use by public or others with little incentive to exercise care and with a high chance of misuse, e.g. public office doors.
60Nm	1000N	< 6mm	< 5mm	4	High frequency of use on doors which are subject to frequent violent usage, e.g. football sta-
НС	PPE handle	sets for pub	lic buildings		diums, offshore installations (oil rigs), barracks, public toilets, etc.


The requirements and testing procedures are formulated in such a way that the actual strain of everyday use is simulated by firmness tests, corrosion-resistance tests as well as measurement of free-play before and after durability tests on the hardware. At the bottom of the page, you'll find some test examples depicted.

In order to maintain the exchangeability of locks and hardware, some national dimension standards are unavoidable. This is why dimensions for door handle sets compatible with DIN 18255 locks and DIN 18252 profile cylinders continue to be determined by the DIN 18255 standard which appeared as a so-called residual standard in May 2002 as an addendum to DIN EN 1906.


All HOPPE architectural door handle sets correspond to DIN EN 1906 (May 2002), category of use 4, as well as to the residual standard DIN 18255. Furthermore, they have a long tradition of being supplied to the architectural sector.

For specifiers, HOPPE offers external or internal test certificates for door handle sets according to DIN EN 1906 which serve as verification of suitability (see example of certificate on p. 20).


Examples




Rotational torque strength test




Axial strength test



Free play "at rest"



Free angular movement



Durability test

DIN 107 (left/right)


How to tell between a left-hand or right-hand door:

In order to tell whether you have a left-hand or right-hand door according to DIN specification, you have to ascertain where the hinges are on the inside of the door.


1. What does a knob (pad) / lever set consist of and what is it for?

A knob (pad) / lever set has a knob or a push-pad on the exterior side of the door and a handle on the interior side. The knob (pad) or push handle on the exterior side prevents the normal opening of the unlocked door. A knob (pad) / lever set always has a profile cylinder holing and is often used on entrance doors as well as on profile doors (side entrances).

Below is an example of a knob (pad) / lever set with knob for corridor doors with a symmetrical handle shape on the interior side.



2. What do asymmetrical and/or symmetrical handle designs look like? You will find some examples below.





In the case of asymmetrically-shaped handles and knob/lever sets it is important to ascertain whether the handle on a door is to be fitted to the left or to the right according to DIN.



3. How do I recognise a left-hand and right-hand door?

In order to ascertain whether you have a left-hand or right-hand door according to DIN, you need only check where the hinges are on the interior side of the door.





The original



How to recognise original HOPPE products

The HOPPE logo \bigcirc is the visible sign of the manufacturer and thereby an important factor in product liability. Should there be any problem, you can always turn to the manufacturer, unlike with "no name products".

On door handle sets, you will find the HOPPE logo on:

- the exterior side of the backplates 1 and roses 2
- the rear side of the die cast plates 3
- the HOPPE profile spindle 4









On window handle sets, you will find the HOPPE logo on:

- the cover plate (5) (if there is no customer logo)
- the rose (6)
- the notch ring (7)
- the key (8)
- the rear side of the handle neck (9) (of lockable window handles)











It is not only the HOPPE logo, but the grips 10 and the HOPPE Quick-Fit connection 1 too, which give you the assurance of having a genuine HOPPE product.



Non-fixed bearing, HOPPE spring and bases



Non-fixed HOPPE standard bearing

HOPPE uses a washer made of a part crystalline and glide-modified nylon here. This type of nylon is characterised by its high resistance to wear-and-tear. This is why the washer, or the non-fixed bearing, is suitable for heavily used doors.

The washers come in finishes to match the surface of the handle.







The non-fixed bearing is used as standard on profile door sets, security sets and interior door sets.

The new HOPPE spring for sets for interior doors

Some of the HOPPE door sets on rose or backplate (loose) have a new spring developed by HOPPE (see section "Program for entrance doors").

The advantages of the new spring:

- they can be used for left-hand or right-hand handles, so
 - they are suitable for both interior and exterior door handles
 - no need for left-hand and right-hand versions for symmetric handle designs
- they help the lock to keep the handle in the correct position, so
 - it feels even better when the handle is turned
- there is less probability of fatigue in the lock
- the handle always returns to the 90° position



Zamak insert in the nylon base to receive the spindle in the spring mechanism.

The HOPPE bases for the clip-on escutcheons

The nylon bases have guiding lugs (pictured is the M42KVS). The alternate screwing ensures a precise and firm fitting. Both bases are identical, thereby excluding any risk of confusion.

All interior door sets on rose (non-fixed) with cover caps in aluminium, stainless steel, nylon and brass have these nylon bases.




HOPPE profile-spindle and HOPPE clip-in connection



The HOPPE profile-spindle

- Easy to install
- The Allen screw cannot loosen itself
- Perfect operation regardless of door thickness



How it works

The spindle is made in such a way that it can easily be inserted into the lever, whereby even tension is created over the whole lock follower.

Initial tightening:

After just one turn, the special screw enters the spindle, holding the handle in the correct position.

Firm tightening:

The onion-shaped tip of the screw presses the two halves of the spindle and is then held firmly in place by the pressure against the sides of the lever. To ensure play-free fitting, the screw must be **firmly** tightened.

The HOPPE profile spindle is used as standard in almost all cases where handles are fitted on both sides of the door, whether profile door sets, security sets or interior door sets.



The clip-in connection and its advantages

Easier and more time-saving fitting:

The fitting of the steel base can be done beforehand in the workshop (picture ①). The clipping-in of the cover roses (or cover plates) and fitting of the door handles then takes place in situ (pictures ② and ③).

Flexible stock-keeping:

In delivering the various versions and handles as individual parts (door handles, cover roses, cover plates and steel base parts), flexible stock-keeping is possible.

The HOPPE clip-in connection is used in half sets for interior doors, complete interior door sets for project business (e.g. heavily used doors in public buildings, shops and hotels etc.) and fire resistant sets.

European Patent
EP 1022413
Clip-in system for door handles

HOPPE Quick-Fit connection



Time is money – quicker and better: The innovative HOPPE Quick-Fit connection

With normal door handle installation, lots of steps have to be taken, quite often not without awkward fumbling. This is tedious and takes time. What is infinitely better is the **HOPPE Quick-Fit connection**. With its advanced technology, door handles can be installed in one simple step – and to last!

The key point of the new technology is the blocking mechanism, developed by HOPPE, in the receiver handle. This holds the solid spindle of the other handle firmly and without play. It is with the whole width of the spindle that maximum torque transmission is achieved. The HOPPE Quick-Fit connection is a variable axial handle fitting, tested according to DIN EN 1906 and can be used for various door-thicknesses (in a defined area).



Door handle fitting in about 8 seconds only



A folder with DVD is available about the HOPPE Quick-Fit connection. Just get in touch with your HOPPE contact partner.

The advantages of the HOPPE Quick-Fit connection at a glance:

- Very quick door handle fitting: around 75% time saving compared with normal fitting
- No Allen screw or transverse spindles needed
 - no hole for Allen screw needed
 - no alignment of the spindle necessary when tightening the Allen screw
 - no loosening of the Allen screw or spindle possible
- Integrated blocking mechanism in the receiver handle
 - no tools needed for installation
 - play-free handle connection
 - long-lasting, firm fitting of the door handles
- Use of a solid spindle
 - solid spindle for maximum torque transmission
- Variable axial handle fitting tested to DIN EN 1906
 - can be used for various door-thicknesses (in a defined area)
- Easy and quick removal of door handles
 - eg, with the Allen key included or a screwdriver

Interior door sets with HOPPE Quick-Fit connection	Page
138L/	168
1138/	158
1140/	174
1400/	130
1510/	190
1515/	194
1530/	134
1710/	180-181
1810/	166
E138Z/	169
E150Z/	142
E1138Z/	159
E1140Z/	175
E1310Z/	152
E1368Z/	140
E1400Z/	131
E1430Z/	184
E1440Z/	112
E1800Z/	191
M35G/	107
M129/	98
M151/	192
M156/	90
M1515/	195
M1530/	135-136
M1535/	106
M1545/	144
M1550/	116
M1558/	86
M1602/	94-95 148
M1607/ M1623/	148 156
M1623/ M1640/	120
M1643/	150
M1710RH/	182
M1950/	102-103
1011950/	102-100

Important:

HOPPE Quick-Fit products should not be combined with spindles from other manufacturers!

Quick-Fit plus

HOPPE Quick-Fit^{plus} Less is more

HOPPE Quick-Fit plus is the logical further development of the tried and tested HOPPE Quick-Fit connection.

It is not just the door handles which can be fitted easily but also the attractive flat roses.

The stainless steel roses, which are only 2 mm thick, come in round or square versions and are available in various technical specifications, make a striking feature on any door when combined with the many attractive handle designs.

The advantages of HOPPE Quick-Fitplus at a glance:

- All advantages of the **patented HOPPE Quick-Fit connection** (see p. 27)
- Numerous **combination possibilities** of handles made of brass, stainless steel and aluminium, with **round or square roses**
- Easy and precise assembly of the whole door handle set (flat roses and door handles) in a few seconds and without the need for screws
- Suitable for renovation, thanks to the extra large flat rosettes
- Tested to DIN EN 1906 (Category of Use grade 3)

HOPPE Quick-Fit^{plus} is available in the following versions:

Version 1



- Stainless steel flat roses (only 2 mm thick) in keeping with today's trends in design
- Round roses
- Handle rose with optional incorporated locking unit (see picture above)
- Self-adhesive escutcheons with OB or PZ hole as well as privacy version optional
- Handle rose with through-going support-lugs
- Condition: the lock case has the appropriate holes (see technical drawing p. 29)

Version 2



- Stainless steel flat roses (only 2 mm thick) in keeping with today's trends in design
- Round, rectangular or square roses
- Self-adhesive escutcheon with OB or PZ holes as well as privacy version optional
- Handle rose with short support-lugs
- Appropriate for use with standard locks

Interior sets with page **HOPPE Quick-Fit**plus Version 1 E1138Z/... 162 E1140Z/... 178 E1430Z/... 186 M1515/... 197 M1530/... 138 M1535/... 109 M1545/... 146 Version 2 1400/... 130 E138Z/... 170 E1138Z/... 161 E1140Z/... 177 E1400Z/... 132 E1430Z/... 185 E1440Z/... 113 M1515/... 196 M1530/... 137 M1535/... 108 M1545/... 145 M1558/... 87 M1623/... 156 M1643/... 150 M1950/... 103

Important:

HOPPE Quick-Fit^{plus} products must not be combined with spindles made by other manufacturers!



HOPPE Quick-Fit^{plus} (version 1) Handle rose with through-going support-lugs

The HOPPE Quick-Fitplus is so easy to fit (version 1)

The roses and door handles are simply fitted together, with the whole set able to be installed without the need for screws.

If a locking function is preferred, a rose with incorporated locking unit can be used or self-adhesive escutcheons (see p. 28).



The enclosed black nylon sleeves are in place (though only in the case of lock holes of \emptyset 8 mm)



Put the roses together





Put the door handles together and fitting is complete!

Door preparation

Only one bore is necessary in the case of a handle rose with incorporated locking unit (a). If version 1 without locking function is used, door preparation can ensue as in (a) or in (b). Please note that the lock case must have the appropriate holes. If an escutcheon is used, a further bore is necessary as usual.

If you have any questions please get in touch with your HOPPE contact partner.





HOPPE Quick-Fitplus

HOPPE Quick-Fit^{plus} (version 2) Handle rose with short support-lugs

The HOPPE Quick-Fit^{plus} is so easy to fit (version 2)

The roses and door handles are simply fitted together and self-adhesive escutcheons added if necessary, with the whole set able to be installed without the need for screws.



Place the roses in position




Put the door handles together



If necessary, stick on the escutcheon as described on p. 31 – and fitting is complete!

Door preparation

This solution is for use on standard doors with standard locks. No special door preparation is necessary. Only two 7.5-mm-Ø guide holes are necessary for the short supporting lugs.





Simply stick on instead of screwing: Self-adhesive HOPPE Quick-Fit^{plus} escutcheons

If necessary, the self-adhesive escutcheons can be used for both versions 1 and 2. The adhesive film is resistant to temperature, damp and age.

The self-adhesive escutcheons are suitable for:

- Solid wood doors
- Painted doors
- Real wood veneer doors
- Decorative surface-/laminated doors

The door surfaces in the area where the adhesive is to be used must be totally flat. The sticking surfaces must be clean, dry and free of both grease and separating agents as well as capable of bearing the weight. Yet, for stained doors and doors with oil finish, conventional escutcheons with screw fixing are recommended.

Door preparation

Smooth the protruding edges of the holes if necessary. Clean the door surface in the area where the adhesive is to be used. Only the cloth delivered with the products should be used to clean or remove grease from the surface of the door.

Positioning and sticking of the escutcheons



The self-adhesive oval keyhole escutcheons can be positioned with the enclosed installation key.

For the installation of the profile cylinder escutcheons the cylinder already fitted serves as a guide.


The privacy version can be positioned by using the spindle connected to the rose.


Should the escutcheon not be positioned accurately enough, it is still possible to re-position it as adhesion

is complete only after 24 hours. After this period, it can be removed by using a normal hairdryer.


Renovation with HOPPE Quick-Fitplus

The extra-large square or round roses are ideal for renovation work as they completely cover any signs of the old fittings.






Uniform screw hole distance




Advantages and fixing examples of HOPPE interior door products

- Uniform drilling in the case of profile door sets on backplate, security sets and the narrow backplate for pull handles (247N), resulting in:
 - greater flexibility in shape
 - simple fitting of the door handles in situ
 - no damage in transit
 - space-saving in transit

exterior side	Profile with	interior side
of door	3 drill-holes	of door






Important:

See p. 531 for drilling jig to fix profile door sets with backplate, security sets and interior door sets with escutcheon.





Profile door handles



HOPPE profile door sets

Like all HOPPE products, profile door sets are renowned for their quality, workmanship, technology and durability.

HOPPE profile door sets come in aluminium, stainless steel, nylon and brass. These products have been specially developed for doors with narrow profiles (frames) and come in numerous types.

- ES1 (SK2) Security set on backplate
 - knob (pad) / lever sets with cranked pads, push handles or knobs
 - sets with handles on both sides
 - fixed / movable door handles
 - with spring
 - with and without cylinder cover
 - with steel base and lugs
 - concealed fixing with M6 thread screws
 - tested to **DIN 18257**

• sets on backplates

- knob (pad) / lever sets with cranked pads, push handles or knobs
- sets with handles on both sides
- sets with short neck handles on the exterior for doors with blinds
- fixed / movable or non-fixed handles
- with or without spring
- with stainless steel base and lugs, zamak base and lugs or without base and lugs
- concealed or visibly fitted with M6 thread screws from the inside

• sets on rose

- knob (pad) / lever sets with cranked knobs/pads fixed)
- knob (pad) / lever sets with cranked knobs/pads (fixed/movable)
- sets with handles on both sides
- fixed / movable handles
- with spring
- with metal base
- concealed fixing with M5 fixing nuts (for aluminium doors) or M5 expanding lugs for PVC doors

• Fire-resistant rose sets

- Fire-resistant knob / pad lever sets with cranked knobs (fixed)
- Fire-resistant knob / pad lever sets with cranked knobs (fixed/movable)
- Fire-resistant sets with handles on both sides
- Fire-resistant door handles (fixed/movable)
- with spring
- with metal base
- concealed fixing with M5 fixing nuts (for aluminium doors) or M5 expanding lugs (for doors)
- tested to **DIN 18273**

Program for fire-resistant doors see section 5 (page 271), program for profile doors see section 7 (page 351) and security sets see section 8 (page 381).















Fixing systems



EP 0785320Fixing system for pull handles

The HOPPE fixing systems for pull handles

- A splaying system is used for the one-side-fixing of the pull handle onto PVC and aluminium profiles. The pull handle is thereby firmly fixed, completely play-free, for a long period.
- A long term firm attachment is established by means of the support provided by the steel/aluminium reinforcement (or the main chamber), along with the splaying of the fixing system into the reinforcement (or main chamber) at the same time.
- In addition to the splaying system, the one-side-fixing of pull handles to wooden doors is provided with a threaded sleeve. This gives the fixing system extra strength. The pull handle is thereby fixed firmly for a long period of time and remains play-free.
- In addition, HOPPE can provide fixing sets for:
 - pull handle/pull handle attachments,
 - glass doors (one-side with cover roses and pull handle/pull handle attachments),
 - wooden doors with a thickness of less than 56 mm (with cover roses on the interior side of the door),
 - fixing to walls.

BS-1101



BS-1103



BS-1102

The advantages of the new HOPPE pull handle fixing system no. 11

- Fixing system no. 1101
 - is a solution to mounting the pull handle near the lock case (see picture on right)

can be used with all nylon profiles with a pre-chamber dimension =
 V-dimension of 11-16 mm), as well as with aluminium- and wooden profiles (except single chamber profiles)

- Fixing system no. 1103
 - is a solution to mounting the pull handle near the lock case
 - can be used with all nylon profiles (pre-chamber dimension = V-dimension 11-26 mm), with aluminium- and wooden profiles (except single chamber profiles)
- Fixing system no. 1102
 - can be used with all nylon-, aluminium-, and wooden profiles with a minimum door thickness of 56 mm (except single chamber profiles)
 - can be used regardless of pre-chamber dimension = V-dimension
 - allows simple and time-saving mounting (only a 10 mm drilling is necessary, as the fixing system has a self-cutting thread)



In order to mount the pull handles to ensure play-free attachment to the door, we recommend the use of our drilling jig set (see p. 530).




Profile door and security escutcheons




The HOPPE clip-on escutcheon with self-adhesive base

The reverse side of the nylon base used in the HOPPE clip-on escutcheon with a height of 8 mm for profile doors is provided with a self-adhesive pad. In fitting, the foil covering the pad needs to be removed; the base is then stuck on the door and the cover cap is clipped onto the base. In the case of 3 mm high clip-on escutcheons, the self-adhesive pad is fitted directly into the reverse side of the cover cap. Cover caps come in various finishes in aluminium and stainless steel.



The HOPPE profile door sliding rose

The HOPPE profile door sliding escutcheon has a two-part zamak base. In fitting, the lower part of the base is screwed onto the profile first. The second part is then slid on, covering the screwing points of the lower part and the cover cap clipped on. Once the cylinder has been fitted, movement of the upper base is no longer possible, as access to the screws is prevented. The sliding escutcheon comes with a cylinder cover (see picture – height 11 or 14 mm) or with profile cylinder holing (height 6, 8 or 14 mm). The cover cap comes in various finishes in either aluminium or stainless steel.



The HOPPE profile door security escutcheon with removal safeguard

In the profile door rose illustrated, the zinc pressure die-cast base is attached to the profile with special fixing means. The rose is protected from unlawful removal by a steel plate, which is held in place by the profile cylinder. The cover cap which is available in aluminium, stainless steel, brass or nylon is simply clipped over the zinc base.



The HOPPE ES1 (SK2) security set according to DIN 18257:2003-03

The HOPPE ES1 (SK2) security set comes with a steel plate which has an adhesive pad on one side and has to be stuck onto the lock case in the area of the profile cylinder (i.e. on the lock side pointing towards the door exterior side) before fitting the security escutcheon. The security escutcheon, which is available in aluminium and stainless steel or without cylinder cover (for protruding cylinder lengths of 10-18 mm), comes with a hardened base.



Doors as gaps in security




Doors as gaps in security


One way for a burglar to gain entry is through the entrance door.

Good technical security devices mean that half of all break-in attempts fail. However, doors which do not have corresponding security measures remain an open invitation to all burglars.

One visible security measure is a security handle from HOPPE. These protect the lock and cylinder on entrance doors from direct mechanical attack and render forced turning of the profile cylinder difficult.



You can get HOPPE security sets in the following resistance classes:



On the following pages you will find detailed information about standards and resistance classes as well as exploding drawings of HOPPE security sets.

RAL-RG 607/6 and DIN 18257



RAL-RG 607/6 and/or DIN 18257 for security hardware

- These regulations determine the terms, dimensions and heightened requirements as well as testing procedures for security hardware corresponding to the increased demands of the user and as a result of many years of police experience.
- The purpose of security hardware on entrance doors is to protect the locking mechanism against direct mechanical attack and to prevent the violent turning of the profile cylinder in an effective way. Security hardware can, however, only provide optimum protection when used in conjunction with all individual elements of a burglary-resistant door according to DIN EN 1627 (previously DIN V 18103).



Performance	Requirements				
	ES0 (SK1)	ES1 (SK2)	ES2 (SK3)	ES3 (SK4)	
Tensile load of cylinder cover	-	10kN	15kN	20kN	9 {
Unilateral tensile load	10kN	15kN	20kN	30kN	

1 N (Newton) is equal to the amount of net force required to accelerate a mass of 1 kilogramme at a rate of one metre per second. 1 N = approx. 100 g, 1 kN (Kilonewton) = approx. 100 kg.

- The user can choose from security hardware in any one of the available resistance classes (ES0/SK1, ES1/SK2, ES2/SK3 or ES3/SK4 on request) depending on the level of security needed.
- The table above shows the performance and requirements of the 3 resistance classes (see table p. 39). The protective steel plate of the outer backplate of the security hardware and the connecting elements on the exterior backplate are to be secured in such a way as to hinder drilling (surface hardness 60 HRC).
- The connecting elements (screws, spindle) must be made in such a way that the protective effect of the security hardware remains intact after impact tests.
- Security sets according to these standards are to be identified with the name/ logo of the manufacturer, the resistance class and test number as well as the corresponding test and inspection mark with respective test number. Furthermore, they are to undergo continual internal and external testing.

DIN EN 1906 (Security sets)



Test certificate

European and national standards for security hardware

Annex A to DIN EN 1906 contains the requirements and test procedures for security hardware (the outline of "burglary resistant" features can be found in point 7 of the classification key of DIN EN 1906 – see p. 20-21). Tests relating to "off-centre tension", "attack by chisel" and "strength of the cylinder cover and resistance to drilling" as defined in the March 1991 edition of DIN 18257 have been largely incorporated into the European standard. One addition is the testing of backplate strength. In testing the strength of the fixing elements, laminated wood is placed between the pulling tool and the backplates of the security hardware.

In order to comply with the demand for exchangeability of the hardware, the DIN 18255 residual standard (May 2002 edition) concerning dimensional requirements applies. This has been adapted to locks according to DIN 18251 and profile cylinders according to DIN 18252.

The German standard for DIN 18257 security hardware has been revised and was published in March 2003 as a residual standard. Here, concentration is on the above-mentioned dimensional requirements, the adaption to DIN EN 1906 (see pp. 20-21) as well as the maintenance of the ES resistance classes.

Security class

Security class

Security feature

DIN CERTCO Geodicital für Konformitärbewertung nöbl	(DIN
ZERTIFIKAT	
Der Firma	
HOPPE AG	
Am Plausdorfer Tof 13 35260 Skattatiendorf	
wind für das Produkt	
Schulzbeschläge	
vom Typ	
Langschild-Schutagarmturen ES1-L und ES1-L-ZA 3331/330 und 2221/2220 3332ZA/3330 und 222ZZA/2220	
die Konformität mit	
ON 18257-2003-03 Zentifizierungsprogramm Schutzbeschläge	
bestätigt und das Nutzungsrecht für das Zeichen	
Capate	
in Verbindung mit der unten genannten Registernummer erteilt.	
Registernummer : 4X053	
Dieses Zentifikat ist guitig bis 2008-06-30.	
Thomas Angulare note Animay DIN CENTRO Genetication for Fundaministratementing each Comparabilities 1. 1/100 fection Genetication: Control Control Genetication: Control Genetic	mer

DIN CERTCO Certificate

	according to DIN 18257:2003-03 Section 4	according to EN 1906:2002-05 Section 4.1.8	according to EN 1906:2002-05 Section 4.1.8
1	ES0	SK1 (grade 1)	mild burglary resistance
	ES1	SK2 (grade 2)	moderate burglary resistance
9	ES2	SK3 (grade 3)	high burglary resistance
	ES3	SK4 (grade 4)	very high burglary resistance

Security hardware should hinder violent turning of the profile cylinder and a direct mechanical attack on the locking mechanism. The ESO class does not provide sufficient burglary resistance yet there is demand for it in other European countries. Hardware of this category is not recommended by the German police.

On the next page you will find tables showing the requirements of the various security grades (SK) of DIN EN 1906 and a comparison with the DIN 18257 (ES) classes.



You will find the requirements of the various security grades of the DIN EN 1906:2002-05 and the equivalents of DIN 18257:2003-03 in the following table

	DIN ES0	EN SK1	DIN ES1	EN SK2
Strength of fastening elements (tensile pull)	7kN max. deformation ≤ 5mm	7kN max. deformation ≤ 5mm	10kN max. deformation ≤ 5mm	10kN max. deformation ≤ 5mm
Plate strength (testing machine incorporating laminated wood)	10kN max. deformation ≤ 2mm	10kN max. deformation ≤ 2mm	15kN max. deformation ≤ 2mm	15kN max. deformation ≤ 2mm
Resistance to drilling (hardness or drill test)	not required	not required	60 HRC in the bolt stamp or 30s / 200N	60 HRC or 30s / 200N
Resistance to chisel (pendulum test)	not required	not required	3 impacts in predefined positions	3 impacts in predefined positions
Strength of plug protection (if fitted)	no	no	10kN	10kN


	DIN ES2	EN SK3	DIN ES3	EN SK4
Strength of fastening elements (tensile pull)	15 kN max. deformation ≤ 5 mm	15 kN max. deformation ≤ 5 mm	20 kN max. deformation ≤ 5 mm	20 kN max. deformation ≤ 5 mm
Plate strength (testing machine incorporating laminated wood)	20 kN max. deformation ≤ 2 mm	20 kN max. deformation ≤ 2 mm	30 kN max. deformation ≤ 2 mm	30 kN max. deformation ≤ 2 mm
Resistance to drilling (hardness or drill test)	60 HRC in the bolt stamp or 3 min / 200 N	60 HRC or 3 min / 200 N	60 HRC in the bolt stamp or 5 min / 300 N	60 HRC or 5 min / 500 N
Resistance to chisel (pendulum test)	6 impacts in predefined positions	6 impacts in predefined positions	12 impacts in predefined positions	12 impacts in predefined positions
Strength of plug protection (if fitted)	15 kN	15 kN	20 kN	20 kN

HOPPE hardware is tested according to DIN 18257:2003-03 and RAL 607/6 and certified according to the certification programme of DIN CERTCO (Company for evaluation of conformity Ltd). Sets are continuously tested both internally and externally.

Resistance/security classes


HOPPE hardware with anti-drill plate

HOPPE hardware with steel anti-drill plate is **not** classified as security hardware under DIN 18257. These sets, as opposed to normal sets, deter drilling in the cylinder area. They are available in brass.




HOPPE security hardware according to DIN 18257 ES0 (SK1)

HOPPE security hardware of the newly introduced ES0 (SK1) resistance class offers increased security compared with usual door hardware and is available in aluminium.




HOPPE security hardware according to DIN 18257 ES1 (SK2)

HOPPE security hardware of the ES1 (SK2) resistance class is available with or without cylinder-cover in aluminium, stainless steel and brass. ES1 (SK2) is recommended as standard by the police.







Example of different colour and material combination.




HOPPE combination security hardware according to DIN 18257 ES1 (SK2)

HOPPE combination security hardware according to DIN 18257 ES1 (SK2) HOPPE combination security hardware of the ES1 (SK2) resistance grade is available only with cylinder cover in aluminium, stainless steel and brass.

This security hardware makes it possible to fit a set on rose on the interior side of the entrance door instead of the usual backplate, thereby enabling a different combination of material and finish on both sides of the door.

NB: Certification is only awarded for combinations using solely HOPPE products!



HOPPE security hardware according to DIN 18257 ES2 (SK3)

HOPPE security hardware with ES2 (SK3) resistance comes with a cylinder-cover and a 10mm-thick hardened steel plate. Sets are available on request in aluminium, stainless steel and brass. Because of its extremely high resistance level, the police recommend ES2 (SK3) security hardware only where extremely high security is needed.

Fire-resistant door sets



Fire Doors

Fire doors may remain in use for a long time and can have a long life, depending on circumstances. If any changes are necessary over the course of time, the following points should be noted.

- A fire door must be authorised by building inspectors.
- Once authorised, no changes or alterations may be carried out.

Fire barriers are, according to DIN 4102, part 5, doors or gates which close automatically and whose purpose is to prevent the spread of fire. Fire-doors are categorised according to the length of time they can resist fire (T30 = 30 minutes, T60, T90 or T120). Fire doors must fulfil the following basic requirements:

- they must close automatically
- they must meet the specified fire safety requirements (ie they must prevent the spread of fire)
- they must operate reliably over some time (200,000 openings and closings)

How should fire-resistant door sets be manufactured?

Fire-resistant door sets have to be manufactured according to the requirements of DIN 18273 if they are to guarantee the fire-resistance of fire doors. This standard is valid for all fire-resistant door sets used in fire and smoke doors. In addition to the door set, other fire-tested parts, such as the lock, the hinges, the door closer etc., also make up the fire door. Should any non fire-tested part be used in the make-up of the fire door, then the above-mentioned requirements as mentioned above may not be met.

Important:

Fire door sets according to DIN 18273 form part of the building regulation list A of the German Länder (Federal States) Building Regulations and must have the conformity certificate as proof of application.

The conformity certificate is issued by a recognised testing and certification body as long as the building product corresponds to the appropriate technical regulation (in this case DIN 18273) and has undergone a continual in-house production test as well as an external test by the certification body.

HOPPE fire resistant sets (not individual parts) have been tested by the Materials Testing Institute of North Rhine-Westphalia, bear the "Ü" (for supervision) sign and assure you, as an planner, of using the appropriate proof of application as required by law.


Basic features of sets manufactured according to DIN 18273 mean that:

- the materials and assembly of the fire-door handles must be of such that the fire-preventing properties and long term function of the door are not infringed in any way when fitted to the door under the prescribed conditions and used appropriately.
- the square spindle must be made of steel, measure 9 mm x 9 mm and lengthwise be made up of one single part only.
- if fire door handle sets (for example aluminium sets) are made from a material which melts below 1000 degrees (300 degrees for smoke-doors) then, as a rule, all individual parts relating to the function of the door handle set (handle with steel core/backplates and roses with steel underplate/fixing means made of steel) must be made from material which melts above 1000 degrees. What is important is that the fire door can still be operated after a fire.
- fire door handle sets have to be able to withstand an endurance test (200,000 openings and closings, inactive door leaf set 100,000) without incurring damage such as distortion or cracks.
- doors on escape routes must be provided with door handles the ends of which are suitably shaped (e.g. curving back towards the door) to avoid injury – see HOPPE fire-resistant FS-138F handle.




HOPPE fire-resistant handle sets conform to DIN 18273 requirements (to suit doors up to T90 requirements)

All HOPPE fire-resistant sets of the Paris and Bonn series have long lugs to bridge relatively large door thicknesses. In the case of sets on rose or short backplate, the lugs have been reduced from a 7 mm diameter to 6,2 mm. This means that the lock hole, depending on the type of door, should be at least 6,5 mm (see line drawing). If this is not the case, please state exact dimensions of the lock hole and door thickness.



HOPPE fire-resistant lever-knob sets are all fitted with a fixed knob and a fixed/movable spindle. In escape-routes, lever-knob sets may only be used when the direction of the way of escape is absolutely clear.



It is usual for panic door handle sets (FSAP) to be fitted on doors in escape routes. For this reason it is advisable to choose a type of handle which is curved in towards the door leaf. All door handle sets for locks with an panic function must have both a firm and movable handle fixing on the base plate. All HOPPE fire-resistant sets come as fixed/movable versions. In such a way force is not spread to the lock follower.



Inactive door leaf sets (FSSF) produced by HOPPE all come with an exterior backplate or exterior blind rose. The square spindle can be fitted accordingly, depending on the type of lock.



DIN EN 179 and DIN EN 1125



DIN EN 179 for emergency exit devices and DIN EN 1125 for panic devices

The new European standards DIN EN 179 for emergency exit devices and DIN EN 1125 for panic devices were published in 1997. In June 2002 they were included in the German national regulations. They were included in the Building Regulation List B / part 1 of the DIBt (German Institute of Building Technology) and are to be adhered to in Germany.*

In the past, no distinction was made in escape routes between doors with emergency exit devices and doors with panic devices. All fire and panic door hardware with a spindle of 9 mm and handle shapes turned towards the end of the door leaf was admissible.

The above-mentioned standards differentiate between two types of devices. They define the requirements and test procedures and give concrete advice on their use.

DIN EN 179 emergency exit devices



Area of application:

For doors in escape routes where emergency situations can arise. The people in the building are familiar with the exits and their hardware (ie in office buildings not used by the public at large).

Emergency situations:

An emergency situation is when a life-threatening situation arises for one or more persons yet is not necessarily a cause for panic. A typical scenario is a fire in an office where the office-staff are familiar with the escape route and where evacuation can occur in a controlled way.

DIN EN 1125 panic devices



Area of application:

For doors in escape routes where panic situations might arise. The exits and their hardware are **not** familiar to everyone (eg exit doors on public buildings).

• Panic situations:

A panic situation can arise when many people have to evacuate a building. Thick smoke, darkness and the presence of people not familiar with the surroundings are important factors. A typical example is a fire in a cinema.

* There are differing opinions on this matter. We refer you to the statement by the German Lock and Hardware Association with regard to products according to DIN EN 179 and DIN EN 1125, which can be downloaded on www.schlossindustrie.de.



DIN EN 179 emergency exit devices

• Permitted hardware:

Door handles or push-bars which have been developed for emergency situations.

• Important information:

Handles or push-bars and lock must always be tested and certified together. It is absolutely essential to adhere to national regulations.

DIN EN 1125 panic devices


• Permitted hardware:

Horizontal push-bars, which cover the width of the door.


• Important information:

Handles or push-bars and lock must always be tested and certified together. It is absolutely essential to adhere to national regulations.

Important features of fire-resistant hardware for emergency exits to DIN EN 179



Dimensional requirements for a handle to DIN EN 179








HCS® – HOPPE Compact System

HCS® is a compact lock and hardware system for the home and office. It is suitable for all timber and glass doors as well as for partition doors. The wide selection of versions, materials and designs with a variety of finishes offers a large choice for interior doors in the home and office.

HCS®:

- is a unique product developed by HOPPE
- is ideal for wood, glass and partition doors for the home
- can be fitted in less than a minute
- is internationally patented there is nothing else like it!
- comprises door hardware, lock and locking function in one




HCS® consists of the following five components:

- (1) System core with integrated handle set
- 2 Latch set (bolt and tube)
- 3 Decorative rings
- 4 Clip-in components (cylinder and turn button for locking HCS®)
- 5 Strike plate and additional accessories (on request)



There are four HCS® versions:

- a HCS® passage: for doors which do not need to be locked (without clip-in components)
- **(b) HCS®** with non-keyed locking (SK/OL-15): for doors which need to be locked such as bathrooms or toilets. Turn button (OL-15) on the interior with slotted head piece (SK) for emergency opening.
- © HCS® with keyed/nonkeyed locking (15/OL-15): for doors which need to be locked by key from the outside such as bedrooms or studies. Turn button (OL-15) on the interior and cylinder (15) on the exterior.
- d HCS® with keyed locking (15/15): for doors which need to be locked.
 Cylinder on both interior and exterior sides.





HCS® products	page
Athinai	216
Atlanta	220
Capri	217



HCS® - the preparation of timber doors

- Handle and latch bolt are at the same height from finished floor level
- Backset of 50 mm, 60 mm (standard backset), 70 mm or 80 mm
- Door thickness of flush doors 25-45 mm (48-53 mm), of rebated doors 38-43 mm.
- For other door thicknesses please get in touch with your HOPPE contact partner
- For the preparation of steel frames please contact the manufacturer.






System core for rebated doors





System core for flush doors



HCS® – the preparation of glass and partition doors

Glass and partition doors should be prepared for the installation of HCS® by the manufacturer as illustrated below.





Note:

A complete HCS $^{\circ}$ tool kit is also available (the hole saw Ø 65 mm is not included).





HCS® - door preparation

Only two holes need to be drilled to install HCS®.

- ① Place HCS® jig at required handle height on door and tighten.
- 2 Flush door: Centre small drill plate on flush edge of door and tighten Rebated door: Position small drill plate against rebate and tighten.

HCS® drill bit.

4 Drill Ø 7 mm guiding hole for






- stepped drill bit. 5 Drill 48 mm into door on one side using the Ø 54 mm or 65 mm diameter drill bit.




- **6** Drill through from opposite side.



7 Drill hole for latch set from flush edge/rebated side of door using HCS® Ø 16,2 mm / 22,2 mm stepped drill bit.

HOPPE CD











HCS® - installation

HCS® can be installed in less than a minute!

- ① Insert the HCS® in the 54 mm hole with the HOPPE logo at the **bottom** and the handles pointing to the **edge of the door.**
- ② Turn the handles through 180°. The HOPPE logo is then at the top with the handles pointing to the hinges of the door.
- ③ Put the latch tube on the installati-on key and insert it into the approp-riate hole. Position it in the system core and turn it but do **not** tighten completely.
- Put the decorative rings over thehandles and turn them tight. Only now tighten the latch tube.
- ⑤ Put the latch bolt on the installation key and insert it fully into the tube with the strike face of the bolt showing upwards. Depending on the closing direction of the door, put it to the final position by turning it 90°.
- That's all! Depending on the HCS® version chosen, the appropriate clip-in components can now be fitted.
- The turn button (OL) can be clipped into the handle on the interior side of the door. The slotted head piece (SK) or the red/green indicator (RG-SK) can be clipped into the handle on the exterior side of the door. Insert the appropriate key cylinder if needed.



Note: Installation of locking HCS®

Before inserting the clip-in components (slotted head piece, turnbutton, key cylinder etc.) into the handles, establish their correct position regarding the interior and exterior side of the door. **Once fitted, the clip-in components cannot be removed!**

You will find the instructions for door preparation and installation of the HCS® on every HCS® packaging.

Sliding door sets



The new HOPPE range for sliding doors

With the new range for sliding doors, the fitting technology has been further developed for simplicity and ease. For example, with the innovative telescopic spindle (in the panic release/ turn button version), it is no longer necessary to have a set screw and the respective drill hole.

Furthermore, this enhanced technology can be used with a wide range of door-thicknesses. The doors are not spoilt in any way by drilling or unsightly preparation.

Advantages at a glance:

- quick and easy fitting
- shorter fitting time
- with innovative telescopic spindle (no need for set screw)
- suitable for a wide range of door-thicknesses
- concealed fixing (exception: M493)

door-exterior side: emergency release with telescopic spindle (insert, solid spindle)



door-interior side: turn button with telescopic spindle (receiver part, sleeve)

Features of sliding door sets of the duravert®product line:

- matching finishes from the duravert® product line, all with the Resista® surface guarantee
- maximum projection including stowable turn button = 4 mm
- solutions with normal or stowable turn button for round/square shells
- stowable turn button as standard with oval shells

Features of sliding door sets of the duraplus® product line:

- matching finishes from the dura**plus**® product line, some with the Resista® surface guarantee
- maximum projection including stowable turn button = 4 mm
- solutions with normal or stowable turn button for round shells
- stowable turn button as standard with oval shells

Features of sliding door sets of the duranorm® product line:

• high resistance to scratching as a result of the fine texture of the shell's inner surface

The sliding door sets are available in the following types:

	oval standard keyhole (OB)	Set 3 and Set 4
	external: emergency release, internal: turn button (SK/OL)	Set 1 and Set 2
	external: emergency release, internal: stowable turn button (SK/OL)	Set 7
(UG)	without keyhole (UG)	Set 5




Door preparation


You will find details of door preparation for the new sliding door sets with round and oval sliding door shells below. Detailed installation instructions are enclosed with every set.



Sliding door sets: - M463 - M475 - M472 - M493










Sliding door sets

The HOPPE sliding door sets M425, M462, M463, M471, M472, M474 and M475:


The above-mentioned sliding door sets come with a nylon base and brass inlay, and in a finish to match the set. Once the base has been fixed to the sliding door, all you need to do is to clip the brass frame onto the base which then covers the screwing points.


With the stowable turn button it is even easier to move the door.














Sliding door sets






Easy removal of sliding door sets with turn button and emergency release


Simply tie a piece of string with a loop around the turn button or emergency release and pull out slowly and horizontally.



Reliability tests



Turn button and emergency release have successfully undergone a test of **50,000** operational cycles.



Test over **200 hours** with a load of **1 kg** at a temperature of **70° Celsius.**



HOPPE recommends the following combinations:







Windows and breaking in



Windows and breaking in

About two-thirds of all break-ins in detached houses occur through windows or French doors. Common ways of breaking in are by forcing the window with levers or by tampering with the window fitting from outside, whereby the window handle can be moved to the open position. Tilted windows, too, can be an invitation for burglars. The window handle can be reached through the opening and then turned to the opening position, thereby allowing free entry into the house.

HOPPE can provide more protection for windows with the following technical solutions:

Secustik® technology

Window handles with Secustik® technology hinder unauthorised tampering with the window fitting from outside by an integrated jamming mechanism. The precision clicking of the blocking mechanism when engaging itself is the audible sign of more security for your windows. For more information about this technology see page 59.


• Die Secu100® technology

The Secu100® technology prevents the turning and pulling off of the window handle up to a torque of 100 Nm*. For more information about this technology see page 63.

* 1 Nm (Newton metre) is equal to the torque resulting from a force of one Newton applied perpendicularly to a lever arm which is 1 metre long.

Secu100® + Secustik® technology

The Secu100® + Secustik® combines the Secu100® with Secustik® technology. With this, not only is there a high degree of safety when locked, but also an in-built permanent, basic security even when unlocked. For more information about this technology see page 64.



On the following pages you will find not only detailed information about window handles but also about relevant standards. You will also learn what distinguishes a HOPPE handle from others as well as finding out about the technology developed by HOPPE.

DIN 18267 and RAL-RG 607/9



The 18267 DIN for window handles

As a result of coordinating the requirements of the RAL-RG 607/9 standard for window handles with further ones of German and European authorities, the DIN 18267 has been developed for window handles lockable with or without key as well as window handles with stop-in position.

This new standard focuses on the detent torques before and after an endurance test as per RAL-RG 607/9 and maximum free-play and strength requirements alongside the dimensional requirements (\square 7 and centre distance 43).

Two classes have been defined for window handles lockable with or without key as well as window handles with stop-in position:

- Class 1 demands 100 Nm resistance to turning and tearing off. This value corresponds to the demands of the European DIN EN 1627 standard (windows, doors, shutters – burglary resistance – requirements and classification).
- Class 2 demands 200 Nm resistance to turning and tearing off. This requirement was taken over from the RAL-RG 607/9 for lockable window handles.

Classification according to 18267 is summarised in the following table:

Feature of window handle	Abbreviation	Resistance class
with stop-in positions with stop-in positions and non-keyed locking with stop-in positions and keyed locking	FG FG-R FG-S	not determined 1 or 2 1 or 2

Complying with DIN 18104-1 (burglary-resistant retrofitted products – retrofitted products for doors and windows which can be screwed on) the requirements were determined with regard to the locking cylinders used in window handles lockable by key.

Requirements regarding corrosion resistance were defined on the basis of the European DIN EN 1670 standard (locks and building hardware – corrosion properties).

Certification according to DIN EN 18267 is voluntary for both keyed locking and non-keyed locking window handles of resistance classes 1 and 2). This is to enable exchangeability of tested elements according to DIN EN 1627.

The HOPPE **Secu100**® and **Secu100**® + **Secustik**® window handles lockable by key correspond to DIN 18267-FG-S1. On request, HOPPE **Nr. Sicher** window handles, which comply with the DIN 18267-FG-S2 standard, are available.

HOPPE window handles come with RAL certification

The German RAL-RG 607/0 continues to exist. The internal and external testing of products at frequent, half-yearly intervals as stipulated therein gives you the assurance of constant high quality. The HOPPE window handles with stop-in positions with U26, U34, US945, US952 and US956 roses fulfil the quality and testing requirements of RAL-RG 607/9 and conform to DIN 18267-FG.



Fitting HOPPE window handles




Fitting HOPPE window handles

You can fit or remove HOPPE window handles easily as they come with either a full cap or with a turnable, spring-loaded cover plate.


Window handle with cover cap






Fitting example:

When assembling, the handle just has to be put in the opening (horizontal) position with the cover cap removed from the front of the rosette via the neck and turned to the side. Now you have free access to the screw points.




Window handle with cover plate





Fitting example:

To fit the handle all you need to do is put it in the opening (horizontal) position with the cover plate slightly raised and turned. Now you have free access to both screw-holes.





Secustik®, the window handle with the built-in security you can hear

Secustik® window handles contain a patented jamming-device which



provides integrated security. This helps to prevent unlawful moving of the window-fitting from outside. It works by a coupling element acting as a sort of mechanical diode. This allows for normal use of the window handle from inside, but jams the handle if anyone tries to turn it from outside by way of the fitting. In this way, the handles meet the requirements of AhS RAL-RG 607/13.

As the handle is turned through 180 degrees from the closed position to the tilt position, the jamming-device makes a series of clicks – proof of the **built-in security you can hear**.







This is how the typical Secustik® clicks are made



Patented blocking mechanism of the Secustik® window handle.

European Patent
EP 112150
Secustik®



As the window handle is turned, the sprung security bolts ① click as they go over special notches ② in the housing, indicating the built-in security.




As the handle is turned, the security bolts ① are carried by the coupling element ③ to the individual notches ②, producing the clicking sound.

You can download a film and find out more about Secustik® handles under **www.hoppe.com**. Just get in touch with your HOPPE contact partner.


Window handles with Secustik®	Page
038/US956	453
099/US952	447
0138/US956	448
0140/US956	455
0400/US956	434
0515/US956	461
0530/US952	438
0738/US945	450
0739/US954	442
0810/US10	452
E038/US956	454
E050/US956	441
E0138/US956	449
E0140/US956	455
E0310/US956	444
E0365/US956	440
E0400/US956	435
E0430/US956	458
E0440/US956	429
E0800/US956	460
M029/US918	427
M029/US937	427
M029/US937	428
M051/US956	460
M056/US937	426
M0515/US956	461
M0530/US956	440
M0535/US956	429
M0545/US956	442
M0550/US920	430
M0558/US918	426
M0607/US910	443
M0623/US943	446
M0640/US937	430
M0643/US943	444
M0950/US956	428

This is how Secustik® technology effectively helps prevent break-ins.





As a break-in is attempted, the security bolts ① are forced into special notches ② in the housing by a second coupling element ③.




It's in this position that the security bolts ① effectively prevent the turning of the window handle from outside. The window handle locks and foils the attempted break-in.

TBT

The lockable window handles with TBT operation

Lockable **TBT** (tilt **b**efore **t**urn) window handles are being increasingly used in public buildings and places such as schools, kindergartens, clinics or old people's homes to prevent unauthorised opening from inside.

The TBT technology enables the handle to be locked in the tilted position (90°) with a key. The further moving of the handle to the opening position (180°) is then only possible once it has been unlocked again.



Important:


The TBT function is only assured if an appropriate tilt / turn hardware is used.

HOPPE window handles with TBT operation

The HOPPE TBT window handles come in TBT1 and TBT4 versions. How these differ technically is shown below.

TBT1 window handles

The TBT1 designs are equipped with freewheel between the locked and tilted positions meaning that, although an unlocking of the cylinder is not necessary, ventilation can occur. In the 90° tilted position, a blocking mechanism comes into operation so that turning the handle further to the 180° opening position is only possible once the cylinder has been unlocked.



Every TBT window handle comes with a sticker which explains the TBT technology in a simple way.







TBT4 window handles

HOPPE's TBT 4 function is a further development of the conventional TBT technology. It ensures ease and greater security for windows.

In the locked position (0°), a HOPPE window handle with the TBT 4 function can be locked with a key and so gives additional security, helping to prevent break-ins. Only when unlocked by turning the key can the handle be moved to the 90° tilted position.

When the window handle is turned to the tilted position, unlike the conventional TBT technology, it **automatically** locks in the 90° position, without the key having to be used. Turning it back to the locked position (0°) is also possible without unlocking it with the key.

In order to be able to turn the window handle from the tilted to the opening position (180°), a "two-hand operation" is necessary: It is only when the key and the handle are turned at the same time that unlocking is possible and the window handle can be turned to the opening position. It is in this way that the window handle is protected against unlawful or unintentional turning to the opening position.

If the HOPPE TBT4 window handle is in the opening position and needs to be turned to the tilted position, this is possible without unlocking. The automatic blocking mechanism comes into operation in the tilted position, too, which securely locks the handle without the need to use the key. However, it can be turned further to the locked position but no longer back to the opening position. This is only possible by using two hands as mentioned.

In short: a high degree of security is provided where it is needed and easier operation where it is possible - advantages which play an important role in public buildings.

Window handles with TBT operation	Page
0810S/U10 (TBT1) 099S/U26 (TBT4)	451 447
0530S/U26 (TBT4)	436

All window handles with the lockable US950S rose (see page 65) also come with TBT4 technology.



The New York window handle with innovative double function

The new 0810SVS/U10 window handle connects the push-to-open technology with a locking cylinder. The two functions combined – that's the innovative double function technology developed by HOPPE.

"Normal" lockable window handle:

With a normal lockable window handle, the handle can be moved when the locking cylinder is unlocked by the key. If the locking cylinder is pressed in the closed or 180° tilt position, the window handle remains locked.

DF window handle with innovative double function:

With the DF window handle and its new double function, the handle can only be moved when the push button locking cylinder is unlocked and then pressed when turning. This means, once unlocked with the key, the handle can only be moved by pressing the push button locking cylinder, too. If the push button locking cylinder is not pressed, the handle remains locked in the 0° closed or 180° tilt position.

- Moving the window hardware and turning the spindle from the outside is made more difficult by automatic locking (push-to-open technology) – even when the window is not closed.
- Locking the window handle by key prevents the unwarranted moving of the handle from inside, and attempted break-in from outside is made considerably more difficult.







keep pressed,



turn!



Window handles with double function	Page
0810SVS/U10 (DF)	451



Secu100® – standard for performance, security and ease of use


Secu100® - The performance standard

- the handles meet the requirements of the European standard DIN EN 1627-1630 so they can be sold throughout the European Union
- attractive and well-proven handle designs, matching the (013) London, (0810) New York and (0710) Tôkyô series
- meets the DIN 18104-1 standard for burglar-resistant retrofitted products
 meaning additional sales opportunities in the renovation area
- attractive benefit /price ratio



Secu100® - The security standard

- lockable window handle with a tested torque of 100 Nm.: High mechanical security hampering break-ins and effective protection against tampering by children
- meets all requirements of resistance classes RC1-6 (WK1-6) when used with the appropriate window element



Secu100® - The standard for ease of use

- enables quick and easy locking of the closed or tilted window "at the touch of the button" on the lock
- increased ease of use by means of the large reversible key


Secu100® is protected by trademark.

Secu 100®

Secu 100[®] + Secustik[®]

Secu100® + Secustik® = the new standard for ease and built-in security you can hear

The Secu100® + Secustik® window handle combines the technology of the Secu100® and Secustik®. This not only creates a high standard of mechanical safety when locked, but also a permanent basic security when not locked. This means that:



It is the Secustik® technology which helps impede unlawful tampering of the window-handle from outside by an integrated blocking mechanism. The clicking sound is the audible sign of greater basic security.



Window handles with Secu100®+ Secustik®	Page
099S/US952 (100 Nm)	446
0530S/US952 (100 Nm)	436
0738S/US945 (100 Nm)	449
0739S/US954 (100 Nm)	441
0810S/US10 (100 Nm)	450
1400/US950S (100 Nm)	434
E138Z/US950S (100 Nm)	454
M0530S/US910 (100 Nm)	439
M0643S/US943 (100 Nm)	443

Secu100® + Secustik® - The most important advantages


- the handles meet the requirements of the European standard DIN EN 1627-1630 so they can be sold throughout the European Union
- meets the DIN 18104-1 standard for burglar-resistant retrofitted products meaning additional sales opportunities in the renovation area
- they also meet the requirements of all resistance classes of DIN EN 1627-1630 RC1-6 (WK1-6), when used with the appropriate window
- attractive and successful handle designs matching the Luxembourg (099), Atlanta (0530), Brugge (0715), Metz (0738) and Brest (0739) series



Lockable and easy to use – window handles with the US950S rose

The lockable window handle rose US950S is equipped with the Secu100® + Secustik® technology developed by HOPPE. This ensures both high mechanical security when locked as well as a permanent basic security when not locked. What this means is that:

The Secu100® technology prevents the **turning** and **pulling** off of the window handle up to a torque of 100 Nm. In addition, the patented Secustik® technology effectively hampers unlawful tampering of the window handle from outside by an integrated jamming mechanism – even when the window handle has not been locked with a locking cylinder! It is the movement of the catches which makes the **audible sign** of increased basic security in your window.




The new window handle rose can be fitted with a locking cylinder which points upwards or downwards so you can choose the way you prefer.

The most important advantages of window handles with the US950S rose at a glance

- with **Secu100**® + **Secustik**® technology: high mechanical security in the locked position, permanent basic security in the non-locked position
- very easy to use as a result of variable positioning of the locking cylinder and large reversible keys
- quick and easy locking of the tilted or closed window by pressing the cylinder
- wide choice of designs in aluminium, stainless steel or brass to suit individual tastes
- meets the requirements of the European standard DIN EN 162 7-163 0 and can be sold throughout the European Union
- meets the requirements of DIN18104-1 for burglary-resistant retrofitted products providing increased sales opportunities in the renovation sector
- when used with the appropriate windows, meets the requirements of all resistance classes (1-6)
- also available for TBT4 windows




Possibility to fit he locking cylinder on the bottom or the top of the rose



Window handles with US950S rose	Page
1400/US950S (100 Nm)	434
E138Z/US950S (100 Nm)	454

SecuSignal®





Open, tilted or closed? SecuSignal® shows you what you should know about your windows!

SecuSignal® offers more ease and security through a central, radio-based monitoring of the positions of the windows via the window handle.

The SecuSignal® system consists of at least one SecuSignal® window handle with an emitter, for which no batteries are needed, and the SecuSignal® receiver.


Replacing an old window handle with a new SecuSignal® window handle* is very easy and only takes a few minutes. As soon as the receiver is operational (all it needs is a 230 V mains connection) and the window handle has been set, the emitter transmits information about the position of the window handle and the window itself directly to the receiver as the window handle is turned. Information about the position of the window is shown by the coloured lights, and the room concerned is indicated on the two-digit display, both on the receiver. This information is also stored (see below).

The SecuSignal® emitter works without wiring or batteries


In turning the SecuSignal® window handle, energy is produced by a patented system** so the emitter is totally maintenance-free.

In order to ensure a high assurance of transmission, the radio signal is sent out many times in quick succession with just one turn of the handle. Depending on the type of building, range is about 30 m (see page 68). With its advanced technology, SecuSignal® works with minimal transmitter power, so any electromagnetic pollution is minimal. Naturally, SecuSignal® is CE-tested.

This is how SecuSignal® works:




- The window handle is turned into the opening position
- The "open" signal is transmitted to the receiver
- A red light shows on the receiver
- Caution: at least one window in room 3 is open!



- The window handle is turned to the tilt position
- The "tilted" signal is transmitted to the receiver
- A **yellow** light shows on the receiver
- At least one window in room 3 is tilted; is this OK?
- The window handle is turned
- to the closed position
- The "closed" signal is transmitted to the receiver
- A green light shows on the receiver
- The window is closed - all's well!

^{*} also for TBT (Tilt Before Turn) windows





One receiver can deal with up to 128 SecuSignal® radio emitters, which can be combined in a maximum of 99 freely programmable groups (eg. all living room windows, bedroom windows etc.) recognised by the receiver. You can see at a glance where an open window might be a problem on the two-digit display.

Example table for allocation and identification of rooms			
- 1	Children's room 1		
2	Guest toilet		
	Children's room 2		
4	lounge		
5 5	Kitchen/dining room		
5	Study		
7-	Bathroom		
8	Guest room		
- 9	Bedroom		
10			


The advantages of SecuSignal® at a glance

- More ease and security through
- central monitoring of the window position via the window handle
- Based on radio technology, so
 - no complex wiring
 - suitable for all standard windows
 - quick and easy installation
- Very low-energy signal transmission in a very short time, so
- high transmission assurance
- minimal electro magnetic pollution
- No batteries needed, so
 - totally maintenance-free
 - no problems with spent batteries
 - no environmentally-harmful spent battery disposal
 - no need to keep buying batteries



Мос	dell	Material	Page
SecuSignal® window handle	0530S/US952/FK-410 0530/US952/FK-410 E0400/US956/FK-410 M0530/US956/FK-410	aluminium / nylon aluminium / nylon stainless steel / nylon	437 438 435 439
SecuSignal® receiver	FE-F411	brass / nylon nylon	522


SecuSignal®



Notes on radio range planning

Radio signals, in connection with SecuSignal® technology, too, are electro-magnetic waves, whose signal can be diminished on the way from the transmitter to the receiver, i.e. both the electrical and the magnetic field strength are reduced. In addition to these "natural" range restrictions, other interference factors, such as the metal parts in armouring in walls, the metal foils as used in heat insulation or heat-absorbing glass tempered with metal, reflect electromagnetic waves. While radio waves can penetrate walls, reduction in signal is greater than without them.

The angle at which the signal hits the wall is also a factor which can reduce the signal and hence its strength.




In order to avoid signal failure with SecuSignal®, special signal amplifiers (repeaters) can be used. These catch the SecuSignal® radio signal from the window or the lift/slide door handle and send it on to the SecuSignal® receiver. You can see a selection of SecuSignal® repeaters on the right at the top.

A mobile field strength tester can be used in planning radio ranges. This can be used to determine the optimum position of the receiver. The tester is positioned in the desired place for the receiver and the SecuSignal® handle activated. It is then possible to see on the tester whether the signal received is strong enough.



Display and further application possibilities of the SecuSignal® radio signals

The status sent by the HOPPE SecuSignal® radio transmitters can be shown by a number of receivers. Furthermore, the radio signals can be used to control various setting units in house automation.





You can find all SecuSignal® market partners on **www.hoppe.com** as well as download a SecuSignal® film. If you have any questions please get in touch with your HOPPE contact person.

Reference buildings worldwide





Asia/Pacific
Hotel Mandarin Oriental
ACIOVISta - Seoul
AustriaBaden (near Wien)Ärztehaus BadenSalzburg
Czechia Hotel Aria***** Praha
FranceDeutsche Bank
GermanyBerlinSpree-Ufer-ResidenzBerlinDüsseldorfer StadttorDüsseldorfEuropa-CenterHamburgRheinEnergieStadionKöln
HungaryKülügyminisztériumBudapestMűvészetek PalotájaBudapest
ItalySelimexLacesOspedale "Alessandro Manzoni"LeccoCentro di recupero "Fatebenefratelli"Cernusco sul Naviglio MilanoFiera di MilanoMilanoPalazzo PirelliMilano
NetherlandsEempolisAmersfoortLa Guardia Plaza Toren I en IIAmsterdamKantoor La TourApeldoornMontevideoRotterdam
SloveniaRogaška SlatinaGrand Hotel SavaRogaška SlatinaHotel AstoriaBled
SpainBarcelonaEdificio Banco Vitalicio
Switzerland Stade de Suisse
Turkey Atatürk Airport Istanbul
United Kingdom British Telecom Headquarters
















The HOPPE Group Profile

The HOPPE Group

In 1952, Friedrich Hoppe founded a company for the manufacture of door hardware in Heiligenhaus near Düsseldorf, the former heartland of Germany's lock and hardware industry. In 1954 he moved the business to Stadtallendorf (north of Frankfurt) and in so doing laid the foundation for continual growth.

Today, the HOPPE Group, an internationally active company with its head-quarters in Switzerland, is led by Wolf Hoppe and Christoph Hoppe in its second generation.




With the 2,700 people it employs in nine plants in Europe and the USA as well as its international marketing, the owner-run HOPPE family business is the European leader in the development, manufacture and marketing of hardware systems for doors and windows.

In fairness to employees, customers, suppliers and the regions in which HOPPE is located, the company pursues the principle of profitability before turnover. The following beliefs make the HOPPE Group what it is today:

"Creativity is intelligent thinking against the norm", the result being: "Different from and better than others".





Handle of Excellence.

Enjoy the feel of quality. Indeed, touching a quality handle reassures you that you have made the right choice. Hardware with this logo to is a brand-name product, which, in our view, is tantamount to a promise of quality.

All production plants of the HOPPE Group in Germany, Italy and the Czech Republic are certified in accordance with DIN EN ISO 9001:2008. Continuous striving for improvement in quality remains a permanent process.

HOPPE is aware that simply manufacturing a faultless product is not sufficient today. Among the important

criteria HOPPE considers, are efficient manufacturing to quality standards, complying with current regulations, short product life-cycles and, above all, close attention to customer requirements.

The Product Range

For everyone who wants to upgrade their surroundings, HOPPE, Europe's leading brand of door and window handles, can fit in with any personal living and furniture style. With high quality and fair price, our products enhance everyone's choice of interior decor.

There is something for every situation in the extensive product range. HOPPE products are tradesman's first choice.

HOPPE not only offers a wide range of attractive handles for doors and windows but also develops specific solutions. Thus a building or an apartment can be equipped with the "Handle of Excellence" form the representative entrance door to the interior doors and windows and, what is more, in a choice of materials such as aluminium, bronze, stainless steel, nylon or brass.

Consideration for the Environment

At HOPPE, consideration for the environment is of "constitutional" importance. Some examples are:


- the manufacture of hardware in an environmentally-considerate way
- the recycling of waste-water and the use of a circulatory system for water required in manufacture
- bio-degradable packaging
- the use of recyclable scrap as secondary raw material
- the use of process heat
- the company is also a member of the "Hesse Environment Alliance"

All production facilities of the HOPPE Group in Germany, Italy and the Czech Republic are certified to DIN EN ISO 14001:2009.





Beneficial Performance





(Revision 05/2011)

You will stand out as a competent market partner against competitors who sell cheap, no-name products. You will increase your profits in the long term by benefiting from focused sales strategies developed in cooperation with HOPPE. You will increase the efficiency of your sales through the use of our sales promotion activities. You will be able to build up a long term, sustainable business relationship with us through close cooperation in the market. HOPPE will contribute through its ideas and experience. You will profit from HOPPE's international structure (locations, costs, assured delivery, numerous home markets) not only in purchasing but also in sales. You will be able to decrease your stock costs with the help of our binding, high on-time-delivery for those ranges with set lead times. Even more savings potential can be provided by the integration between our respective systems. You will be making an active contribution to the environment by using HOPPE products. Consideration for the environment is of "constitutional" importance at HOPPE, and indeed on a daily basis. In addition to what you would normally expect, **HOPPE** offers more: You will be able to solve your customers' problems through innovative products geared to the appropriate target-group. You will benefit profitably from business with HOPPE because of the attractive benefit/price ratio. Be careful not to be misled by comparing the margin of HOPPE products with the average margin of the distributor, since this does not take into account the actual processing costs (quantity effects). You will enjoy increased trust in the eyes of your customers by your offering consistently good, appropriate brand-quality products at various price levels.

Advantages which pay!

ers

Program for internal doors





Contents



Product line duravert®

for the discerning



Acapulco M1558 page 84



Capri M1950



page 100



Phoenix M1640





Athinai M156 page 88



Genova M1535 page 104



Singapore M172





Bergen M1602



page 92



Las Vegas E1440













Monte Carlo M1550 page 114











Product line dura**plus**®

more than usual



Amsterdam (E)1400 page 129



Dakar M1607 page 147



Marseille (E)1138 page 157



Atlanta (M)1530 page 133



Dallas M1643 New page 149



München M112 page 163



Bilbao E1365 page 139



Denver E1310 page 151



New York 1810 New page 165







Elba M1613 page 153







Cannes M1545 page 143



Houston M1623 New page 155



Rotterdam E1401 New page 171

Contents



Product line dura**plus**®

more than usual



Stockholm (E)1140 page 173



Trondheim E1430 page 183



Verona 1510, E1800, M151 page 189





Valencia M170 page 187



Vitória (M)1515 page 193







Product line duranorm®

consistently good value



Bari M1995 New page 200




Helsingborg E1730 page 203











Istanbul M171 page 204



















Lucca M1955 New page 205



Program for internal doors








for the discerning $duravert^{\mathbb{R}}$

Acapulco










Acapulco (Brass)



M1558/18K/18KS

HOPPE brass lever set on rose with escutcheon for interior doors, **Acapulco Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).







Two-tone finishes:

The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



With the F74-R finish, the rose and upper and lower surfaces of the handle are satin and the front surface is polished. The F41-R and F49-R finishes are monochrome.

satin front surface

Matching products for other applications:



Program for sliding doors

page 244



Program for windows

page 426







M1558/847 and E847S-SK New



HOPPE Quick-Fit^{plus} brass lever set on flat stainless steel rose **(version 2)** and escutcheon for interior doors, **Acapulco Series**: Tested to **DIN EN 1906 (category of use: grade 3)**. Loose brass lever with **HOPPE Quick-Fit connection** (solid spindle), flat stainless steel rose with bolt-through lugs, flat self-adhesive escutcheon, non-screw fitting.







Information about HOPPE Quick-Fit^{plus} technology see page 28.

Athinai







Athinai (Brass)




M156/19K/19KS

HOPPE brass lever set on rose with escutcheon for interior doors, **Athinai Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).






Article description			Keyhole	F49/F69	F77-R/F52-R	P.U.	O.C.
				Article no./€	Article no./€	F.O.	0.0.
Set	35-53	8		2820820 77,86	3054611 77,86	1	10
	35-53	8		2820838 77,86	3054629 77,86	1	10
	38-47	8 5-8		2823051 99.31	3054645 99.31	1	10



Two-tone finishes:



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.

Resista® 10 years' surface guarantee

Matching products for other applications:





Bergen







Bergen (Brass)




M1602/19K/19KS


HOPPE brass lever set on rose with escutcheon for interior doors, **Bergen Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).





Description	4		Keyhole	F49/F9	F72/F9	F77-R/F52-R		P.U.	O.C.
		₩		Article no./€	Article no./€	Article no./€			
Set	35-53	8	\cap	2820969	2851571	3054813		1	10
			U	90,99	90,99	90,99			
	35-53	8	\bigcirc	2820993	2851597	3054821		1	10
			U	90,99	90,99	90,99			
	38-47	8	Θ	2825461	2858781	3054848		1	10
		5-8		112,45	112,45	112,45			





The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



Matching products for other applications:



Program for windows

page 427






M1602/18K/18KS

HOPPE brass lever set on rose with escutcheon for interior doors, **Bergen Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).



Description			Keyhole	F49/F9	F77-R/F52-R	P.U.	O.C.
				Article no./€	Article no./€	P.U.	
Set	35-53	8	\cap	3137782	3137846	1	10
			U	90,99	90,99		
	35-53	8	\bigcirc	3137803	3137854	1	10
			U	90,99	90,99		
	37-51	8		3137820	3137889	1	10
		5-8		112,45	112,45		



Two-tone finishes:



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



Matching products for other applications:



Program for sliding doors

page 244




Program for windows

page 427



Bruxelles







Bruxelles (Brass)



M129/19K/19KS

Description

HOPPE brass lever set on rose with escutcheon for interior doors, **Bruxelles Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).

F41-R


F49-R/F98-R


F77-R





Keyhole





P.U.

O.C.

10

10

10

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.



Matching products for other applications:




Program for windows

page 427



Capri







Capri (Brass)




M1950/15K/15KS

HOPPE brass lever set on rose with escutcheon for interior doors, **Capri Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).





Description		П	Kovbolo	F49/F69	P.U	J. O.C.
		₩	Keyhole	Article no./€	F.C	0.0.
Set	30-55	8	n	2823511	1	10
			U	77,47///		
	30-55	8	\bigcirc	2823529	1	10
			U	77,47		
	38-46	8	\oplus	2833604	1	10
1		5-8		102,20		



Matching products for other applications:





M1950/847 and E847S-SK New




HOPPE Quick-Fit^{plus} brass lever set on flat stainless steel rose (version 2) and escutcheon for interior doors, Capri Series: Tested to DIN EN 1906 (category of use: grade 3). Loose brass lever with HOPPE Quick-Fit connection (solid spindle), flat stainless steel rose with bolt-through lugs, flat self-adhesive escutcheon, non-screw fitting.






Description	d h		Keyhole	F49-R/F69	F49-R/F69 F69		P.U.	O.C.
		₩		Article no./€	Article no./€		F.U.	0.0.
Lever set on rose, set	35-45	8		3201254 81,08			1	10
Escutcheon, pair			0		3189881 21,28		5	25
					3189929 21,28		5	25
Escutcheon, pair	35-45	8	D		3189953 38,76		2	10



Information about HOPPE Quick-Fit^{plus} technology see page 28.

Genova








Genova (Brass)




M1535/19K/19KS

HOPPE brass lever set on rose with escutcheon for interior doors, **Genova Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).









1 F45-R 1 F75-R

Two-tone finishes:

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.



Matching products for other applications:



Program for windows

page 429








M35G/19K/19KS

HOPPE brass knob set on rose with escutcheon for interior doors, **Genova Series**. Rose and escutcheon with nylon base, loose knob (receiver knob/knob with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).













The Resista® guarantee applies to all finishes with the letter **R** in the finish key.





M35G/19

HOPPE brass knob on rose for interior doors not turnable, **Genova Series**, concealed fixing: including fixing system for wooden doors.



Description	F45-R	F75-R		DII	O.C.
Description	Article no./€	Article no./€		P.U.	0.0.
Knob on rose, piece	2409459	2409467		2	12
	29,02	29,02			





Two-tone finishes:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.



Genova (Brass)






HOPPE Quick-Fit^{plus} brass lever set on flat stainless steel rose **(version 2)** and escutcheon for interior doors, **Genova Series**: Tested to **DIN EN 1906 (category of use: grade 3)**. Loose brass lever with **HOPPE Quick-Fit connection** (solid spindle), flat stainless steel rose with bolt-through lugs, flat self-adhesive escutcheon, non-screw fitting.



					F00			
Description			Keyhole	F42-R/F69	F69		P.U.	O.C.
		₩	Reynole	Article no./€	Article no./€		F.U.	
Lever set on rose, set	35-45	8		3201238			1	10
,				68,22				
Escutcheon, pair			\cap		3190022		5	25
			U		16,99			
			\bigcirc		3190031		5	25
			U		16,99			
Escutcheon, pair	35-45		Θ		3190049		2	10
		8			34,47			



Information about HOPPE Quick-Fit^{plus} technology see page 28.




M1535/29FLR New



HOPPE Quick-Fit^{plus} brass lever set on flat stainless steel rose rose (version 1) for interior doors, Genova Series: Tested to DIN EN 1906 (category of use: grade 3). Loose brass lever with HOPPE Quick-Fit connection (solid spindle), flat stainless steel rose with through-going support-lugs, exterior: with emergency release, interior: with locking turn button, non-screw fitting.



Description			Kovbolo	F42-R/F69		DII	0.0
Description		-	Keyhole	Article no./€		JF.U.	0.0.
Lever set on rose, set	38-48	8	0	3324449		1	10
			V	90,96			



Information about HOPPE Quick-Fit^{plus} technology see page 28.

No mortice lock with dead bolt is needed when using the roses with locking function.


M1535/29FL and E29FLS-SK New



HOPPE Quick-Fit^{plus} brass lever set on flat stainless steel rose (version 1) and escutcheon for interior doors, Genova Series: Tested to DIN EN 1906 (category of use: grade 3). Loose brass lever with HOPPE Quick-Fit connection (solid spindle), flat stainless steel rose with bolt-through lugs, flat stainless steel self-adhesive escutcheon, non-screw fitting.



	Im			F42-R/F69	F69			
Description			Keyhole				P.U.	O.C.
'		 ←→		Article no./€	Article no./€			
Lever set on rose, set	33-48	8		3324431			1	10
				65,28				
Rose E29FL, set			\cap		3400448		10	50
·			U		16,26			
			\bigcap		3400481		10	50
			U		16,26			



Las Vegas







Las Vegas (Stainless steel)




E1440Z/19K/19KS

HOPPE stainless steel lever set on rose with escutcheon for interior doors, **Las Vegas Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).





Description			Keyhole	F69		P.U.	O.C.
Description		₩	Reynole	Article no./€		F.U.	0.0.
Set	38-44	8	\cap	2825971		1	10
			U	53,72			
	38-44	8	\bigcirc	2825997		1	10
			U	53,72			
	38-44	8	Θ	2826025		1	10
		5-8		67,30			



Matching products for other applications:



Program for windows



E1440Z/847 and E847S-SK New




HOPPE Quick-Fitphus stainless steel lever set on flat stainless steel rose (version 2) and escutcheon for interior doors, Las Vegas Series: Tested to DIN EN 1906 (category of use: grade 3). Loose brass lever with HOPPE Quick-Fit connection (solid spindle), flat stainless steel rose with bolt-through lugs, flat self-adhesive escutcheon, non-screw fitting.





Description			Keyhole	F69		P.U.	O.C.
Description		₩	Reynole	Article no./€		1 .0.	0.0.
Lever set on rose, set	35-45	8		3189793 60,97		1	10
Escutcheon, pair			0	3189881 21,28		5	25
				3189929 21,28		5	25
Escutcheon, pair	35-45	8	D	3189953 38,76		2	10



Monte Carlo







Monte Carlo (Brass)



M1550/25K/25KS

HOPPE brass lever set on rose with escutcheon for interior doors, **Monte Carlo Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and HOPPE Quick-Fit connection (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).



Description			Keyhole	F46-R	F65-R	F74-R	F75-R	P.U.	O.C.
Description		₩	Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set	35-44	8	\cap	2827407	2827415	2827386	2826244	1	10
			U	148,09	148,09	148,09	148,09		
	35-44	8	\cap	2827440	2827458	2827423	2827343	1	10
			U	148,09	148,09	148,09	148,09		
	36-43	8	Θ	2833663	2833671	2833655	2833647	1	10
		5-8		184,45	184,45	184,45	184,45		



Two-tone finishes:















The Resista® guarantee applies to all finishes with the letter ${f R}$ in the finish key.





With the F75-R finish, the rose and upper and lower surfaces of the handle are polished and the front surface is satin.

Matching products for other applications:



Program for sliding doors

page 242

Pull handles

page 302

Knobs

page 406



Program for windows

page 430



Lift/slide door sets



Phoenix







Phoenix (Brass)




M1640/19K/19KS

HOPPE brass lever set on rose with escutcheon for interior doors, **Phoenix Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).





Description			Kovbolo	F49-R/F98-R	F77-R/F52-R	P.U.	O.C.
Description		₩	Keyhole	Article no./€	Article no./€	F.U.	0.0.
Set	32-48	8	\cap	2823641	3055120	1	10
			U	90,99	90,99		
	32-48	8	\cap	2823650	3055138	1	10
			U	90,99	90,99		
	38-47	8	Θ	2829859	3055154	1	10
		5-8		112,45	112,45		



Two-tone finishes:









The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.

Resista®
10 years' surface
guarantee

Matching products for other applications:



Program for windows



Singapore







Singapore (Brass)


M172/15K-2/15KS-2

HOPPE brass lever set on rose with escutcheon for interior doors, **Singapore Series**. Rose and escutcheon with nylon base, loose lever with spring cassette, HOPPE profile spindle, visible fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).





Description			Kovbolo	F54	F55	F56	F76	P.U.	O.C.
Description		₩	Keyhole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	O.C.
Set	30-66	8	Ω	2450961	2450970	2450988	2450996	1	10
				111,62	111,62	111,62	111,62		
	30-66	8	\cap	2451956	2451972	2451981	2451999	1	10
			U	111,62	111,62	111,62	111,62		
	36-45	8		2480466	2480482	2480491	2480511	1	10
		5-8		131,52	131,52	131,52	131,52		



Matching products for other applications:



Pull handles

page 303



Program for windows

page 431



Program for balcony doors



Program for internal doors







more than usual duraplus®



Amsterdam (Aluminium)




1400/42K/42KS

HOPPE aluminium lever set on rose with escutcheon for interior doors, **Amsterdam Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).





Description			Keyhole	F1	F1/F69	F9	р	U.	O.C.
Description		₩	Reynole	Article no./€	Article no./€	Article no./€	F	١٠٠	O.C.
Set	37-47	8	\cap	3276900	3276951	3276942	-	1	10
			U	25,34	37,34	29,05			
Set, both sides receiver	37-47	8	\bigcirc	3277081	3277101	3277099	-	1	10
handle*			U	25,93	37,94	29,65			
Set	37-47	8	\ominus	3277030	3277072	3277048	-	1	10
		5-8		32,58	45,02	37,36			



* Note:

For door thicknesses different from the one shown in the table, please exchange the spindle.

To be used exclusively with **HOPPE spindles** (please see page 533).

Quick-Fit




HOPPE Quick-Fit^{plus} aluminium lever set on flat stainless steel rose (version 2) and escutcheon for interior doors, Amsterdam Series: Tested to DIN EN 1906 (category of use: grade 3). Loose brass lever with HOPPE Quick-Fit connection (solid spindle), flat stainless steel rose with bolt-through lugs, flat self-adhesive escutcheon, non-screw fitting.





Description			Keyhole	F1	F69		P.U.	O.C.
Description		₩	Reynole	Article no./€	Article no./€		F.U.	0.0.
Lever set on rose, set	35-45	8		3429232			1	10
				44,16				
Escutcheon, pair			Ω		3190022		5	25
			U		16,99			
			0		3190031		5	25
			U		16,99			
Escutcheon, pair	35-45		Θ		3190049		2	10
		8			34,47			



Information about HOPPE Quick-Fit^{plus} technology see page 28.

Matching products for other applications:



Program for windows

Amsterdam (Stainless steel)






E1400Z/42K/42KS

HOPPE stainless steel lever set on rose with escutcheon for interior doors, **Amsterdam Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).





				F69			
Description			Keyhole			P.U.	O.C.
2 cccpt.cr.				Article no./€			0.0.
Set	37-47	8	\cap	3289524		1	10
			U	23,45			
Set, both sides receiver	37-47	8	\bigcirc	3278690		1	10
handle*			J	24,10			
Set	37-47	8	\ominus	3289655		1	10
		5-8		37,02			



* Note:

For door thicknesses different from the one shown in the table, please exchange the spindle.

To be used exclusively with **HOPPE spindles** (please see page 533).

Matching products for other applications:



Program for fireresistant doors

page 276



Program for windows

page 435



Lift/slide door sets

Amsterdam (Stainless steel)


E1400F/42/42KVS

HOPPE stainless steel lever set on rose with escutcheon for interior doors, **Amsterdam Series**. Rose with steel underplate, escutcheon with nylon base, loose lever with clip-in-connection, HOPPE solid profile spindle, bolt-through-fixing. Corresponding to **DIN EN 1906** (category of use: grade 4).





				EGO			
Description			Keyhole	F69		P.U.	o.c.
Description		₩	Reynole	Article no./€		1 .0.	0.0.
Set	40-45	8	\cap	3112112		1	10
			U	66,71			
	40-45	8	\bigcirc	3112163		1	10
			U	66,71			
Escutcheon E42S , pair	40-45	8	Θ	2230475		2	20
		5-8	\bowtie	47,99			



E1400Z/848 and E848S-SK New




HOPPE Quick-Fit^{plus} stainless steel lever set on flat stainless steel rose (version 2) and escutcheon for interior doors, Amsterdam Series: Tested to DIN EN 1906 (category of use: grade 3). Loose brass lever with HOPPE Quick-Fit connection (solid spindle), flat stainless steel rose with bolt-through lugs, flat self-adhesive escutcheon, non-screw fitting.





Description			Keyhole	F69		P.U.	O.C.
Besonption		₩	rtoyriolo	Article no./€		1 .0.	0.0.
Lever set on rose, set	35-45	8		3374497		1	10
				39,43			
Escutcheon, pair			Ω	3189988		5	25
			U	19,87			
			0	3189996		5	25
			U	19,87			
Escutcheon, pair	35-45		Θ	3190006		2	10
		8		37,35			







Atlanta (Aluminium)




1530/42K/42KS

HOPPE aluminium lever set on rose with escutcheon for interior doors, **Atlanta Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).





Article description			l/aubala	F1	F4	F9	P.U.	O.C.
		₩	Keyhole	Article no./€	Article no./€	Article no./€	1 .0.	
Lever 1530 , pair	35-45	8		2818754	2819909	2818762	5	50
				8,49	9,67	9,67		
Rose 42K, pair				2860400	2860451	2860426	10	100
				6,68	7,57	7,57		
Escutcheon 42KS, pair			Λ	762804	811069	762828	10	100
			U	5,99	6,88	6,88		
			0	762750	812127	762774	10	50
			U	5,99	6,88	6,88		
	45		<u> </u>	1704608	1795511	1795520	5	20
				14,00	16,08	16,08		



Matching products for other applications:








M1530/379

HOPPE brass lever on backplate for interior doors, **Atlanta Series**. Loose lever (receiver handle/handle with fixed spindle) with non-handed spring casette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), visible fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).



Article description			Keyhole/	F41-R	F71	F72	F77-R	P.U.	O.C.
Article description		+	Distance	Article no./€	Article no./€	Article no./€	Article no./€	JF.U.	0.0.
Set	32-47	8	∩ 90	2821591	2821435	2821478	2821654	1	10
			U	52,02	34,08	34,08	65,81		
	38-44	8	O 90	2851520	2851482	2851503	2851546	1	10
			U	52,02	34,08	34,08	65,81		
	39-43	8	⊕ 90	2852143	2852127	2852135	2852151	1	10
		5-8		75,91	53,29	53,29	107,57		



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.



Matching products for other applications:



Program for profile doors

page 358



rs

Lift/slide door sets

page 508



Program for windows

page 439



Program for balcony doors

Atlanta (Brass)




M1530/23K/23KS

HOPPE brass lever set on rose with escutcheon for interior doors, **Atlanta Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).



Article description			Keyhole -	F41-R	F71	F72	F77-R	DII	O.C.
Article description				Article no./€	Article no./€	Article no./€	Article no./€	1 .0.	
Set	32-47	8	\cap	2832071	2830260	2832054	2832089	1	10
			U	52,02	34,08	34,08	57,45		
	32-47	8	\bigcirc	2832118	2832097	2832100	2832126	1	10
			U	52,02	34,08	34,08	57,45		
	40-47	8	\ominus	2832222	2824492	2832206	2832231	1	10
		5-8		75,91	53,29	53,29	92,52		



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.












HOPPE Quick-Fit^{plus} brass lever set on flat stainless steel rose (version 2) and escutcheon for interior doors, Atlanta Series: Tested to DIN EN 1906 (category of use: grade 3). Loose brass lever with HOPPE Quick-Fit connection (solid spindle), flat stainless steel rose with bolt-through lugs, flat self-adhesive escutcheon, non-screw fitting.





Article description			Keyhole	F42-R/F69	F69		DE	Karton
Article description		i←→ i	Reynole	Article no./€	Article no./€			Raiton
Lever set on rose, set	35-45	8		3201191			1	10
				55,25				
Escutcheon, pair			\cap		3190022		5	25
			U		16,99			
			\bigcirc		3190031		5	25
			U		16,99			
Escutcheon, pair	35-45		Θ		3190049		2	10
		8			34,47			



Atlanta (Brass)


Quick-Fit

M1530/29FLR New

HOPPE Quick-Fit^{plus} brass lever set on flat stainless steel rose **(version 1)** for interior doors, **Atlanta Series**: Tested to **DIN EN 1906 (category of use: grade 3)**. Loose brass lever with **HOPPE Quick-Fit connection** (solid spindle), flat stainless steel rose with through-going support-lugs, exterior: with emergency release, interior: with locking turn button, non-screw fitting.



Description	dip.		Kevhole	F42-R/F69		БП	O.C.
Description		₩	Reynole	Article no./€		P.U.	0.0.
Lever set on rose, set	38-48	8	0	3324385		1	10
			l V	78,65			



Information about HOPPE Quick-Fit^{plus} technology see page 28.

No mortice lock with dead bolt is needed when using the roses with locking function.


M1530/29FL and E29FLS-SK New



HOPPE Quick-Fit^{plus} brass lever set on flat stainless steel rose (version 1) and escutcheon for interior doors, Atlanta Series: Tested to DIN EN 1906 (category of use: grade 3). Loose brass lever with HOPPE Quick-Fit connection (solid spindle), flat stainless steel rose with bolt-through lugs, flat stainless steel self-adhesive escutcheon, non-screw fitting.



Description			Keyhole	F42-R/F69	F69		P.U.	O.C.
		 	Reynole	Article no./€	Article no./€		r.U.	0.0.
Lever set on rose, set	33-48	8		3324377			1	10
				53,08				
Rose E29FL, set			\cap		3400448		10	50
			U		16,26			
			\cap		3400481		10	50
			U		16,26			







Bilbao (Stainless steel)




E1365Z/42K/42KS

HOPPE stainless steel lever set on rose with escutcheon for interior doors, **Bilbao Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).





Article description			Keyhole	F69		P.U.	O.C.
		₩	Reynole	Article no./€		F.U.	0.0.
Set	35-45	8	\cap	2825938		1	10
			U	32,96			
	35-45	8	\bigcirc	2825946		1	10
			U	32,96			
	40-45	8	\ominus	2825962		1	10
		5-8		46,54			



Matching products for other applications:



Program for windows






Bonn (Stainless steel)




E150Z/42K/42KS

HOPPE stainless steel lever set on rose with escutcheon for interior doors, **Bonn Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).







* Note: For doo


For door thicknesses different from the one shown in the table, please exchange the spindle.

To be used exclusively with **HOPPE spindles** (please see page 533).

E150F/42/42KVS

HOPPE stainless steel lever set on rose with escutcheon for interior doors, **Bonn Series**. Rose with steel underplate, escutcheon with nylon base, loose lever with clip-in-connection, HOPPE solid profile spindle, bolt-through-fixing. Corresponding to **DIN EN 1906** (category of use: grade 4).







69	130	-
	4 + +	
5 1 8	38	Ø21
	(+ () +	
6 8	38	

Matching products for other applications:



Cannes






Cannes (Brass)



M1545/23K/23KS

HOPPE brass lever set on rose with escutcheon for interior doors, **Cannes Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).





Article description			Keyhole	F41-R	F71	F72	F77-R	P.U.	O.C.
Article description				Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set	35-55	8	\cap	2822227	2822180	2822198	2822251	1	10
			U	57,33	38,73	38,73	62,94		
	35-55	8	\cap	2822307	2822260	2822286	2822331	1	10
			U	57,33	38,73	38,73	62,94		
	40-49	8		2825532	2825508	2825516	2825559	1	10
		5-8		82,06	58,63	58,63	99,29		

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.



Matching products for other applications:



Pull handles

page 335



Program for windows

page 442



Program for balcony doors












1	

Article description			Keyhole	F42-R/F69	F69	P.U.	O.C.
Article description		₩	Reynole	Article no./€	Article no./€	1 .0.	0.0.
Lever set on rose, set	35-45	8		3201203		1	10
				61,35			
Escutcheon, pair			\cap		3190022	5	25
			U		16,99		
			0		3190031	5	25
			U		16,99		
Escutcheon, pair	35-45		Θ		3190049	2	10
		8			34,47		



Cannes (Brass)






HOPPE Quick-Fit^{plus} brass lever set on flat stainless steel rose (version 1) for interior doors, Cannes Series: Tested to DIN EN 1906 (category of use: grade 3). Loose brass lever with HOPPE Quick-Fit connection (solid spindle), flat stainless steel rose with through-going support-lugs, exterior: with emergency release, interior: with locking turn button, non-screw fitting.



Description			Kevhole	F42-R/F69		P.U.	O.C.
Description		₩	Reynole	Article no./€		F.U.	0.0.
Lever set on rose, set	38-48	8	0	3324414		1	10
			l V	84,50			



Information about HOPPE Quick-Fit^{plus} technology see page 28.

No mortice lock with dead bolt is needed when using the roses with locking function.


Quick-Fit

M1545/29FL and E29FLS-SK New

HOPPE Quick-Fit^{plus} brass lever set on flat stainless steel rose (version 1) and escutcheon for interior doors, Cannes Series: Tested to DIN EN 1906 (category of use: grade 3). Loose brass lever with HOPPE Quick-Fit connection (solid spindle), flat stainless steel rose with bolt-through lugs, flat stainless steel self-adhesive escutcheon, non-screw fitting.



Description			Keyhole	F42-R/F69	F69		P.U.	O.C.
Description		 	Reynole	Article no./€	Article no./€		F.U.	0.0.
Lever set on rose, set	33-48	8		3324406			1	10
				59,72				
Rose E29FL, set			\cap		3400448		10	50
			U		16,26			
			\cap		3400481		10	50
			U		16,26			







Dakar (Brass)




M1607/42K/42KS

HOPPE brass lever set on rose with escutcheon for interior doors, **Dakar Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).



Article description			Keyhole	F41-R	F/1	F/3	F//-R	P.U.	O.C.
Article description		₩	Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set	39-51	8		3211399	3211305	3211356	3211508	1	10
			U	35,62	27,40	27,40	41,10		
	39-51	8	0	3211401	3211321	3211364	3211516	1	10
			U	35,62	27,40	27,40	41,10		
	39-47	8		3211428	3211348	3211381	3211532	1	10
		5-8	00	60,36	47,31	47,31	78,00		



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



Matching products for other applications:



Program for windows

Dallas









M1643/843K/843KS New

HOPPE brass lever set on rose with escutcheon for interior doors, **Dallas Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).








The Resista® guarantee applies to all finishes with the letter **R** in the finish key.




M1643/848 and E848S-SK New

Quick-Fit plus





Article description			Keyhole	F42-R/F69	F69		P.U.	O.C.
Article description		₩	Reynole	Article no./€	Article no./€		1 .0.	0.0.
Lever set on rose, set	35-45	8		3429144			1	10
				68,28				
Escutcheon, pair			Ω		3189988		5	25
			U		19,87			
			0		3189996		5	25
					19,87			
Escutcheon, pair	35-45		Θ		3190006		2	10
		8			37,35			



Information about HOPPE Quick-Fit^{plus} technology see page 28.









Denver (Stainless steel)




E1310Z/42K/42KS



 ${\sf HOPPE}\ stainless\ steel\ lever\ set\ on\ rose\ with\ escutcheon\ for\ interior\ doors,\ \textbf{Denver}\ \textbf{Series}.\ Rose\ and\ escutcheon\ doors,\ \textbf{Denver}\ \textbf{Series}.$ Rose\ and\ escutcheon\ doors,\ \textbf{Denver}\ \textbf{Series}.\ Rose\ and\ escutcheon\ doors,\ \textbf{Denve} with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and HOPPE Quick-Fit connection (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).



Article description			Keyhole	F69		P.U.	0.C.
Article description		₩	Reynole	Article no./€		1 .0.	0.0.
Set	35-45	8	\cap	2830796		1	10
			U	34,20			
	35-45	8	\bigcirc	2830809		1	10
			U	34,20			
	40-45	8		2830817		1	10
		5-8		47,77			



Matching products for other applications:



Program for windows






M1613/88K-2/88KS-2

HOPPE brass lever set on rose with escutcheon for interior doors, **Elba Series**. Rose and escutcheon with nylon base, lever spring loaded (RF), HOPPE profile spindle, visible fixing with wood screws.





Article description		Keyhole	Kovbolo	F54	F55	F56	F76	DII	O.C.
Article description		₩	Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set	32-52	8	Ω	2931001	2931010	2931036	2931044	1	10
			Ш	27,33	27,33	27,33	27,33		
	62-82	8		2931052	2931061	2931079	2931095	1	10
			U	27,33	27,33	27,33	27,33		
	41-51	8	Θ	2931221	2931247	2931255	2931263	1	10
		5-8		36,86	36,86	36,86	36,86		



Matching products for other applications:



Program for windows

page 445



Program for balcony doors








M1623/843K/843KS New

HOPPE brass lever set on rose with escutcheon for interior doors, **Houston Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).





Article description	45		Keyhole	F41-R	F49-R	F71	F77-R	P.U.	O.C.
Article description		+	Reynole	Article no./€	Article no./€	Article no./€	Article no./€	1 .0.	0.0.
Set	37-52	8	\cap	3392484	3392513	3392441	3392548	1	10
			U	56,43	54,34	41,80	58,53		
	62-74	8	\bigcirc	3392492	3392521	3392468	3392556	1	10
			U	57,07	54,99	42,44	59,17		
	38-48	8		3392505	3392530	3392476	3392564	1	10
		5-8		80,10	73,64	60,85	93,31		



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.



M1623/848 and E848S-SK New




HOPPE Quick-Fit^{plus} brass lever set on flat stainless steel rose (version 2) and escutcheon for interior doors, **Houston Series**: Tested to **DIN EN 1906 (category of use: grade 3)**. Loose brass lever with **HOPPE Quick-Fit connection** (solid spindle), flat stainless steel rose with bolt-through lugs, flat self-adhesive escutcheon, non-screw fitting.





Article description		 	Keyhole	F42-R/F69	F69		P.U.	O.C.
Article description		₩	Reynole	Article no./€	Article no./€		1 .0.	0.0.
Lever set on rose, set	35-45	8		3429152			1	10
				62,07				
Escutcheon, pair			Λ		3189988		5	25
			U		19,87			
			0		3189996		5	25
					19,87			
Escutcheon, pair	35-45		Θ		3190006		2	10
		8			37,35			



Information about HOPPE Quick-Fit^{plus} technology see page 28.

Matching products for other applications:



Program for windows

page 446



Program for balcony doors

Marseille





Marseille (Aluminium)




1138/42K/42KS

HOPPE aluminium lever set on rose with escutcheon for interior doors, **Marseille Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).





Article description			Kovbolo	F1	F9		P.U.	O.C.
Article description		₩	Keyhole	Article no./€	Article no./€		F.U.	0.0.
Set	37-47	8		2839432	2947484		1	10
			U	21,18	24,17			
	37-47	8	0	2839459	2947572		1	10
			U	21,18	24,17			
	37-47	8		2839504	2947599		1	10
		5-8		28,21	32,26			





Marseille (Stainless steel)




E1138Z/42K/42KS


HOPPE stainless steel lever set on rose with escutcheon for interior doors, **Marseille Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).





Article description			Keyhole	F69		P.U.	O.C.
Article description		i ←→i	Reynole	Article no./€		F.U.	0.0.
Set	35-45	8	\cap	3058048		1	10
			U	25,36			
	35-45	8	\bigcirc	3058161		1	10
			U	25,36			
	40-45	8	\ominus	3058216		1	10
		5-8		38,94			





Marseille (Stainless steel)


E1138F/42/42KVS

HOPPE stainless steel lever set on rose with escutcheon for interior doors, **Marseille Series**. Rose with steel underplate, escutcheon with nylon base, loose lever with clip-in-connection, HOPPE solid profile spindle, bolt-through-fixing. Corresponding to **DIN EN 1906** (category of use: grade 4).





A 11 1 1 1 11			14 1 1	F69		D	0.0
Article description		□	Keyhole	Article no./€		P.U.	O.C.
Set	40-45	8		3041941		1	10
			U	88,21			
	40-45	8	0	3041975		1	10
			U	88,21			
	40-45	8	8	3042011		1	4
		8	lă	101,78			








Quick-Fit plus







Article description		<u></u>	Keyhole	F69		PE	Karton
Alticic acsoription		₩	regrioic	Article no./€			1 Car torr
Lever set on rose, set	35-45	8		3189494		1	10
				38,44			
Escutcheon, pair			\cap	3190022		5	25
			U	16,99			
			\bigcirc	3190031		5	25
			U	16,99			
Escutcheon, pair	35-45		\ominus	3190049		2	10
		8		34,47			



Marseille (Stainless steel)




E1138Z/29FLR New

HOPPE Quick-Fit^{plus} stainless steel lever set on flat stainless steel rose (version 1) for interior doors, Marseille Series: Tested to DIN EN 1906 (category of use: grade 3). Loose stainless steel lever with HOPPE Quick-Fit connection (solid spindle), flat stainless steel rose with through-going support-lugs, exterior: with emergency release, interior: with locking turn button, non-screw fitting.



Description			Kevhole	F69		рп	00
Description		₩	Reynole	Article no./€		F.U.	0.0.
Lever set on rose, set	38-48	8	0	3287334		1	10
			U	61,88			



Information about HOPPE Quick-Fit^{plus} technology see page 28.

No mortice lock with dead bolt is needed when using the roses with locking function.


Quick-Fit

E1138Z/29FL and E29FLS-SK New

HOPPE Quick-Fit^{plus} stainless steel lever set on flat stainless steel rose (version 1) and escutcheon for interior doors, Marseille Series: Tested to DIN EN 1906 (category of use: grade 3). Loose stainless steel lever with HOPPE Quick-Fit connection (solid spindle), flat stainless steel rose with bolt-through lugs, flat stainless steel self-adhesive escutcheon, non-screw fitting.



Description			Keyhole	F69		P.U.	O.C.
Description		₩	Reynole	Article no./€		JF.U.	0.0.
Lever set on rose, set	33-48	8		3287326		1	10
				39,27			
Rose E29FL, set			\cap	3400448		10	50
			U	16,26			
			\cap	3400481		10	50
			U	16,26			






München (Brass)

M112PL/2021

HOPPE brass lever on backplate for interior doors, **München Series**. Loose lever, HOPPE profile spindle, visible fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).



Article description		[- 	Keyl	nole/	F71	F73	ПП	O.C.
Article description		₩	Dista	ance	Article no./€	Article no./€	P.U.	0.0.
Lever M112PL, pair, handle with spindle, right	30-49	8			529421 20,82	529469 20,82	2	12
Backplate M2021 , pair			8	90	555703 10,91	555710 10,91	8	80
				90	555772 10,91	591428 10,91	8	32
Backplate M2021 , piece				90	703111 16,71	555802 16,71	6	24
			\ominus	90	697175 14,11	694907 14,11	6	24





New York





New York




1810/42K/42KS New

HOPPE aluminium lever set on rose with escutcheon for interior doors, **New York Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).



Article description			Kovholo	F1	F9	F4	P.U.	O.C.
Article description		₩	Keyhole	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set	35-45	8	\cap	3292061	3292096	3292109	1	10
			U	18,18	20,92	20,92		
	55-65	8	\bigcirc	3429275	3429283	3429291	1	10
			U	18,81	21,54	21,54		
	40-47	8		3429401	3429419	3429427	1	20
		5-8		24,83	28,56	28,56		









Paris (Aluminium)




138L/42K/42KS

HOPPE aluminium lever set on rose with escutcheon for interior doors, **Paris Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).





Article description			Keyhole	F1	F4		P.U.	O.C.
Article description		₩	Reynole	Article no./€	Article no./€		F.U.	0.0.
Set	35-45	8	\cap	3278999	3279001		1	10
			U	32,67	37,48			
Set, both sides receiver	35-45	8	\cap	3279035	3279043		1	10
handle*			U	33,32	38,13			
Set	40	8		3279019	3279027		1	10
		5-8	ĕ	39,89	45,75			



* Note:

For door thicknesses different from the one shown in the table, please exchange the spindle.

To be used exclusively with **HOPPE** spindles (please see page 533).








E138Z/42K/42KS

HOPPE stainless steel lever set on rose with escutcheon for interior doors, **Paris Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).






Autiala alaaasiatias			I/a. da a la	F69		DII	0.0
Article description		₩	Keyhole	Article no./€		P.U.	O.C.
Set	35-45	8	\cap	3290171		1	10
			U	23,45			
Set, both sides receiver	35-45	8	\bigcirc	3278921		1	10
handle*			U	24,10			
Set	40-45	8	\ominus	3290154		1	10
		5-8		37,02			



* Note:

For door thicknesses different from the one shown in the table, please exchange the spindle.

To be used exclusively with **HOPPE spindles** (please see page 533).




E138F/42/42KVS

HOPPE stainless steel lever set on rose with escutcheon for interior doors, **Paris Series**. Rose with steel underplate, escutcheon with nylon base, loose lever with clip-in-connection, HOPPE solid profile spindle, bolt-through-fixing. Corresponding to **DIN EN 1906** (category of use: grade 4).





Article description			Keyhole	F69		P.U.	O.C.
Article description		₩	Reynole	Article no./€		F.U.	0.0.
Set	40-45	8		3112518		1	10
			U	66,71			
	40-45	8	\bigcirc	3112526		1	10
			U	66,71			
Escutcheon E42S , pair	40-45	8	Θ	2230475		2	20
		5-8		47,99			



E138Z/849 and E849S-SK New




HOPPE Quick-Fit^{plus} stainless steel lever set on flat stainless steel rose (version 2) and escutcheon for interior doors, Paris Series: Tested to DIN EN 1906 (category of use: grade 3). Loose brass lever with HOPPE Quick-Fit connection (solid spindle), flat stainless steel rose with bolt-through lugs, flat self-adhesive escutcheon, non-screw fitting.





Article description			Keyhole	F69		DE	Karton
Article description		+	Reynole	Article no./€		г.с.	Naitoii
Lever set on rose, set	35-45	8		3429259		1	10
				36,68			
Escutcheon, pair			Ω	3190022		5	25
				16,99			
			0	3190031		5	25
			U	16,99			
Escutcheon, pair	35-45		Θ	3190049		2	10
		8		34,47			



Rotterdam





Rotterdam


E1401F/42/42KVS New

HOPPE stainless steel lever set on rose with escutcheon for interior doors, **Rotterdam Series**. Rose with steel underplate, escutcheon with nylon base, loose lever with clip-in-connection, HOPPE solid profile spindle, bolt-through-fixing. Corresponding to **DIN EN 1906** (category of use: grade 4).





Article description			Kovbolo	F69		P.U.	O.C.
Article description		₩	Keyhole	Article no./€		F.U.	0.0.
Set	40-45	8		3409611		1	10
			U	94,73			
	40-45	8	0	3301141		1	10
			U	94,73			
	40-45	8	8	3358534		1	4
		8	ĺŠ	106,87			





Stockholm






Stockholm (Aluminium)




1140/42K/42KS

HOPPE aluminium lever set on rose with escutcheon for interior doors, **Stockholm Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).





Article description			l/outbala	F1	F9		P.U.	O.C.
Article description		₩	Keyhole	Article no./€	Article no./€		P.U.	0.0.
Set	37-47	8		2839061	2839117		1	10
			U	21,18	24,17			
	37-47	8	\bigcirc	2839070	2839133		1	10
			U	21,18	24,17			
	37-47	8		2839176	2839248		1	10
		5-8		28,21	32,26			





Stockholm (Stainless steel)






E1140Z/42K/42KS


HOPPE stainless steel lever set on rose with escutcheon for interior doors, **Stockholm Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).





Article description			i Kevhole	F69		DII	0.0
		 		Article no./€		P.U.	O.C.
Set	35-45	8	\cap	3058304		1	10
			U	25,36			
	65-75	8	0	3058312		1	10
			U	25,36			
	40-45	8		3058321		1	10
		5-8		38,94			





Stockholm (Stainless steel)


E1140F/42/42KVS

HOPPE stainless steel lever set on rose with escutcheon for interior doors, **Stockholm Series**. Rose with steel underplate, escutcheon with nylon base, loose lever with clip-in-connection, HOPPE solid profile spindle, bolt-through-fixing. Corresponding to **DIN EN 1906** (category of use: grade 4).





Article description			Keyhole	F69		P.U.	O.C.
Article description		₩	Reynole	Article no./€		F.U.	0.0.
Set	40-45	8		3042601		1	10
			U	88,21			
	40-45	8	0	3042599		1	10
			U	88,21			
	40-45	8		3042628		1	4
		8	ĕ	101,78			





E1140Z/848 and E848S-SK New


Quick-Fit

HOPPE Quick-Fit^{plus} stainless steel lever set on flat stainless steel rose **(version 2)** and escutcheon for interior doors, **Stockholm Series**: Tested to **DIN EN 1906 (category of use: grade 3)**. Loose brass lever with **HOPPE Quick-Fit connection** (solid spindle), flat stainless steel rose with bolt-through lugs, flat self-adhesive escutcheon, non-screw fitting.





Article description			Keyhole	F69		P.U.	O.C.
		₩	Reynole	Article no./€		ا.U.	0.0.
Lever set on rose, set	35-45	8		3189734		1	10
				41,20			
Escutcheon, pair			\cap	3189988		5	25
			U	19,87			
			\bigcirc	3189996		5	25
			U	19,87			
Escutcheon, pair	35-45		Θ	3190006		2	10
		8		37,35			



Information about HOPPE Quick-Fit^{plus} technology see page 28.

E1140Z/849 and E849S-SK New




HOPPE Quick-Fit^{plus} stainless steel lever set on flat stainless steel rose (version 2) and escutcheon for interior doors, Stockholm Series: Tested to DIN EN 1906 (category of use: grade 3). Loose brass lever with HOPPE Quick-Fit connection (solid spindle), flat stainless steel rose with bolt-through lugs, flat self-adhesive escutcheon, non-screw fitting.





Article description			Keyhole	F69		DE	Karton
		₩	Reynole	Article no./€		F.L.	raitori
Lever set on rose, set	35-45	8		3429267		1	10
				39,43			
Escutcheon, pair			\cap	3190022		5	25
			U	16,99			
			\bigcirc	3190031		5	25
			U	16,99			
Escutcheon, pair	35-45		\ominus	3190049		2	10
		8		34,47			



Stockholm (Stainless steel)






HOPPE Quick-Fit^{plus} stainless steel lever set on flat stainless steel rose (version 1) for interior doors, Stockholm Series: Tested to DIN EN 1906 (category of use: grade 3). Loose stainless steel lever with HOPPE Quick-Fit connection (solid spindle), flat stainless steel rose with through-going support-lugs, exterior: with emergency release, interior: with locking turn button, non-screw fitting.



Description			Kovbolo	F69		P.U.	0.0
		₩	Keyhole	Article no./€		P.U.	0.0.
Lever set on rose, set	38-48	8	®	3293515		1	10
			l (<i>1</i>)	61.88			



Information about HOPPE Quick-Fit^{plus} technology see page 28.

No mortice lock with dead bolt is needed when using the roses with locking function.


uick-Fit plus

E1140Z/29FL and E29FLS-SK New

HOPPE Quick-Fit^{plus} stainless steel lever set on flat stainless steel rose (version 1) and escutcheon for interior doors, Stockholm Series: Tested to DIN EN 1906 (category of use: grade 3). Loose stainless steel lever with HOPPE Quick-Fit connection (solid spindle), flat stainless steel rose with bolt-through lugs, flat stainless steel self-adhesive escutcheon, non-screw fitting.



Description				F69		P.U.	O.C.
				Article no./€		P.U.	0.0.
Lever set on rose, set	33-48	8		3293507		1	10
				39,27			
Rose E29FL, set			\cap	3400448		10	50
			U	16,26			
			\cap	3400481		10	50
			U	16,26			







Tôkyô (Aluminium)




1710/273P

HOPPE aluminium lever on backplate for interior doors, **Tôkyô Series**. Loose lever (receiver handle/handle with fixed spindle) with non-handed spring casette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), visible fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).



Article description		[-]	Keyhole/	F1	F4	F9	P.U.	O.C.
		₩	Distance	Article no./€	Article no./€	Article no./€	JF.U.	0.0.
Lever 1710, pair	38-42	8		2826201	2828346	2826228	5	50
				8,68	9,91	9,91		
	48-52	8		2826287	2828442	2826308	5	50
				8,68	9,91	9,91		
Backplate 273P, pair			∩ 90	2841698	2841823	2841891	10	100
			U	7,12	8,06	8,06		
) 90	2860653	2860725	2860733	10	50
			U	7,12	8,06	8,06		
	37-47		90	2841807	2841866	2841920	5	20
		5-8	90	14,32	16,35	16,35		










1710/42K/42KS

HOPPE aluminium lever set on rose with escutcheon for interior doors, **Tôkyô Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).





				1			_	
Article description			Keyhole	F1	F4	F9	P.U.	O.C.
Article description		₩	Reynole	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Lever 1710 , pair	38-42	8		2826201	2828346	2826228	5	50
				8,86	9,91	9,91		
	48-52	8		2826287	2828442	2826308	5	50
				8,86	9,91	9,91		
Rose 42K , pair				2860400	2860451	2860426	10	100
				6,68	7,57	7,57		
Escutcheon 42KS, pair			\cap	762804	811069	762828	10	100
			U	5,99	6,88	6,88		
			\bigcirc	762750	812127	762774	10	50
			U	5,99	6,88	6,88		
	45		<u> </u>	1704608	1795511	1795520	5	20
		5-8		14,00	16,08	16,08		






M1710RH/265

HOPPE brass lever on backplate for interior doors, **Tôkyô Series**. Loose lever (receiver handle/handle with fixed spindle) with non-handed spring casette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), visible fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).



Article description			Keyhole/	F41-R	F71	F77-R	P.U.	O.C.
Article description		₩	Distance	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set	35-44	8	∩ 90	2827802	2827765	2827941	1	10
			U	37,01	30,64	58,77		
	35-44	8	O 90	2851714	2851706	2851722	1	10
			U	37,01	30,64	58,77		
	39-43	8	⊕ 90	2838683	2838704	2838667	1	10
		5-8		49,36	40,64	80,41		



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.






M1710RH/42K/42KS

HOPPE brass lever set on rose with escutcheon for interior doors, **Tôkyô Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).





Article description			Keyhole	F41-R	F71	F77-R	P.U.	O.C.
Article description		+	Reynole	Article no./€	Article no./€	Article no./€	r.U.	0.0.
Set	35-44	8		2821275	2821064	2827909	1	10
			U	37,01	30,64	51,82		
	35-44	8	\bigcirc	2821283	2821072	2827917	1	10
			U	37,01	30,64	51,82		
	38-44	8		2824601	2829875	2829891	1	10
		5-8		49,36	40,64	70,00		



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.

Resista® 10 years' surface guarantee

Matching products for other applications:



Program for windows page 458



Program for balcony doors

page 491

Trondheim





Trondheim (Stainless steel)




E1430Z/42K/42KS

HOPPE stainless steel lever set on rose with escutcheon for interior doors, **Trondheim Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).





Article description			Kovbolo	F69		P.U.	O.C.
Article description		₩	Keyhole	Article no./€		F.U.	0.0.
Set	35-45	8		2826068		1	10
			U	33,56			
	35-45	8		2826084		1	10
			l U	33,56			
	40-45	8		2826113		1	10
		5-8		47,13			



Matching products for other applications:



Program for windows

page 458














Article description			Keyhole	F69		P.U.	O.C.
Article description		₩	Reynole	Article no./€		1 .0.	0.0.
Lever set on rose, set	35-45	8		3189769		1	10
				38,44			
Escutcheon, pair			\cap	3189988		5	25
			U	19,87			
			\bigcirc	3189996		5	25
			U	19,87			
Escutcheon, pair	35-45		Θ	3190006		2	10
		8		38,35			



Information about HOPPE Quick-Fit^{plus} technology see page 28.

Trondheim (Stainless steel)


Quick-Fit plus

E1430Z/29FLR New

HOPPE Quick-Fit^{plus} stainless steel lever set on flat stainless steel rose (version 1) for interior doors, Trondheim Series: Tested to DIN EN 1906 (category of use: grade 3). Loose stainless steel lever with HOPPE Quick-Fit connection (solid spindle), flat stainless steel rose with through-going support-lugs, exterior: with emergency release, interior: with locking turn button, non-screw fitting.



Description		m	Kevhole	F69		рп	0.0
Description		₩	Reynole	Article no./€		P.U.	0.0.
Lever set on rose, set	38-48	8	DQ.	3293671		1	10
			l V	61,88			



Information about HOPPE Quick-Fit^{plus} technology see page 28.

No mortice lock with dead bolt is needed when using the roses with locking function.


Quick-Fit plus

E1430Z/29FL and E29FLS-SK New

HOPPE Quick-Fit^{plus} stainless steel lever set on flat stainless steel rose (version 1) and escutcheon for interior doors, Trondheim Series: Tested to DIN EN 1906 (category of use: grade 3). Loose stainless steel lever with HOPPE Quick-Fit connection (solid spindle), flat stainless steel rose with bolt-through lugs, flat stainless steel self-adhesive escutcheon, non-screw fitting.



Description			Keyhole	F69		P.U.	O.C.
Description		 	Reynole	Article no./€		F.U.	0.0.
Lever set on rose, set	33-48	8		3293662		1	10
				39,27			
Rose E29FL, set			\cap	3400448		10	50
			U	16,26			
			\cap	3400481		10	50
			U	16,26			



Information about HOPPE Quick-Fit^{plus} technology see page 28.

Valencia






Valencia (Brass)

M170/221I

HOPPE brass lever on backplate for interior doors, **Valencia Series**. Loose lever with non-handed spring casette (RFL-R/L), HOPPE profile spindle, visible fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).



Article description			Keyho	ole/	F54	F55	F56	F76	DII	O.C.
Article description		₩	Dista	nce	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set	31-72	8	Ω	90	3070215	3070258	3070291	3070320	1	10
			Ш		61,42	61,42	61,42	61,42		
	31-72	8		90	3063701	3063728	3063744	3063761	1	10
			U		61,42	61,42	61,42	61,42		
	40-44	8	Θ	90	3063710	3063736	3063752	3063779	1	10
		5-8			81,31	81,31	81,31	81,31		




M170/15K-2/15KS-2

HOPPE brass lever set on rose with escutcheon for interior doors, **Valencia Series**. Rose and escutcheon with nylon base, loose lever with spring cassette, HOPPE profile spindle, visible fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).





Article description	dipp.		Keyhole	F54	F55	F56	F76	P.U.	O.C.
Article description		+	Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set	28-68	8	Ω	2450929	2450937	2450945	2450953	1	10
				61,42	61,42	61,42	61,42		
	28-68	8	\bigcirc	2451905	2451921	2451930	2451948	1	10
			U	61,42	61,42	61,42	61,42		
	38-47	8	Θ	2480415	2480431	2480440	2480458	1	10
		5-8		81,31	81,31	81,31	81,31		









Verona (Aluminium)



1510/42K/42KS




HOPPE aluminium lever set on rose with escutcheon for interior doors, **Verona Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and HOPPE Quick-Fit connection (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).





Description			Kovbolo	F1	F9		P.U.	O.C.
Description		₩	Keyhole	Article no./€	Article no./€		F.U.	0.0.
Lever 1510 , pair	35-45	8		2799952	2799987		5	50
				10,56	12,11			
Rose 42K , pair				2860400	2860426		10	100
				6,68	7,57			
Escutcheon 42KS, pair			Ω	762804	762828		10	100
			U	5,99	6,88			
			Ω	762750	762774		10	50
			U	5,99	6,88			
	45		8	1704608	1795520		5	20
		5-8	ĕ	14,00	16,08			











E1800Z/42K/42KS

 $HOPPE\ stainless\ steel\ lever\ set\ on\ rose\ with\ escutcheon\ for interior\ doors,\ \textbf{Verona\ Series}.\ Rose\ and\ escutcheon\ for\ interior\ doors,\ \textbf{Verona\ Series}.$ $with \, nylon \, base, \, loose \, lever \, (receiver \, handle/handle \, with \, fixed \, spindle) \, with \, non-handled \, spring \, cassette \, (RFL-R/L)$ and HOPPE Quick-Fit connection (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to DIN EN 1906 (category of use: grade 3).









Matching products for other applications:



Security sets

page 394



Program for windows

page 460




M151/265

HOPPE brass lever on backplate for interior doors, **Verona Series**. Loose lever (receiver handle/handle with fixed spindle) with non-handed spring casette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), visible fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).



Description			Keyl	nole/	F71	F77-R		P.U.	O.C.
Description		₩	Dista	ance	Article no./€	Article no./€		F.U.	0.0.
Set	32-48	8	\cap	90	2828717	2828768		1	10
			U		41,38	74,25			
	38-44	8	\bigcirc	90	2851941	2851984		1	10
			U		41,38	74,25			
	37-42	8		90	2852194	2852215		1	10
		5-8			61,28	117,53			



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.

Resista® 10 years' surface guarantee




M151/42K/42KS

HOPPE brass lever set on rose with escutcheon for interior doors, **Verona Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).





Article description			Keyhole	F41-R	F49-R	F71	F77-R	DII	O.C.
Article description		₩	Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set	32-48	8	Ω	2823991	2823967	2823959	2824003	1	10
			U	59,96	52,89	41,38	65,58		
	32-48	8	Ω	2824011	2823975	2810728	2824020	1	10
			U	59,96	52,89	41,38	65,58		
	38-47	8	Θ	2829971	2829963	2829947	2829980	1	10
		5-8		84,72	73,04	61,28	101,92		



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista® 10 years' surface guarantee

Matching products for other applications:



Security sets

page 395



Program for windows

page 460






Vitória (Aluminium)





1515/42K/42KS

 $HOPPE \ a luminium \ lever \ set \ on \ rose \ with \ escutcheon \ for \ interior \ doors, \textbf{Vit\'oria Series}. \ Rose \ and \ escutcheon \ with \ escutcheon \ esc$ nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and HOPPE Quick-Fit connection (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).

















M1515/23K/23KS


HOPPE brass lever set on rose with escutcheon for interior doors, **Vitória Series**. Rose and escutcheon with nylon base, loose lever (receiver handle/handle with fixed spindle) with non-handed spring cassette (RFL-R/L) and **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).





Article description	dipp		Keyhole	F41-R	F49-R	F71	F72	P.U.	O.C.
Article description		₩	Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set	32-47	8	\cap	2829453	2829461	2829349	2829357	1	10
			U	47,56	40,72	29,61	29,61		
	32-47	8	\bigcirc	2829488	2829496	2829381	2829402	1	10
			U	47,56	40,72	29,61	29,61		
	40-47	8	\ominus	2830059	2830075	2830016	2830024	1	10
		5-8		71,45	60,18	48,83	48,83		

Article description			Keyhole	F73	F77-R		P.U.	O.C.
Article description		+	Reynole	Article no./€	Article no./€		JF.U.	0.0.
Set	32-47	8	\cap	2829365	2829470		1	10
			U	29,61	52,98			
	32-47	8	0	2829411	2829509		1	10
			U	29,61	52,98			
	40-47	8		2830041	2830083		1	10
		5-8		48,83	88,06			



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



Matching products for other applications:



Pull handles

page 337



Security sets

page 397



Program for windows

page 461

Vitória (Brass)






HOPPE Quick-Fit^{plus} brass lever set on flat stainless steel rose (version 2) and escutcheon for interior doors, Vitória Series: Tested to DIN EN 1906 (category of use: grade 3). Loose brass lever with HOPPE Quick-Fit connection (solid spindle), flat stainless steel rose with bolt-through lugs, flat self-adhesive escutcheon, non-screw fitting.





Article description			Keyhole	F42-R/F69	F69		DE	Karton
Article description		-	Reynole	Article no./€			Г.∟.	raitori
Lever set on rose, set	35-45	8		3201182			1	10
				52,45				
Escutcheon, pair			\cap		3190022		5	25
			U		16,99			
			\cap		3190031		5	25
			U		16,99			
Escutcheon, pair	35-45		\ominus		3190049		2	10
		8			34,47			



Information about HOPPE Quick-Fit^{plus} technology see page 28.




M1515/29FLR New



HOPPE Quick-Fit^{plus} brass lever set on flat stainless steel rose (version 1) for interior doors, Vitória Series: Tested to DIN EN 1906 (category of use: grade 3). Loose brass lever with HOPPE Quick-Fit connection (solid spindle), flat stainless steel rose with through-going support-lugs, exterior: with emergency release, interior: with locking turn button, non-screw fitting.



Description			Kevhole	F42-R/F69		P.U.	0.0
Description		I →	Reynole	Article no./€		F.U.	0.0.
Lever set on rose, set	38-48	8	0	3324342		1	10
			V	75,88			



Information about HOPPE Quick-Fit^{plus} technology see page 28.

No mortice lock with dead bolt is needed when using the roses with locking function.

M1515/29FL and E29FLS-SK New




HOPPE Quick-Fit^{plus} brass lever set on flat stainless steel rose (version 1) and escutcheon for interior doors, Vitória Series: Tested to DIN EN 1906 (category of use: grade 3). Loose brass lever with HOPPE Quick-Fit connection (solid spindle), flat stainless steel rose with bolt-through lugs, flat stainless steel self-adhesive escutcheon, non-screw fitting.







Information about HOPPE Quick-Fit^{plus} technology see page 28.



Program for internal doors





consistently good value duranorm®

M1995/17K/17KS New

 $\hbox{HOPPE brass lever set on rose with escutcheon for interior doors, \textbf{\textit{Bari Series}}. Rose and escutcheon with}$ nylon base, loose lever spring cassette (RFL-R/L), HOPPE profile spindle, concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).

F45

P.U.

O.C.

10


10

10





127








1117/202SP

HOPPE aluminium lever on backplate for interior doors, **Birmingham Series**. Loose lever, HOPPE profile spindle, visible fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).



Description			Keyhole	/	F1	F2	F4	P.U.	O.C.
Description		₩	Distance	• [Article no./€	Article no./€	Article no./€	JF.U.	0.0.
Set	30-49	8	<u>}</u> 9	0	2539077	2540449	2540650	50	50
					6,87	6,87	7,93		
	30-49	8	O 9	0	2539093	2540457	2540676	20	20
			U		6,87	6,87	7,93		
	37-42	8	→ 9	0	2539229	2540481	2540705	20	20
		5-8			12,99	12,99	14,04		




1117/88K/88KS

HOPPE aluminium lever set on rose and escutchoen for interior doors, **Birmingham Series**. Rose and escutcheon with nylon base, loose lever, HOPPE profile spindle, concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).





Article description		d d κ		F1	F2	F4	P.U.	O.C.
Article description		+	Keyhole	Article no./€	Article no./€	Article no./€	JF.U.	0.0.
Set	30-49	8		2546664	2546681	2546701	10	10
			U	6,87	6,87	7,93		
	30-49	8	\bigcirc	2546672	2546699	2546710	10	10
			U	6,87	6,87	7,93		
	45	8		2546744	2546752	2546761	10	10
		5-8		12,99	12,99	14,04		






Buenos Aires (Brass)

M1840/332P

HOPPE brass lever on backplate for interior doors, **Buenos Aires Series**. Lever spring-loaded (RF), HOPPE profile spindle, visible fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).



Description	45	[- -	Keyhole	e/	F41	F49	F71	F73	P.U.	O.C.
Description		₩	Distanc	е	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set	35-68	8	<u> </u>	90	2970844	2970908	2970721	2970781	10	10
			U		37,53	37,53	28,74	28,74		
	35-68	8	\bigcirc \bigcirc	90	2970861	2970924	2970748	2970801	10	10
			U		37,53	37,53	28,74	28,74		
Set, left handed	42-47	8		90	2970887	2970941	2970764	2970828	10	10
		5-8	Š		46,77	46,77	35,84	35,84		
Set, right handed	42-47	8		90	2970879	2970932	2970756	2970810	10	10
		5-8			46,77	46,77	35,84	35,84		




M1840/88K/88KS

HOPPE brass lever set on rose and escutchoen for interior doors, **Buenos Aires Series**. Rose and escutcheon with nylon base, lever spring-loaded (RF), HOPPE profile spindle, concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).





Article description			Keyhole	F41	F49	F71	F73	P.U.	O.C.
Article description		₩	Reynole	Article no./€	Article no./€	Article no./€	Article no./€	r.U.	0.0.
Set	33-67	8		2970650	2970684	2970596	2970625	10	10
			U	31,72	31,72	25,83	25,83		
	33-67	8	0	2970668	2970692	2970609	2970633	10	10
			U	31,72	31,72	25,83	25,83		
	41-46	8		2970676	2970705	2970617	2970641	10	10
		5-8		40,95	40,95	32,93	32,93		





Cardiff, Helsingborg (Stainless steel)




E1850Z/17K/17KS

HOPPE stainless steel lever set on rose with escutcheon for interior doors, **Cardiff Series**. Rose and escutcheon with nylon base, loose lever with non-handed spring cassette (RFL-R/L), HOPPE profile spindle, concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).





Article description			Keyhole	F69		P.U.	O.C.
Article description		₩	Reynole	Article no./€		JF.U.	0.0.
Set	37-47	8	\cap	3049264		10	10
			U	32,28			
	37-47	8	\bigcap	3049299		10	10
			U	32,28			
	37-42	8	Θ	3049301		10	10
		5-8		45,85			




E1730Z/17K/17KS

HOPPE stainless steel lever set on rose with escutcheon for interior doors, **Helsingborg Series**. Rose and escutcheon with nylon base, loose lever with non-handed spring cassette (RFL-R/L), HOPPE profile spindle, concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).





Article description			Keyhole	F69		P.U.	O.C.
Article description		₩	Reynole	Article no./€		JF.U.	0.0.
Set	37-47	8	\cap	3036199		10	10
			U	32,28			
	37-47	8	\bigcirc	3036244		10	10
			U	32,28			
	37-42	8	\oplus	3036324		10	10
				45,85			




Istanbul (Brass)

M171/332P

HOPPE brass lever on backplate for interior doors, **Istanbul Series**. Lever spring-loaded (RF), HOPPE profile spindle, visible fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).



	М		Keyh	ole/	F71			
Description			Dista		Article no./€		P.U.	O.C.
Set	34-63	8	\cap	90	791972		10	10
			U		29,37			
	34-63	8	\bigcap	90	791989		10	10
			U		29,37			
Set, right handed	40	8	Θ	90	792009		10	10
		5-8			39,63			
Set, left handed	40	8	Θ	90	791996		10	10
		5-8			39,63			




M171/17K/17KS

HOPPE brass lever set on rose with escutcheon for interior doors, **Istanbul Series**. Rose and escutcheon with nylon base, lever spring-loaded (RF), HOPPE profile spindle, concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).





Article description		m	Keyhole	F71		DII	O.C.
Article description		₩	Keynole	Article no./€		P.U.	0.0.
Set	34-82	8		3055576		10	10
			U	29,37			
	34-82	8	Ω	3055584		10	10
			U	29,37			
	39-44	8	Θ	3055592		10	10
		5-8		39,63			






M1701/17KV/17KVS New

HOPPE brass lever set on rose with escutcheon for interior doors, **Izmir Series**. Rose and escutcheon with nylon base, loose lever spring cassette (RFL-R/L), HOPPE profile spindle, concealed fixing with passing trought screws. Corresponding to **DIN EN 1906** (category of use: grade 2).





Article description			Keyhole	F45		P.U.	O.C.
Article description		+	Reynole	Article no./€		JF.U.	0.0.
Set	37-42	8	\cap	3384450		1	10
			U	32,08			
	37-42	8	\bigcirc	3384476		1	10
			U	32,08			
	37-42	8	\ominus	3384492		1	10
		5-8		44,80			




M1955/17K/17KS New

HOPPE brass lever set on rose with escutcheon for interior doors, **Lucca Series**. Rose and escutcheon with nylon base, loose lever spring cassette (RFL-R/L), HOPPE profile spindle, concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).





Article description			Keyhole	F45		P.U.	O.C.
Article description		₩	Reynole	Article no./€		JF.U.	0.0.
Set	33-50	8	\cap	3330241		1	10
			U	32,08			
	33-50	8	\bigcirc	3330259		1	10
			U	32,08			
	39-49	8	Θ	3330267		1	10
		5-8		44,80			




Malaga (Brass)

M166SL/2705

HOPPE brass lever on backplate for interior doors, **Malaga Series**. Lever spring-loaded (RF), HOPPE solid spindle, visible fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).



Description	dipp.		Keyhole/	F71		P.U.	O.C.
Description		₩	Distance	Article no./€		F.U.	0.0.
Set	30-50	8	Ω 90	2298226		10	10
				20,98			
	30-50	8	() 90	2298234		10	10
			U	20,98			
Set, right handed	40	8	⊕ 90	2332252		10	10
		5-8		31,23			
Set, left handed	40	8	⊕ 90	2332244		10	10
		5-8		31,23			






143/206P

HOPPE aluminium lever on backplate for interior doors, **Milano Series**. Lever fixed/movable (F/D), HOPPE solid spindle, visible fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).



Description			Keyho	ole/	F1	F2	F4	P.U.	O.C.
Description		+	Distar	nce	Article no./€	Article no./€	Article no./€	1 .0.	0.0.
Set	30-50	8	Ω	90	707690	767403	765447	50	50
					9,73	9,73	11,17		
	30-50	8	$\overline{\bigcirc}$	90	2109632	767397	767373	50	50
			\bigcup		9,73	9,73	11,17		




143/206P

HOPPE aluminium lever on backplate for interior doors, **Milano Series**. Loose lever, HOPPE profile spindle, visible fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).



					1	1	1		
Description			Keyh	ole/	F1	F2	F4	P.U.	O.C.
Description		₩	Dista	nce	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Lever 143, pair	36-45	8			508709	508723	508693	50	50
					5,55	5,55	6,35		
Backplate 206P, pair			\simeq	90	589777	514540	514533	50	50
			Ш		4,41	4,41	5,07		
			\bigcirc	90	679515	514571	514564	50	50
			U		4,41	4,41	5,07		
	45		Î	90	2947396	706983	1796813	30	30
		5-8	Ä		11.61	11.61	13.34		





Milano (Aluminium)


143/88K/88KS

HOPPE aluminium lever set on rose and escutchoen for interior doors, **Milano Series**. Loose lever, HOPPE profile spindle, concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).





				1	1			
Article description			Keyhole	F1	F2	F4	P.U.	O.C.
Article description		₩	Reynole	Article no./€	Article no./€	Article no./€	r.U.	0.0.
Lever 143, pair	36-45	8		508709	508723	508693	50	50
				5,55	5,55	6,35		
Rose 88K, pair				1721678	1721694	1721686	50	50
				2,16	2,16	2,52		
Escutcheon 88KS, pair				1721918	1721977	1722101	50	50
			U	2,16	2,16	2,52		
			0	1721900	1721951	1721926	50	50
			U	2,16	2,16	2,52		
	45		Θ	1794607	1722232	1794615	30	30
		5-8		9,38	9,38	10,82		






M1941/332P

HOPPE brass lever on backplate for interior doors, **Roissy Series**. Lever spring-loaded (RF), HOPPE solid spindle, visible fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).



Description			Keyho	ole/	F41	F49	F71	DII	O.C.
Description		□	Distar	nce	Article no./€	Article no./€	Article no./€	P.U.	0.0.
Set	34-63	8	\cap	90	2040233	2065271	2039865	10	10
			U		32,08	32,08	25,56		
	34-63	8	\bigcirc	90	2064833	2065300	2064745	10	10
			U		32,08	32,08	25,56		
Set, left handed	40-45	8	\oplus	90	2064868	2065334	2064796	10	10
		5-8			44,80	44,80	35,82		
Set, right handed	40-45	8	\mathbb{M}	90	2064850	2065326	2064788	10	10
		5-8			44,80	44,80	35,82		




M1941/88K/88KS

HOPPE brass lever set on rose with escutcheon for interior doors, **Roissy Series**. Rose and escutcheon with nylon base, lever spring-loaded (RF), HOPPE solid spindle, concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).





	Im			F41	F49	F71	5		
Article description	19 0 P		Keyhole	Article no./€	Article no./€	Article no./€		P.U.	O.C.
Set	34-63	8	\cap	2040276	2065369	2039101		20	20
			U	32,08	32,08	25,56			
	34-63	8	0	2040321	2065377	2039620		20	20
			U	32,08	32,08	25,56			
	36-41	8	\oplus	2059065	3104999	2059049		20	20
		5-8		44,80	44,80	35,82			



Matching products for other applications:




Program for windows page 467

M168L/332P

HOPPE brass lever on backplate for interior doors, **Seattle Series**. Lever spring-loaded (RF), HOPPE profile spindle, visible fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).



Description			Keyho	ole/	F41	F71		P.U.	O.C.
Description		₩	Distar	nce	Article no./€	Article no./€		F.U.	0.0.
Set	30-49	8	\bigcap	90	2840548	797363		10	10
			U		33,78	27,25			
		8	\bigcirc	90	2859927	797400		10	10
			U		33,78	27,25			
Set, left handed	40	8	\ominus	90	2860004	1796389		10	10
		5-8			46,49	37,51			
Set, right handed	40	8	\ominus	90	2860012	1796397		10	10
		5-8			46,49	37,51			




M168L/88K/88KS

HOPPE brass lever set on rose with escutcheon for interior doors, **Seattle Series**. Rose and escutcheon with nylon base, lever spring-loaded (RF), HOPPE profile spindle, concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).





Article description			Keyhole	F41	F71		P.U.	O.C.
Article description		₩	Reynole	Article no./€	Article no./€		F.U.	0.0.
Set	30-49	8	\cap	2839598	676040		20	20
			U	33,78	27,25			
	30-49	8	\bigcap	2839601	656752		20	20
			U	33,78	27,25			
	39-42	8	Θ	2860047			20	20
		5-8		46,49				
	40-45	8	\ominus		1796418		20	20
		5-8			37,51			









Contents HCS®



Product line duravert®

for the discerning



Athinai HCS® M156S page 216



Capri HCS® M1950S page 217





Product line dura**plus**®

more than usual



Atlanta HCS® A1530 page 220



HCS® latch part for glass doors HCS® GD A761/762





HCS® Adapter for glass doors with aluminium frame HCS® GD A763/764 page 222



Atlanta HCS® GD A1530 page 221



HCS® adapter for glass doors HCS® GD A760/761 page 222





HCS®-complementary products



HCS® decorative rings

page 224



HCS® strike plates page 230



HCS® clip-in components

page 232





HCS® latch bolt sets

page 229





HCS®-accessories



HCS® drill jig BHL1 page 236



HCS® stepped dril bit 16/22-7 page 236



HCS® installation key

page 236



HCS® hole saw 54-7 page 236

HCS® – HOPPE Compact System







for the discerning duravert®

Athinai (Brass)







HCS® M156S

HOPPE Compact System, Athinai Series: Two-piece handles consisting of a brass neck and either a brass or stainless steel handle piece with identically coloured decorative rings; brass latch tube; glass fibre reinforced nylon latch bolt (low noise); system core of die-cast aluminium; for flush or rebated interior doors in timber.

Article description	Version	477	F49/F69	F77-R/F52-R	P.U.	O.C.
Article description	Version		Article no./€	Article no./€	F.U.	0.0.
Door handle, set,		Flush	2571042	3054725	1	10
passage		35-43	122,00	122,00		
		Rebated	2570912	3054733	1	10
		38-43	122,00	122,00		
Slotted head/	⊕ SK/OL-15	Flush	2571051	3054784	1	10
Turn button	\Rightarrow	35-43	137,43	137,43		
		Rebated	2571085	3054792	1	10
		38-43	137,43	137,43		
Cylinder/Turn button	→ 15/OL	Flush	2571069	3054768	1	10
	$ \Leftrightarrow$	35-43	138,40	138,40		
		Rebated	2571093	3054776	1	10
		38-43	138,40	138,40		
Cylinder/Cylinder	→ 15/15	Flush	2571077	3054741	1	10
	$\mid \ominus$	35-43	139,40	139,40		
		Rebated	2571114	3054750	1	10
		38-43	139,40	139,40		





Combination decorative rings: Handle: Decorative ring: F49/F69 F69 F77-R/F52-R F77-R

HCS® latch bolt sets and strike plates see pages 229-230.

Information about HCS® see page

Matching products for other applications: Sets for internal doors......88 Pull handles300 Program for windows......426 Lift/slide door sets502

Complementary products522

Two-tone finishes:





The Resista® guarantee applies to all finishes with the letter R in the finish key.








HCS® M1950S

HOPPE Compact System, **Capri Series**: Three-piece handles consisting of a brass neck, a stainless steel handle piece and a brass handle end piece with identically coloured decorative rings; brass latch tube; glass fibre reinforced nylon latch bolt (low noise); system core of die-cast aluminium; for flush or rebated interior doors in timber.

Article description	Version	dip-	F49/F69	Р	P.U.	O.C.
7 titloic accomption	VOIGIOIT		Article no./€		.0.	0.0.
Door handle, set,		Flush	2492416		1	10
passage		35-45	105,51			
		Rebated	2492483		1	10
		35-43	105,51			
Slotted head/	⊖ SK/OL-15	Flush	2492491		1	10
Turn button	$ \stackrel{\circ}{\oplus} $	35-45	121,20			
		Rebated	2492512		1	10
		35-43	121,20			
Cylinder/Turn button	→ 15/OL	Flush	2492521		1	10
	$ \Leftrightarrow$	35-45	122,20			
		Rebated	2492547		1	10
		35-43	122,20			
Cylinder/Cylinder	♦ 15/15	Flush	2492555		1	10
	\rightarrow	35-45	123,21			
		Rebated	2492571		1	10
		35-43	123,21			



Combination decorative rings:
Handle: Decorative ring:
F49/F69 F69

HCS® latch bolt sets and strike plates see pages 229-230.


Information about HCS® see page 46

Matching products for other applications:
Sets for internal doors.......100
Program for windows......428

HCS® - HOPPE Compact System







Atlanta (Aluminium)





HCS® A1530

The HOPPE Compact System, **Atlanta Series**: One-piece handles and adapter cover caps made of aluminium with colour-matching nylon decorative rings; glass fibre reinforced nylon latch bolt (low noise); system core of die-cast aluminium; for flush or rebated interior doors in timber.



Article description	١,	Version	4 Th	F1-2	F2-2	F9-2	P.U.	O.C.
Article description		version		Article no./€	Article no./€	Article no./€	JF.U.	0.0.
Door handle, set,			Flush	2475907	2573005	2573013	1	10
passage			35-43	32,15	32,15	36,98		
			Rebated	2475940	2573021	2573030	1	10
			38-43	32,15	32,15	36,98		
Slotted head/	\ominus	SK/OL-15	Flush	2573179	2573195	2573216	1	10
Turn button	$\mid \check{\ominus} \mid$		35-43	39,88	39,88	44,71		
			Rebated	2573187	2573208	2573224	1	10
			38-43	39,88	39,88	44,71		
Cylinder/Turn button	D	15/OL-15	Flush	2573232	2573259	2573275	1	10
	$ \oplus $		35-43	44,46	44,46	49,28		
			Rebated	2573241	2573267	2573283	1	10
			38-43	44,46	44,46	49,28		
Cylinder/Cylinder	\$	15/15	Flush	2475958	2573291	2573312	1	10
	$ \ominus $		35-43	49,03	49,03	53,85		
			Rebated	2475974	2573304	2573321	1	10
			38-43	49,03	49,03	53,85		
Slotted head with red-		RGSK/	Flush	2475991	2573460	2573486	1	10
green indicator/		OL-	35-43	42,91	42,91	47,73		
Turn button		15SEN	Rebated	2476061	2573478	2573494	1	10
			38-43	42,91	42,91	47,73		





Combination decorative rings:

Handle: Decorative ring: F1-2 F7037M F2-2 F7032M F9-2 F7022M

HCS® latch bolt sets and strike plates see pages 229-230.

Information about HCS® see page 46.

Two-tone finishes:







Atlanta, Latch part (Aluminium)






HCS® GD A1530 (15/15)

The HOPPE Compact System, **Atlanta Series**: Combined with an adapter for glass and partition doors (door thickness 8 – 13 mm). One-piece handles and adapter cover caps made of aluminium with colour-matching nylon decorative rings; glass fibre reinforced nylon latch bolt (low noise); system core of die-cast aluminium.



Article description	Version		F1-2 Article no./€		P.U.	O.C.
Slotted head/ Turn button	⊖ SK/OL-15	8	2574201 72,40		1	10
		10	2574219 72,40		1	10
Cylinder/Turn button	→ 15/OL	8	2574243 76,13		1	10
		10	2574260 76,13		1	10
Cylinder/Cylinder	♦ 15/15	8	2574278 79,84		1	10
		10	2574294 79,84		1	10



Combination decorative rings: Handle: Decorative ring: F1-2 F7037M

HCS® latch bolt sets and strike plates see pages 229-230.


Information about HCS® see page 46.

HCS® GD A761/762

HOPPE Compact System, latch part for the inactive door leaf of glass and partition doors,



Article description	d d	F1-2	F7016	F9005	F9010	P.U.	00
Article description		Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Latch part for glass	8	2574534	2574577	786855	790487	1	10
doors		40,18	40,18	40,18	40,18		
	10	2574542	800414	787203		1	10
		40.18	40.18	40.18			



Adapter for glass doors (Aluminium)

HCS® GD A760/761

HOPPE Compact System, adapter for glass doors: with latch tube.




Article description	d b	F1-2	F9005ST		P.U.	O.C.
Article description		Article no./€	Article no./€		F.U.	0.0.
Pair	8	2725726	1917347		5	20
		40,18	40,18			



102






Glass- and partition doors

HCS® GD A763/764

HOPPE Compact System, adapter made of aluminium for glass doors with aluminium frame.




Article description	d b	F1-2		P.U.	
Article description	400	Article no./€		F.U.	0.0.
Adapter for glass doors,	26	2212816		20	20
HCS® GD A763		64,82			
Adapter for glass doors,	20	2212824		20	20
HCS® GD A764		64,82			








83

HCS® GD A764









HCS® GD A763


HCS® GD A764

Information about HCS® see page 46.

Installation example

HCS® supplementary range





HOPPE Compact System, aluminium decorative rings: for flush and rebated doors, as standard, all HCS® designs are supplied with the decorative rings shown matching the finish of the individual handle.



Article description	decorative		F1-2	F9-2	P.U.	O.C.
Article description	rings Ø		Article no./€	Article no./€	75.0.	0.0.
Decorative rings, pair	62 x 12	Flush	2453046	2575027	10	60
		35-45	9,77	11,24		
		Rebated				
		35-43				



Up on request HCS® decoration rings are also available in other colors.

Information about HCS® see page 46

HCS® decorative rings for flush doors

HOPPE Compact System, aluminium decorative rings: for flush doors (e.g. partition doors).



Article description	decorative		F1-2	F9-2		DII	0.0
Article description	rings Ø		Article no./€	Article no./€		JF.U.	O.C.
Decorative rings, pair	62 x 18	Flush	2575051	2575078		10	60
		25-35	9,77	11,24			



Up on request HCS® decoration rings are also available in other colors.

Information about HCS® see page

HCS® decorative rings for flush- and rebated doors

HOPPE Compact System, aluminium decorative rings: for flush and rebated doors; They are ideal for renovation purposes, as any traces of previously fitted hardware are covered.



Article description	decorative		F1-2	F9-2		P.U.	O.C.
Article description	rings Ø		Article no./€	Article no./€		JF.U.	0.0.
Decorative rings, pair	75 x 12	Flush	2575094	2575115		10	60
		35-45	10,76	14,89			
		Rebated 35-43					



Up on request HCS® decoration rings are also available in other colors.

Decorative rings (Aluminium, stainless steel)




HCS® decorative rings for flush doors

HOPPE Compact System, aluminium decorative rings: for flush doors; They are ideal for renovation purposes, as any traces of previously fitted hardware are covered; Please note the special door preparation required.



Article description	decorative	d b	F1-2	F9-2	P.U.	O.C.
Article description	rings Ø		Article no./€	Article no./€	F.U.	0.0.
Decorative rings, pair	75 x 10 (17)	Flush	2575123	2575140	10	60
		43-53	10,76	14,89		



Up on request HCS® decoration rings are also available in other colors.

Information about HCS® see page 46

HCS® decorative rings for flush- and rebated doors

HOPPE Compact System, stainless steel decorative rings: for flush and rebated doors, as standard, all HCS[®] designs are supplied with the decorative rings shown matching the finish of the individual handle.



Article description	decorative	4	F68	F69	P.U.	O.C.
Article description	rings Ø		Article no./€	Article no./€]F.U.	0.0.
Decorative rings, pair	62 x 13	Flush 35-43 Rebated 35-43	783656 9,39	785711 9,39	10	60



Up on request HCS® decoration rings are also available in other colors.


Information about HCS® see page 46

HCS® decorative rings for flush doors

HOPPE Compact System, stainless steel decorative rings: for flush doors (e.g. partition doors).



Article description	decorative	d d	F68	F69		DII	0.0
Article description	rings Ø		Article no./€	Article no./€		r.U.	0.0.
Decorative rings, pair	75 x 13	Flush	828074	783458		10	60
		35-43	9,39	9,39			



Up on request HCS® decoration rings are also available in other colors.

HOPPE Compact System, nylon decorative rings: for flush and rebated doors, as standard, all HCS® designs are supplied with the decorative rings shown matching the finish of the individual handle.



Article description	decorative	d d	F5003M	F7016M	F7022M	F7032M	DII	O.C.
Article description	rings Ø		Article no./€	Article no./€	Article no./€	Article no./€	F.U.	O.C.
Decorative rings, pair	62 x 12	Flush	657995	658053	2575351	2575369	10	60
		35-45	4,93	4,93	4,93	4,93		
		Rebated 35-43						

Article description	decorative		F7037M	F9005M	F9010M	P.U.	O.C.
Article description	rings Ø		Article no./€	Article no./€	Article no./€	r.U.	O.C.
Decorative rings, pair	62 x 12	Flush 35-45 Rebated 35-43	2575377 4,93	658084 4,93	658114 4,93	10	60



Up on request HCS® decoration rings are also available in other colors.

Information about HCS® see page

HCS® decorative rings for flush doors

HOPPE Compact System, nylon decorative rings: for flush doors (e.g. partition doors).



Article description	decorative		F5003M	F7016M	F7022M	F7032M	DII	0.0
Article description	rings Ø		Article no./€	Article no./€	Article no./€	Article no./€	JF.U.	0.0.
Decorative rings, pair	62 x 18	Flush	658008	658060	2575254	2575318	10	60
		25-35	4,93	4,93	4,93	4,93		

Article description	decorative	dippersion of the second	F7037M	F9005M	F9010M	DII	0.0
	rings Ø		Article no./€	Article no./€	Article no./€	P.U.	O.C.
Decorative rings, pair	62 x 18	Flush	2575334	658091	658121	10	60
		25-35	4,93	4,93	4,93		



Up on request HCS® decoration rings are also available in other colors.



HOPPE Compact System, nylon decorative rings: for flush and rebated doors; They are ideal for renovation purposes, as any traces of previously fitted hardware are covered.



Article description	decorative	4	F5003M	F7016M	F7022M	F7032M	DII	O.C.
Article description	rings Ø		Article no./€	Article no./€	Article no./€	Article no./€	JF.U.	0.0.
Decorative rings, pair	75 x 12	Flush	658015	658077	2575385	2575393	10	60
		35-45	7,98	7,98	7,98	7,98		
		Rebated						
		35-43						

Article description	decorative		F7037M	F9005M	F9010M	P	.U.	O.C.
A ticic acsorption	rings Ø		Article no./€	Article no./€	Article no./€	١.,	.0.	0.0.
Decorative rings, pair	75 x 12	Flush 35-45	2575406 7.98	658107 7,98	658138 7,98	1	10	60
		Rebated 35-43						



Up on request HCS® decoration rings are also available in other colors.

Information about HCS® see page


HCS® decorative rings for flush doors

HOPPE Compact System, nylon decorative rings: for flush doors; They are ideal for renovation purposes, as any traces of previously fitted hardware are covered; Please note the special door preparation required.



Article description	decorative	dippersistant of the second	F5003M	F7016M	F7022M	F7032M	DII	0.0
Article description	rings Ø		Article no./€	Article no./€	Article no./€	Article no./€	ا۔ں۔	0.0.
Decorative rings, pair	62 x 18	Flush	2575414	1707462	2575457	2575473	10	60
		25-35	7,98	7,98	7,98	7,98		

Article description	decorative	d d	F7037M	F9005M	F9010M	P.		O.C.
Article description	rings Ø		Article no./€	Article no./€	Article no./€	۲.	0.	0.0.
Decorative rings, pair	62 x 18	Flush	2575502	1694104	2575422	1	0	60
		25-35	7,98	7,98	7,98			



Up on request HCS® decoration rings are also available in other colors.

HOPPE Compact System, brass decorative rings: for flush and rebated doors, as standard, all HCS® designs are supplied with the decorative rings shown matching the finish of the individual handle.



Article description	decorative	dipper series	F41	F71	DII	O.C.
Article description	rings Ø		Article no./€	Article no./€	F.U.	0.0.
Decorative rings, pair	64 x 13	Flush	658688	650842	10	60
		35-45	9,40	7,58		
		Rebated				
		38-43				



Up on request HCS® decoration rings are also available in other colors.

Information about HCS® see page 46

HCS® decorative rings for flush doors

HOPPE Compact System, brass decorative rings: for flush doors (e.g. partition doors).



Article description	decorative		F41	F71		DII	O.C.
Article description	rings Ø		Article no./€	Article no./€		P.U.	0.0.
Decorative rings, pair	64 x 19	Flush	658695	658671		10	60
		25-35	9,40	7,58			



Up on request HCS® decoration rings are also available in other colors.


Information about HCS® see page 46

HCS® decorative rings for flush- and rebated doors

HOPPE Compact System, brass decorative rings: for flush and rebated doors; They are ideal for renovation purposes, as any traces of previously fitted hardware are covered.



Article description	decorative		F41	F71	P.U.	O.C.
Article description	rings Ø		Article no./€	Article no./€	JF.U.	0.0.
Decorative rings, pair	77 x 13	Flush	658701	658145	10	60
		35-45	11,81	9,98		
		Rebated				
		35-43				



Up on request HCS® decoration rings are also available in other colors.

Decorative rings (Brass) Latch bolt sets (Aluminium, brass)




HCS® decorative rings for flush doors

HOPPE Compact System, brass decorative rings: for flush doors; They are ideal for renovation purposes, as any traces of previously fitted hardware are covered; Please note the special door preparation required.



Article description	decorative		F41	F71		DII	O.C.
Article description	rings Ø		Article no./€	Article no./€		P.U.	0.0.
Decorative rings, pair	75 x 11 (18)	Flush	2195606	1720886		10	60
		43-53	11,81	9,98			



Up on request HCS® decoration rings are also available in other colors.

Information about HCS® see page 46

HCS® latch bolt sets

HOPPE Compact System, aluminium latch set: with aluminium latch tube, nylon latchbolt and metal spring; for flush and rebated doors (with a rebate of 24 mm), all HCS® designs are supplied with a latch set for a backset of 60 mm with the latch tube matching the finish of the handle as standard.



Article description	Backset	F1	P.U.	O.C.
Article description	Dackset	Article no./€	F.0.	0.0.
HCS® latch bolt set, piece	50	1750719 4,17	10	60
	60	2478614 4,17	10	60
	70	2285396 4,17	10	60
	80	2491106 4,17	10	60



Information about HCS® see page 46.

HCS® latch bolt sets

HOPPE Compact System, brass latch set: with brass latch tube, nylon latchbolt and metal spring; for flush and rebated doors (with a rebate of 24 mm), all HCS® designs are supplied with a latch set for a backset of 60 mm with the latch tube matching the finish of the handle as standard.



Article description	Backset	F49	F71		P.U.	O.C.
Article description	Dackset	Article no./€	Article no./€		JF.U.	0.0.
HCS® latch bolt set,	50	2619317	658176		10	60
piece		8,40	8,16			
	60	2099649	658183		10	60
		8,40	8,16			
	70	2619325	658190		10	60
		8,40	8,16			




HCS® strike plate SB-A

HOPPE Compact System, stainless steel strike plate: for door frames of flush doors.



Article description	Dimensions		F69		P.U.	0.0
Article description	Difficisions		Article no./€		F.U.	0.0.
Strike plate, piece	39 x 70	Flush	658206 2.82		10	60




Information about HCS® see page

HCS® strike plate SB-C

HOPPE Compact System, stainless steel strike plate: for door frames of flush doors.



Article description	Dimensions		F69		P.U.	O.C.
Article description	Difficisions		Article no./€		F.U.	0.0.
Strike plate, piece	32 x 92	Flush	623082 2,82		10	60



Information about HCS® see page 46.

HCS® strike plate SB-D

HOPPE Compact System, stainless steel strike plate: for door frames of rebated doors.



Article description	Dimensions		F69		P.U.	O.C.
Article description	Diffiersions		Article no./€		F.U.	0.0.
Strike plate, piece	20 x 90	Rebated	623075 2,82		10	30



Strike plates (Stainless steel, brass)




HCS® strike plate SB-E

HOPPE Compact System, stainless steel strike plate: for door frames of rebated doors.



Article description	Dimensions		F69		P.U.	O.C.
Article description			Article no./€		F.U.	O.C.
Strike plate, piece	22 x 82	Rebated	2574913		10	60
			2,82			




Information about HCS® see page 46.

HCS® strike plate SB-A

HOPPE Compact System, brass strike plate: for door frames of flush doors.



Article description	Dimensions		F71		P.U.	O.C.
Article description	Differsions		Article no./€		F.U.	0.0.
Strike plate, piece	39 x 70	Flush	658220 4,56		10	60




Information about HCS® see page

HCS® strike plate SB-C

HOPPE Compact System, brass strike plate: for door frames of flush doors.



Article description	Dimensions		F71		P.U.	0.0
Article description	Difficisions		Article no./€		F.U.	0.0.
Strike plate, piece	32 x 92	Flush	621255 4,56		10	60



Strike plates (Brass), Clip-in components (Aluminium)

HCS® strike plate SB-D

HOPPE Compact System, brass strike plate: for door frames of rebated doors.



Article description	Dimensions		F71		DII	O.C.
Article description	Difficisions		Article no./€		F.U.	0.0.
Strike plate, piece	20 x 90	Rebated	621248		10	10
			4,56			



Information about HCS® see page 46.





HCS® strike plate SB-E

HOPPE Compact System, stainless steel strike plate: for door frames of rebated doors.

Article description	Dimensions		F71		DII	0.0
Article description	Diffiersions		Article no./€		F.U.	0.0.
Strike plate, piece	22 x 82	Rebated	2574905		10	60
			4.56			




Information about HCS® see page 46

HCS® Clip-in components SK-15, OL-15 and OL-15-SEN



HOPPE Compact System, aluminium clip-in components: with nylon base; for doors which need to be locked such as bathrooms or toilets; Turn button (OL-15) on the interior with slotted head piece (SK) for emergency opening.

Article description	Tuno	F1-2	F9-2		P.U.	O.C.
Article description	Type	Article no./€	Article no./€		F.U.	0.0.
Clip-in components,	SK-15	2574948	2574972		10	60
piece		6,04	6,94			
	OL-15	2574921	2574964		10	60
		6,04	6,94			
	OL-15-SEN	2574956	2574981		10	60
		6,04	6,94			



Up on request HCS® Clip-in components are also available in other colors.

Clip-in components (Nylon, brass)




HCS® Clip-in components SK-15, RGSK-15, OL-15 and OL-15-SEN

HOPPE Compact System, nylon clip-in components: for doors which need to be locked such as bathrooms or toilets; Turn button (OL-15) on the interior with slotted head piece (standard or with red-green indicator) for emergency opening.



Article description	Turo	F7016M	F9005M	F9010M	P.U	O.C.
Article description	Type	Article no./€	Article no./€	Article no./€	F.U	. 0.0.
Clip-in components, piece	OL-15	2574833 3,88	572717 3,88	2574702 3,88	10	60
	OL-15-SEN		822003 3,88	2574796 3,88	10	60
	RGSK-15		658152 6,89	2574745 6,89	10	60
	SK-15	2574841 3,88	572724 3,88	2574711 3,88	10	60



Up on request HCS® Clip-in components are also available in other colors.


Information about HCS® see page 46

HCS® Clip-in components SK-15 and OL-15

HOPPE Compact System, brass clip-in components: with nylon base; for doors which need to be locked such as bathrooms or toilets; Turn button (OL-15) on the interior with slotted head piece (SK) for emergency opening.



Article description	Type	F41	F49	F71	P.U.	O.C.
	туре	Article no./€	Article no./€	Article no./€	F.0.	0.0.
Clip-in components, piece	SK-15	658664 7,49	2215902 7,49	575138 6,58	10	60
	OL-15	658657 7,49	2215890 7,49	575121 6,58	10	60



Up on request HCS® Clip-in components are also available in other colors.

Clip-in components (cylinder)

HCS® Clip-in component ZYL-15

HOPPE Compact System, cylinder clip-in components: with nylon base; for doors which need to be locked by key such as studies; cylinder clip-in component with reversible key for interior and exterior sides.



Article description	Type	F9005M		P.U.	O.C.
	Type	Article no./€		T.U.	0.0.
Clip-in component,	Cylinder	591732		10	60
piece	ZYL-15	8,44			
Clip-in component, pair	Cylinder	766260		10	60
	ZYL-15	16,88			



Up on request also available with master key for diameter of cylinder 15 mm. Maximum 6 groups wiht 50 keys.

Accessories





HCS® drill jig BHL1

HOPPE Compact System, drill jig: with screw clamp for attachment to the door, for the preparation of flush and rebated doors, for the drilling of the holes for the HCS® system core and the HCS® latch tube.



Article description		Ati-l /C		P.U.	O.C.
·	4	Article no./€			
Drill jig, piece		500093 48,51		1	1

Information about HCS® see page 46.

HCS® hole saw 54-7

HOPPE Compact System, hole saw: for drilling the holes in the door leaf, into which the system core is inserted.



Article description	Hole saw Ø			DII	0.0
	noie saw Ø	Article no./€		F.U.	O.C.
Hole saw, piece	54	500123 127,40		1	1

Information about HCS® see page 46.

HCS® stepped drill bit 16/22-7

HOPPE Compact System, stepped drill bit: for drilling the holes in the rebate and/or on the front of the door, into which the HCS® latch tubes are inserted.



Article description	Stepped drill			DII	0.0
	bit Ø	Article no./€		F.U.	O.C.
Stepped drill bit, piece	16,2/22,2	500130 81,14		1	1


Information about HCS® see page 46.

HCS® installation key

HOPPE Compact System, installation key: for inserting the $HCS^{\scriptsize @}$ latch tube into the door and fixing it there.



Article description			DII	0.0
Article description	Articl	le no./€	F.U.	. 0.0.
Installation key, piece	/////	4253),88	100	100



Contents



Product line duravert®

for the discerning



Sliding door sets Monte Carlo M425 page 242



Sliding door sets M463 page 246



Sliding door sets M475 page 250



Sliding door sets M462 page 244



Sliding door sets M474 page 248



Product line dura**plus**®

more than usual



Sliding door sets M443 New page 254







Shells M429(S) page 261



238

Sliding door sets M464 New page 256



Sliding door sets M472 page 260





Product line dura**norm**®

consistently good value



Sliding door sets (M)492 page 264



Sliding door sets M493 page 268



Shells 421P(S) page 270



Program for sliding doors








M425 - Monte Carlo (Brass)


M425 (Set 4)

HOPPE brass sliding door set 4 for interior doors, **Monte Carlo Series**. Round shells with keyhole, finger pull, concealed fixing.



Article description		Keyhole	F46-R	F65-R	F74-R	F75-R	P.U.	0.0
		Reynole	Article no./€	Article no./€	Article no./€	Article no./€	P.U.	0.0.
Set 4	min. 33		2245175	2245183	2245167	2245159	1	10
		U	113,01	113,01	113,01	113,01		





-satin finish -polished finish

With the F75-R finish the surfaces are polished and the lower surface is satin.

Information about sliding doors see page 50.

Matching products for other applications:

apphoationioi	
Sets for internal doors	114
Pull handles	302
Knobs	406
Program for windows	430
Lift/slide door sets	503

Finishes:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.




M425 (Set 5)

HOPPE brass sliding door set 5 for interior doors, **Monte Carlo Series**. Round shells with pull ring, finger pull, concealed fixing.




Article description			Keyhole	F46-R	F65-R	F74-R	F75-R	DII	0.0
		+	Keyriole	Article no./€	Article no./€	Article no./€	Article no./€	P.U.	0.0.
Set 5	min. 33	8	without	2245221	2245239	2245212	2245204	1	10
				111,65	111,65	111,65	111,65		





- satin finishes - polished finish

With the F75-R finish the surfaces are polished and the lower surface is satin.



Information about sliding doors see page 50.

Lift/slide door sets503

Finishes:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®
10 years' surface
guarantee





M425 (Set 7)


HOPPE brass sliding door set 7 for interior doors, **Monte Carlo Series**. Round shells with emergency release and stowable turn button, finger pull, concealed fixing.



Article description		Keyhole	F46-R	F65-R	F74-R	F75-R	DII	00
		Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set 7	35-50	Θ	2245132	2245141	2245124	2245108	1	10
			129,85	129,85	129,85	129,85		



With the F75-R finish the surfaces are polished and the lower surface is satin.



Information about sliding doors see page 50.

Matching products for other applications:

Sets for internal doors	114
Pull handles	302
Knobs	406
Program for windows	430
Lift/slide door sets	503

Finishes:





The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.





M462 (Set 2)

HOPPE brass sliding door set 2 for interior doors. Square shells with emergency release and turn button, finger pull, concealed fixing.



Article description			Kevhole	F41-R	F49-R	F49-R/F41-R	F52-R/F77-R	DII	0.0
Article description		₩	Reynole	Article no./€	Article no./€	Article no./€	Article no./€	P.U.	0.0.
Set 2	33-48	8	\oplus	3207091	3207103	3207111	3207120	1	10
				82,07	82,07	82,07	82,07		





With the F49-R/F41-R finish the surfaces are polished and the lower surface is satin. The F41-R and F49-R finishes are monochrome.

Information about sliding doors see page 50.

Matching products for other Sets for internal doors......84, 92 Program for windows......426, 427 Program for balcony doors .474, 475 Finishes:



The Resista® guarantee applies to all finishes with the letter ${f R}$ in the finish key.





M462 (Set 4)


HOPPE brass sliding door set 4 for interior doors. Square shells with keyhole, finger pull, concealed fixing.



Article description		Keyhole	F41-R	F49-R	F49-R/F41-R	F52-R/F77-R	DII	0.0
Article description		Reynole	Article no./€	Article no./€	Article no./€	Article no./€	P.U.	0.0.
Set 4	min. 33	Ω	3207171	3207189	3207197	3207200	1	10
			53.34	53.34	53.34	53.34		







Information about sliding doors see page 50.

With the F49-R/F41-R finish the surfaces are polished and the lower surface is satin. The F41-R and F49-R

finishes are monochrome.

Matching products for other applications:

Sets for internal doors.....84, 92 Program for windows......426, 427 Program for balcony doors .474, 475 Finishes:



The Resista® guarantee applies to all finishes with the letter ${f R}$ in the finish key.

F77-R

Resista® 0 years' surface guarantee

F52-R/

F77-R




M462 (Set 5)

HOPPE brass sliding door set 5 for interior doors. Square shells without keyhole, finger pull, concealed fixing.



Article description		Keyhole	F41-R	F49-R	F49-R/F41-R	F52-R/F77-R	DII	0.0
Article description		Keyriole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set 5	min. 33	without	3207218	3207226	3207234	3207242	1	10
			49,25	49,25	49,25	49,25		





With the F49-R/F41-R finish

the surfaces are polished

and the lower surface is satin. The F41-R and F49-R

finishes are monochrome.






Information about sliding doors see page 50.

Matching products for other applications:

Sets for internal doors......84, 92 Program for windows......426, 427 Program for balcony doors .474, 475

Finishes:





The Resista® guarantee applies to all finishes with the letter $\boldsymbol{\mathsf{R}}$ in the finish key.





M462 (Set 7)


HOPPE brass sliding door set 7 for interior doors. Square shells with emergency release and stowable turn button, finger pull, concealed fixing.



Article description			Kevhole	F41-R	F49-R	F49-R/F41-R	F52-R/F77-R	חום	00
Article description		₩	Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set 7	33-48	8	Θ	3207138	3207146	3207154	3207162	1	10
				87,16	87,16	87,16	87,16		







Information about sliding doors see page 50.

With the F49-R/F41-R finish the surfaces are polished and the lower surface is satin. The F41-R and F49-R finishes are monochrome.

Matching products for other applications: Sets for internal doors.....84, 92

Program for windows......426, 427 Program for balcony doors .474, 475 Finishes:






The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



M463 (Set 4)

HOPPE brass sliding door set 4 for interior doors. Rectangular shells with keyhole, finger pull, concealed fixing.



With the F52-R/F77-R finish the surfaces are satin and the lower surface is polished. The F41-R and F49-R finishes are monochrome.

Matching products for other applications:

Sets for internal doors.....84, 92 Program for windows......426, 427 Program for balcony doors .474, 475 Finiture:

3207816

58,68

F49-R/F41-R F52-R/F77-R

Article no./€ Article no./€



3207824

58,68

P.U.

O.C.


10

The Resista® guarantee applies to all finishes with the letter R in the finish key.

Resista®

M463 (Set 5)

HOPPE brass/aluminium sliding door set 5 for interior doors. Rectangular shells without keyhole, finger pull, concealed fixing.




the surfaces are satin and the lower surface is polished. The F41-R and F49-R finishes are monochrome.

Sets for internal doors.....84, 92 Program for windows......426, 427 Program for balcony doors .474, 475 Finiture:

3207859

54,17



3207867

54,17

P.U.

O.C.

10

F49-R/F41-R F52-R/F77-R

The Resista® guarantee applies to all finishes with the letter R in the finish key.




duravert®



F49-R/F41-R F52-R/F77-R

M463 (Set 7)

HOPPE brass sliding door set 7 for interior doors. Rectangular shells with emergency release and stowable turn button, finger pull, concealed fixing.



With the F52-R/F77-R finish the surfaces are satin and the lower surface is polished. The F41-R and F49-R finishes are monochrome.

Matching products for other applications:

Sets for internal doors.....84, 92 Program for windows......426, 427 Program for balcony doors .474, 475 Finiture:

Article no./€

3207752

95,87

F49-R

95,87



Article no./€

3207761

95,87

P.U.

O.C.

10

The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.




M474 (Set 2)

HOPPE brass sliding door set 2 for interior doors. Round shells with emergency release and turn button, finger pull, concealed fixing.




Article description	405		Kevhole	F41-R	F49-R	F77-R	F98-R	DII	0.0
Article description		₩	Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set 2	33-48	8	Θ	3206805	3206821	3206776	3206830	1	10
				60,89	60,89	60,89	60,89		



are monochrome.

F41-R/F49-R F52-R/F77-R F98-R/F49-R O.C. Article description Keyhole P.U. Article no./€ Article no./€ Article no./€ Set 2 33-48 8 3206856 3206872 3206864 10 60,89 60,89 60,89



Ø30

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

F41-R





Finishes:











Information about sliding doors see page 50.

M474 (Set 4)


satin finish

polished finish

HOPPE brass sliding door set 4 for interior doors. Round shells with keyhole, finger pull, concealed fixing.




Article description		Keyhole	F41-R	F49-R	F77-R	F98-R	DII	0.0
Article description		Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	O.C.
Set 4	min. 33		3206961	3206979	3206952	3206987	1	10
			39,54	39,54	39,54	39,54		



F41-R/F49-R F52-R/F77-R F98-R/F49-R Article description Keyhole P.U O.C. Article no./€ Article no./€ Article no./€ min. 33 3206995 3207015 3207007 Set 4 10 39,54 39,54 39,54

With the F41-R/F49-R, F52-R/F77-R and F98-R/F49-R finish the surfaces are satin and the lower surface is polished. The F41-R, F49-R, F77-R and F98-R finishes are monochrome.



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Finishes:















Resista® years' surface guarantee Information about sliding doors see page 50.






M474 (Set 5)


HOPPE brass sliding door set 5 for interior doors. Round shells without keyhole, finger pull, concealed fixing.




Article description	d √ b	Kevhole	F41-R	F49-R	F77-R	F98-R	DII	0.0
Article description		Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set 5	min. 33	without	3207031	3207040	3207023	3207058	1	10
			36,50	36,50	36,50	36,50		




F41-R/F49-R F52-R/F77-R F98-R/F49-R P.U. O.C. Article description Keyhole Article no./€ Article no./€ Article no./€ Set 5 min. 33 without 3207066 3207082 3207074 1 10 36,50 36,50 36,50



finish the surfaces are satin and the lower surface is polished. The F41-R, F49-R, F77-R and F98-R finishes are monochrome.



satin finish polished finish



The Resista® guarantee applies to all finishes with the letter R in the finish key.



Finishes:





F49-R






Information about sliding doors see page 50.

M474 (Set 7)


HOPPE brass sliding door set 7 for interior doors. Round shells with emergency release and stowable turn button, finger pull, concealed fixing.




Article description			Kevhole	F41-R	F49-R	F77-R	F98-R	DII	
Article description		₩	Reynole	Article no./€	Article no./€	Article no./€	Article no./€	r.U.	0.0.
Set 7	33-48	8	Θ	3206899	3206901	3206881	3206910	1	10
				65,98	65,98	65,98	65,98		



With the F41-R/F49-R, F52-R/F77-R and F98-R/F49-R finish the surfaces are satin and the lower surface is polished. The F41-R, F49-R, F77-R and F98-R finishes are monochrome.





satin finishes polished finish

The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.

Resista®

Finishes:
















Information about sliding doors see page 50.

M475 (Set 4)


HOPPE brass sliding door set 4 for interior doors. Oval shells with keyhole, finger pull, concealed fixing.

Article description		Keyhole	F41-R	F49-R	F77-R	F98-R	DII	00
Article description		Keyriole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set 4	min. 33	\cap	3207605	3207613	3207592	3207621	1	10
		U	43,56	43,56	43,56	43,56		

Article description		Kevhole	F41-R/F49-R	F52-R/F77-R	F98-R/F49-R	ı	DII	0.0
Article description		Reynole	Article no./€	Article no./€	Article no./€		r.U.	0.0.
Set 4	min. 33		3207630	3207656	3207648		1	10
		I U	43.56	43.56	43.56			




With the F41-R/F49-R, F52-R/F77-R and F98-R/F49-R finish the surfaces are satin and the lower surface is polished. The F41-R, F49-R, F77-R and F98-R finishes are monochrome.



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.








Information about sliding doors see page 50.

M475 (Set 5)

satin finish

polished finish

HOPPE brass sliding door set 5 for interior doors. Oval shells without keyhole, finger pull, concealed fixing.



duravert®

Information about sliding doors see page 50.


years' surface guarantee




M475 (Set 7)

-polished finish


HOPPE brass sliding door set 7 for interior doors. Oval shells with emergency release and stowable turn button, finger pull, concealed fixing.



Article description			Kevhole	F41-R/F49-R	F52-R/F77-R	F98-R/F49-R	DII	0.0
Article description		₩	Reynole	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set 7	33-48	8	\ominus	3207509	3207533	3207525	1	10
				72.80	72.80	72,80		



With the F41-R/F49-R, F52-R/F77-R and F98-R/F49-R finish the surfaces are satin and the lower surface is polished. The F41-R, F49-R, F77-R and F98-R finishes are monochrome.




finish key.

page 50.


The Resista® guarantee applies to all finishes with the letter **R** in the

Resista®
10 years' surface
guarantee



Program for sliding doors





more than usual duraplus®

M443 (Set 2) New




HOPPE brass sliding door set 2 for interior doors. Round shells with emergency release and turn button, finger pull, concealed fixing.





Article description			Kevhole	F41-R	F49-R	F71	F77-R	DII	0.0
		I ←→I	Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set 2	33-48	8	\oplus	3389841	3389859	3389824	3389867	1	10
				50,96	50,96	39,32	58,97		



Information about sliding doors see page 50.

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista® 10 years' surface guarantee

M443 (Set 4) New




HOPPE brass sliding door set 4 for interior doors. Round shells with keyhole, finger pull, concealed fixing.





Article description	de la	Keyhole	F41-R	F49-R	F71	F77-R	ПП	0.0
		Reynole	Article no./€	Article no./€	Article no./€	Article no./€	P.U.	0.0.
Set 4	min. 33		3389921	3389947	3389912	3389955	1	10
		U	36,69	36,69	28,30	42,46		



Information about sliding doors see page 50.

The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.

Resista®
10 years' surface
guarantee



M443 (Set 5) New




HOPPE brass sliding door set 5 for interior doors. Round shells without keyhole, finger pull, concealed fixing.





Article description	d ∏ b	Keyhole	F41-R	F49-R	F71	F77-R	DII	0.0
Article description		Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set 5	min. 33	without	3389971	3389980	3389963	3389998	1	10
			31,60	31,60	24,38	36,57		



Information about sliding doors see page 50.

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista® 10 years' surface guarantee

M443 (Set 7) New




 $\label{thm:eq:hoppe} \mbox{HOPPE brass sliding door set 7 for interior doors. Round shells with emergency release and stowable turn button, finger pull, concealed fixing.}$





Article description			Kevhole	F41-R	F49-R	F71	F77-R	ПП	00
Article description			Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	O.C.
Set 7	33-48	8	\ominus	3389883	3389891	3389875	3389904	1	10
				54,53	54,53	42,07	63,11		



Information about sliding doors see page 50.

The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



M464 (Set 4) New




HOPPE brass sliding door set 4 for interior doors. Round shells with keyhole, finger pull, concealed fixing.





Article description		Keyhole	F41-R	F49-R	F71	F77-R	DII	0.0
		Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set 4	min. 33		3390307	3390315	3390294	3390323	1	10
		U	40,36	40,36	31,13	46,71		



Information about sliding doors see page 50.

The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



M464 (Set 5) New




HOPPE brass sliding door set 5 for interior doors. Round shells without keyhole, finger pull, concealed fixing.





Article description		Kou do ala	F41-R	F49-R	F71	F77-R	DII	0.0
		Keyhole	Article no./€	Article no./€	Article no./€	Article no./€	P.U.	O.C.
Set 5	min. 33	without	3390340	3390358	3390331	3390366	1	10
			35,12	35,12	27,09	40,64		



Information about sliding doors see page 50.

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.





M464 (Set 7) New




HOPPE brass sliding door set 7 for interior doors. Round shells with emergency release and stowable turn button, finger pull, concealed fixing.





Article description	4Dh		Kevhole	F41-R	F49-R	F71	F77-R	DII	0.0
Article description		+	Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set 7	33-48	8	Θ	3390260	3390278	3390251	3390286	1	10
				62,16	62,16	47,94	71,94		



Information about sliding doors see page 50.

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.



M471 (Set 2)


pull, concealed fixing.

HOPPE brass sliding door set 2 for interior doors. Round shells with emergency release and turn button, finger



Article description	dip.		Kevhole	F41-R	F49-R	F71	F72	DII	0.0
Article description		—	Reynole	Article no./€	Article no./€	Article no./€			0.0.
Set 2	33-48	8	\ominus	3206477	3206485	3206426	3206434	1	10
				44.16	44.16	33.97	33.97		

Article description			Kevhole	F73	F77-R	F98-R	P.U.	O.C.
Article description		₩	Reynole	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set 2	33-48	8	\ominus	3206451	3206493	3206514	1	10
				33,97	50,96	44,16		



Information about sliding doors see page 50.

The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.

Resista® 10 years' surface guarantee


M471 (Set 4)

HOPPE brass sliding door set 4 for interior doors. Round shells with keyhole, finger pull, concealed fixing.



Article description		Keyhole	F41-R	F49-R	F71	F72	DII	0.0
		Keyriole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set 4	min. 33		3206645	3206653	3206611	3206629	1	10
		U	31,55	31,55	24,27	24,27		

Article description		Keyhole	F73	F77-R	F98-R	P.U.	O.C.
Article description		Keyriole	Article no./€	Article no./€	Article no./€	r.u.	0.0.
Set 4	min. 33		3206637	3206661	3206670	1	10
		U	24,27	36,40	31,55		



Information about sliding doors see page 50.

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®
10 years' surface
guarantee




M471 (Set 5)

HOPPE brass sliding door set 5 for interior doors. Round shells without keyhole, finger pull, concealed fixing.



Article description		Keyhole	F41-R	F49-R	F71	F72	DII	00
Article description		Keyriole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set 5	min. 33	without	3206725	3206733	3206696	3206709	1	10
			27,34	27,34	21,04	21,04		

Article description	Д	Kevhole	F73	F77-R	F98-R	P.U.	O.C.
		Keyriole	Article no./€	Article no./€	Article no./€	P.U.	0.0.
Set 5	min. 33	without	3206717	3206741	3206750	1	10
			21,04	31,55	27,34		



Information about sliding doors see page 50.

The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.




M471 (Set 7)

HOPPE brass sliding door set 7 for interior doors. Round shells with emergency release and stowable turn button, finger pull, concealed fixing.



Article description		m	Kevhole	F41-R	F49-R	F71	F72	DII	0.0
			Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	O.C.
Set 7	33-48	8	\ominus	3206573	3206581	3206522	3206549	1	10
				47,63	47,63	37,33	37,33		

Article description			Kevhole	F73	F77-R	F98-R	P.U.	00
Article description		│ ₩	Keyriole	Article no./€	Article no./€	Article no./€	P.U.	0.0.
Set 7	33-48	8	\ominus	3206557	3206590	3206602	1	10
				37,33	55,99	47,63		



Information about sliding doors see page 50.

The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.




M472 (Set 4)

HOPPE brass sliding door set 4 for interior doors. Oval shells with keyhole, finger pull, concealed fixing.



Article description	4	Keyhole	F41-R	F49-R	F71	F72	DII	0.0
		Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set 4	min. 33		3207357	3207365	3207322	3207331	1	10
		U	34,70	34,70	26,69	26,69		

Article description	4	Keyhole	F73	F77-R	F98-R	P.U.	O.C.
		Keyriole	Article no./€	Article no./€	Article no./€	P.U.	0.0.
Set 4	min. 33	n	3207349	3207373	3207381	1	10
		U	26,69	40,05	34,70		



Information about sliding doors see page 50.

The Resista® guarantee applies to all finishes with the letter $\boldsymbol{\mathsf{R}}$ in the finish key.




M472 (Set 5)

HOPPE brass sliding door set 5 for interior doors. Oval shells without keyhole, finger pull, concealed fixing.



Article description		Kovholo	F41-R	F49-R	F71	F72	DII	0.0
		Keyhole	Article no./€	Article no./€	Article no./€	Article no./€	P.U.	0.0.
Set 5	min. 33	without	3207429	3207437	3207390	3207402	1	10
			30,08	30,08	23,14	23,14		

Article description		Keyhole	F73	F77-R	F98-R	P.U.	O.C.
Article description		Reynole	Article no./€	Article no./€	Article no./€	r.u.	0.0.
Set 5	min. 33	without	3207411	3207445	3207453	1	10
			23,14	34,70	30,08		



Information about sliding doors see page 50.

The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.

Resista®
10 years' surface
guarantee




M472 (Set 7)

HOPPE brass sliding door set 7 for interior doors. Oval shells with emergency release and stowable turn button, finger pull, concealed fixing.

Article description			Kevhole	F41-R	F49-R	F71	F72	DII	0.0
		₩	Keyriole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set 7	33-48	8	Θ	3207285	3207293	3207251	3207269	1	10
				53,38	53,38	41,06	41,06		

Article description	45		Kevhole	F73	F77-R	F98-R	P.U.	O.C.
		│ ₩	Keyriole	Article no./€	Article no./€	Article no./€	F.U.	O.C.
Set 7	33-48	8		3207277	3207306	3207314	1	10
				41,06	61,60	53,38		



Information about sliding doors see page 50.

The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.




M429(S)

HOPPE brass shell for sliding doors, with or without keyhole, visible fixing with wood screws.



Article description	Keyhole	F41-R	F49-R	F71	F72	P.U.	O.C.
Article description	Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Shell for sliding doors,	without	648832	535828	530052	648818	5	30
piece		17,13	15,22	13,51	13,51		
	n	648849	536085	536054	648825	5	30
	U	17,13	15,22	13,51	13,51		

Article description	Keyhole	F54	F55	F56	F76	P.U.	O.C.
Article description	Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Shell for sliding doors,	without	2465098	2465101	2465119	2465127	2	12
piece		13,51	13,51	13,51	13,51		
		2465194	2465207	2465215	2465223	2	12
	U	13,51	13,51	13,51	13,51		



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



Program for sliding doors








consistently good value duranorm®

492 (Aluminium)


492 (Set 1)

HOPPE aluminium sliding door set 1: sliding door shell with nylon emergency release for the exterior side of the door, sliding door shell with turn button for the interior side. Sliding door shells can be stuck onto the door, for example with silicon. The set includes a nylon finger pull for the front side of the door, a mortice lock with square lock follower (for 55 mm backset) and a strike plate.



Information about sliding doors see page 50.






492 (Set 2)

HOPPE aluminium sliding door set 2: sliding door shell with nylon emergency release for the exterior side of the door, sliding door shell with turn button for the interior side. Sliding door shells can be stuck onto the door, for example with silicon. The set includes a nylon finger pull for the front side of the door.



Article description	45		Keyhole	F1	F4		P.U.	O.C.
		₩₩	Reynole	Article no./€	Article no./€		F.U.	0.0.
Set 2	33-49	8	\ominus	2219217	2219188		1	10
				13,00	13,00			


Information about sliding doors see page 50.





492 (Set 3)

HOPPE aluminium sliding door set 3: sliding door shells with oval keyhole for both exterior and interior sides of the door. Sliding door shells can be stuck onto the door, for example with silicon. The set includes a nylon finger pull for the front side of the door, a mortice lock with standard keyholes (for 55 mm backset) for sliding doors, a strike plate and a stowable key.



Information about sliding doors see page 50.

P.U.

O.C.

10

492 (Set 5)

HOPPE aluminium sliding door set 5: sliding door shells for both exterior and interior sides of the door. Sliding door shells can be stuck onto the door, for example with silicon. The set includes a nylon finger pull for the front side of the door.




Article description	de la	Keyhole	F1	F4		DII	O.C.
Article description		Keyriole	Article no./€	Article no./€		F.U.	0.0.
Set 5	min. 33	without	2219428	2219401		1	10
			11,31	11,31			

Information about sliding doors see page 50.

Ø19	22		
	848	848	
_ Ø60 _	3_ _	_ _3	Ø60

M492 (Set 1)

HOPPE brass sliding door set 1: sliding door shell with emergency release for the exterior side of the door, sliding door shell with turn button for the interior side. Sliding door shells can be stuck onto the door, for example with silicon. The set includes a nylon finger pull for the front side of the door, a mortice lock with square lock follower (for 55 mm backset) for sliding doors and a strike plate.



Information about sliding doors see page 50.

P.U.

O.C.

10

F71

1912829

35,47

M492 (Set 2)

 \bigcirc

HOPPE brass sliding door set 2: sliding door shell with emergency release for the exterior side of the door and sliding door shell with turn button for the interior side. Sliding door shells can be stuck onto the door, for example with silicon. The set includes a nylon finger pull for the front side of the door.



Article description			Kevhole	F41	F49	F71	P.U.	O.C.
Article description		₩	Reynole	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set 2	33-49	8	\ominus	1914171	1914154	1914015	1	10
				43,97	40,37	27,84		

Information about sliding doors see page 50.




F71

1914226

28,43

M492 (Set 3)

HOPPE brass sliding door set 3: sliding door shells with oval keyhole for both exterior and interior sides of the door. Sliding door shells can be stuck onto the door, for example with silicon. The set includes a nylon finger pull for the front side of the door, a mortice lock with standard keyholes (for 55 mm backset) for sliding doors, a strike plate and a stowable key.



Information about sliding doors see page 50.

P.U.

1

O.C.

10

M492 (Set 5)

HOPPE brass sliding door set 5: sliding door shells for both exterior and interior sides of the door. Sliding door shells can be stuck onto the door, for example with silicon. The set includes a nylon finger pull for the front side of the door.



Article description		Keyhole	F41	F49	F71	P.U.	O.C.
Article description		Reynole	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set 5	min. 33	without	1914841	1914832	1914808	1	10
			26,38	24,94	18,22		


Information about sliding doors see page 50.

M493 (Set 1)

HOPPE brass sliding door set 1 for interior doors. Oval shells with emergency release and turn button, lock of 50 mm backset, strike plate, finger pull, visible fixing.



Article description	d h		Kevhole	F41	F49	F71	ПП	O.C.
Article description		₩	Reynole	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set 1	33-49	8	\ominus	1922293	1922331	1922226	1	10
				64,80	56,32	41,03		




M493 (Set 2)

HOPPE brass sliding door set 2 for interior doors. Oval shells with emergency release and turn button, finger pull, visible fixing.



Article description			Keyhole	F41	F49	F71	P.U.	O.C.
Article description		₩	Reynole	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set 2	33-49	8	Θ	1922584	1922592	1922496	1	10
				52.76	48.45	33.40		



Information about sliding doors see page 50.




M493 (Set 3)

HOPPE brass sliding door set 3 for interior doors. Oval shells with keyhole, lock of 50 mm backset, strike plate, stowable key of 53,5 mm length, finger pull, visible fixing.



Article description		Keyhole	F41	F49	F71	P.U.	0.0
Article description		Reynole	Article no./€	Article no./€	Article no./€	F.U.	U.C.
Set 3	33-56		1922664	1922672	1922621	1	10
		U	48,22	41,38	32,17		




M493 (Set 4)

HOPPE brass sliding door set 4 for interior doors. Oval shells with keyhole, finger pull, visible fixing.



Article description		Keyhole	F41	F49	F71	DII	00
Article description		Reynole	Article no./€	Article no./€	Article no./€	JF.U.	0.0.
Set 3	33-56		1922761	1922779	1922710	1	10
		U	33,26	30,63	22,52		



Information about sliding doors see page 50.


M493 (Brass), Shells (Aluminium)

M493 (Set 5)

HOPPE brass sliding door set 5 for interior doors. Oval shells without keyhole, finger pull, visible fixing.



Article description	d d	Kevhole	F41	F49	F71	P.U.	O.C.
Article description		Keyriole	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set 5	min. 33	without	1922832	1922841	1922808	1	10
			32,64	29,93	21,86		




Information about sliding doors see page 50.

421P(S)

HOPPE aluminium shell for sliding doors, with or without keyhole, visible fixing with wood screws.



Article description		Keyhole	F1	F2	F4	P.U.	O.C.
Article description		Reynole	Article no./€	Article no./€	Article no./€	r.U.	0.0.
Shell for sliding doors,		Ω	517008	544295	516988	30	30
piece			4,61	4,61	5,34		
		without	684212	702367	696499	30	30
			4,61	4,61	5,34		



Program for fire-resistant doors





Contents



Product line dura**plus**®

more than usual



Amsterdam E1400 New page 276



Paris E/K138 page 282



Stockholm E1440 page 288



Liverpool (E)1313 page 278



Rotterdam E1401 **New** page 286



Knobs (E)50G - (E)58G page 289



Marseille E1138 page 279





Program for fire-resistant doors



_


more than usual duraplus®

Amsterdam (Stainless steel)

FS-E86G/3332ZA/3330/1400F ES1 (SK2) New



HOPPE stainless steel fire-resistant security knob/lever set ES1 (SK2) on backplate for entrance doors, **Amsterdam Series**. Backplates with protective steel underplate, outside with cylinder cover for cylinder projection 10-18 mm. Outside fixed knob (suitable for right and left hand), inside loose lever, HOPPE FDW-solid profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18257** and **DIN 18273**.




FS-E86G/3331/3330/1400F ES1(SK2) New





HOPPE stainless steel fire-resistant security knob/lever set ES1 (SK2) on backplate for entrance doors, **Amsterdam Series**. Backplates with protective steel underplate. Outside fixed knob (suitable for right and left hand), inside loose lever, HOPPE solid profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18257** and **DIN 18273**.






FS-E1400F/353K New

HOPPE stainless steel fire-resistant lever set on short backplate, **Amsterdam Series**. Backplates with steel underplate, clip-on handle version, HOPPE solid profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18273**, corresponding to **DIN EN 1906** (category of use: 4).





Matching products for other applications:

Sets for internal doors131
Program for windows435
Program for balcony doors506


FS-E1400F/42/42S New

HOPPE stainless steel fire-resistant lever set on rose with escutcheon, **Amsterdam Series**. Rose and escutcheon with steel base, clip-on handle version, HOPPE solid profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18273**, corresponding to **DIN EN 1906** (category of use: grade 4).





Article description			Keyhole	F69		P.U.	O.C.
Article description		₩	Reynole	Article no./€		F.U.	0.0.
Lever set	45-65	9		594986		1	10
			U	80,54			
Knob/lever	45-65	9	\bigcirc	601455		1	4
set, knob			IJ	90,20			
FS-E58							



Matching products for other applications:

Sets for internal doors	.131
Program for windows	.435
Program for balcony doors	.506

Liverpool (Aluminium, Stainless steel)


FS-1313G/55

HOPPE aluminium fire-resistant lever half set on narrow rose for profile entrance doors, **Liverpool Series**. Rose with zamak base, lever spring-loaded (RF). Tested according to **DIN 18273**.



Article description		F1	F1-2	F9-2	F8707	DII	00
Article description	 	Article no./€	Article no./€	Article no./€		F.U.	0.0.
Half set,	9	2906084	2899478	2899531	2899540	2	12
without screws		33,51	33,51	38,52	33,51		

Article description		m	F9016		DII	0.0
		 	Article no./€		P.U.	0.0.
Half set,		9	2899558		2	12
without screws	ш		33,51			



Fixing nuts/lugs see page 539.

Matching products for other applications:


Program for profile doors362

FS-E1313G/55

HOPPE stainless steel fire-resistant lever half set on narrow rose for profile entrance doors, **Liverpool Series**. Rose with zamak base, lever spring-loaded (RF), HOPPE solid profile spindle, concealed fixing. Tested according to **DIN 18273**.



Article description			F69	F77-R		DII	O.C.
Article description			Article no./€	Article no./€		r.U.	0.0.
Half set,	9		2737831	2904847		2	12
without screws			41,74	78,43			



Fixing nuts/lugs see page 539.

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.



Matching products for other applications:


Program for profile doors365



FS-E86G/3332ZA/3330/1138F ES1 (SK2)




HOPPE stainless steel fire-resistant security knob/lever set ES1 (SK2) on backplate for entrance doors, **Marseille Series**. Backplates with protective steel underplate, outside with cylinder cover for cylinder projection 10-18 mm. Outside fixed knob (suitable for right and left hand), inside loose lever, HOPPE FDW-solid profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18257, DIN 18273** and **DIN EN 179** for emergency exit devices.



FS-E86G/3331/3330/1138F ES1(SK2)



HOPPE stainless steel fire-resistant security knob/lever set ES1 (SK2) on backplate for entrance doors, **Marseille Series**. Backplates with protective steel underplate. Outside fixed knob (suitable for right and left hand), inside loose lever, HOPPE solid profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18257, DIN 18273** and **DIN EN 179** for emergency exit devices.




FS-E1138F/353K

HOPPE stainless steel fire-resistant lever set on short backplate, **Marseille Series**. Backplates with steel underplate, clip-on handle version, HOPPE solid profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18273**, corresponding to **DIN EN 1906** (category of use: 4).







Matching products for other applications:

Sets for internal doors	.159
Program for profile doors	.376
Security sets	.388
Program for windows	.449
Program for balcony doors	.484


FS-E1138F/42/42S

HOPPE stainless steel fire-resistant lever set on rose with escutcheon, **Marseille Series**. Rose and escutcheon with steel base, clip-on handle version, HOPPE solid profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18273**, corresponding to **DIN EN 1906** (category of use: grade 4).





Article description			Keyhole	F69		P.U.	O.C.
A ticle description		₩	regrioic	Article no./€		1 .0.	0.0.
Lever set	45-65	9		3043209		1	10
<u></u>			U	105,33			
Knob/lever oin en	45-65	9		3043217		1	4
Knob/lever set, knob			IU	123,20			
FS-E58							
Lever set	40-62	9	0	3043807 103,26		1	4
F							
Lever set DIN EN	45-65	9	UG	3043583		1	4
for inactive \uparrow din en 179				95,75	1 1		
door leaf	45-65	9	UG)	3043541 95,75		1	4



dura**plus**®




FS-E1138F/55

HOPPE stainless steel fire-resistant lever half set on narrow rose for profile entrance doors, **Marseille Series**. Rose with zamak base, lever spring-loaded (RF), HOPPE solid profile spindle, concealed fixing. Tested according to **DIN 18273**



Article description	[::]	F69		БП	0.0
Article description	 	Article no./€		JF.U.	0.0.
Half set,	9	3043348		2	12
without screws		53,73			



Fixing nuts/lugs see page 539.

FS-E1138F/55/55S


Article description

Set

HOPPE stainless steel fire-resistant lever set on narrow rose and escutcheon for profile entrance doors, **Marseille Series**. Rose and escutcheon with zamak base, lever spring-loaded (RF), HOPPE solid profile spindle, concealed fixing. Tested according to **DIN 18273**.

F69





F

50-75

9

Kovbolo	F09		P.U.	0.C.	
Keyhole	Article no./€			F.U.	0.0.
\bigcap	3043313			1	10
U	148,57				


Fixing nuts/lugs see page 539.

Matching products for other	
applications:	
Sets for internal doors	159
Program for profile doors	376
Security sets	388
Program for windows	449
Program for balcony doors	484

FS-E86G/3332ZA/3330/138F ES1 (SK2) New



HOPPE stainless steel fire-resistant security knob/lever set ES1 (SK2) on backplate for entrance doors, **Paris Series**. Backplates with protective steel underplate, outside with cylinder cover for cylinder projection 10-18 mm. Outside fixed knob (suitable for right and left hand), inside loose lever, HOPPE FDW-solid profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18257**, **DIN 18273** and **DIN EN 179** for emergency exit devices.




FS-E86G/3331/3330/138F ES1(SK2) New





HOPPE stainless steel fire-resistant security knob/lever set ES1 (SK2) on backplate for entrance doors, **Paris Series**. Backplates with protective steel underplate. Outside fixed knob (suitable for right and left hand), inside loose lever, HOPPE solid profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18257, DIN 18273** and **DIN EN 179** for emergency exit devices.






FS-E138F/353K New

HOPPE stainless steel fire-resistant lever set on short backplate, **Paris Series**. Backplates with steel underplate, clip-on handle version, HOPPE solid profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18273**, corresponding to **DIN EN 1906** (category of use: 4).





Matching products for other applications:

Sets for internal doors	.169
Program for profile doors	.378
Program for windows	.454
Program for balcony doors	.514


FS-E138F/42/42S New

HOPPE stainless steel fire-resistant lever set on rose with escutcheon, **Paris Series**. Rose and escutcheon with steel base, clip-on handle version, HOPPE solid profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18273**, corresponding to **DIN EN 1906** (category of use: grade 4).





Article description			Keyhole	F69		P.U.	O.C.
Article description		←→	Reynole	Article no./€		F.U.	0.0.
Lever set	45-65	9	\bigcirc	545971		1	10
			U	96,60			
Knob/lever Junen	45-65	9	\bigcirc	599462		1	4
set, knob			U	96,60			
FS-E58							
E							



Information about **DIN EN 179** see page 44.

Matching products for other applications:


9
3
1
1

FS-K138/202K

HOPPE nylon fire-resistant lever set on short backplate, **Paris Series**. Backplates with steel underplate, lever fixed/movable, HOPPE solid spindle, concealed bolt-through-fixing. Tested according to **DIN 18273**, corresponding to **DIN EN 1906** (category of use: grade 3).



Article description		4		Keyhole/	F9005M		P.U.	O.C.
Article description			₩	Distance	Article no./€		7P.U.	0.0.
Lever set		45-70	9	O 72	550524		1	10
	ш			U	31,44			
Half set		45-70	9	O 72	635399		1	10
				U	15,73			




FS-K58/202K/138

HOPPE nylon fire-resistant lever set on short backplate, **Paris Series**. Backplates with steel underplate, fixed knob, lever fixed/movable, HOPPE solid spindle, concealed bolt-through-fixing. Tested according to **DIN 18273**, corresponding to **DIN EN 1906** (category of use: grade 3).



Article description	- Th		Keyhole/	F9005M		P.U.	0.0
Article description		₩	Distance	Article no./€		JF.U.	O.C.
Lever set	45-70	9	72	570690		1	10
			IJ	43,17			






FS-K138/55/55S

HOPPE nylon fire-resistant lever set on narrow rose with escutcheon, **Paris Series**. Rose and escutcheon with steel base, lever fixed/movable, spring loaded (RF), HOPPE solid profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18273**, corresponding to **DIN EN 1906**.



Article description]_ [F9005		рп	0.0
	190		Keyhole	Article no./€		٦٢.٥.	0.0.
Lever set	40-	66 9		1721176		1	10
	디		l U	100,18			






Rotterdam (Stainless steel)

FS-E86G/3332ZA/3330/1401F ES1 (SK2) New



HOPPE stainless steel fire-resistant security knob/lever set ES1 (SK2) on backplate for entrance doors, Rotterdam Series. Backplates with protective steel underplate, outside with cylinder cover for cylinder projection 10-18 mm. Outside fixed knob (suitable for right and left hand), inside loose lever, HOPPE FDWsolid profile spindle, concealed bolt-through-fixing. Tested according to DIN 18257, DIN 18273 and DIN EN 179 for emergency exit devices.




FS-E86G/3331/3330/1401F ES1(SK2)





HOPPE stainless steel fire-resistant security knob/lever set ES1 (SK2) on backplate for entrance doors, Rotterdam Series. Backplates with protective steel underplate. Outside fixed knob (suitable for right and left hand), inside loose lever, HOPPE solid profile spindle, concealed bolt-through-fixing. Tested according to DIN 18257, DIN 18273 and DIN EN 179 for emergency exit devices.






FS-E1401F/353K New

HOPPE stainless steel fire-resistant lever set on short backplate, **Rotterdam Series**. Backplates with steel underplate, clip-on handle version, HOPPE solid profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18273**, corresponding to **DIN EN 1906** (category of use: 4).





Matching products for other applications:

Sets for internal doors.....171


FS-E1401F/42/42S New

HOPPE stainless steel fire-resistant lever set on rose with escutcheon, **Rotterdam Series**. Rose and escutcheon with steel base, clip-on handle version, HOPPE solid profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18273**, corresponding to **DIN EN 1906** (category of use: grade 4).





Article description			Keyhole	F69			P.U.	O.C.
Article description				Article no./€				0.0.
Lever set	45-65	9	\bigcirc	1927983			1	10
			U	115,02				
Knob/lever set, knob	45-65	9	\cap	2492707			1	4
set, knob			U	123,83				
FS-E58								



Matching products for other applications:

Sets for internal doors.....171


Stockholm (Stainless steel)

FS-E1140F/353K

HOPPE stainless steel fire-resistant lever set on short backplate, **Stockholm Series**. Backplates with steel underplate, clip-on handle version, HOPPE solid profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18273**, corresponding to **DIN EN 1906** (category of use: grade 4).



Lever set	Article description	4		Keyhole/	F69		DII	00	
			₩	Distance	Article no./€		P.U.	0.0.	
	Lever set	J	40-65	9	O 72	3043428		1	10
					U	105,33			



Matching products for other applications:

Sets for internal doors	.175
Program for profile doors	.378
Security sets	.391
Program for windows	.455
Program for balcony doors	.488


FS-E1140F/42/42S

HOPPE stainless steel fire-resistant lever set on rose with escutcheon, **Stockholm Series**. Rose and escutcheon with steel base, clip-on handle version, HOPPE solid profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18273**, corresponding to **DIN EN 1906** (category of use: grade 4).



Article description			Kevhole	F69		DII	0.0
Article description		₩	Reynole	Article no./€		r.U.	0.0.
Lever set	40-65	9	\bigcirc	3043233		1	10
				105.33			








FS-50G/55

- 1) HOPPE aluminium fire-resistant knob on narrow rose for profile entrance doors. Rose with zamak base, fixed knob, HOPPE FDW-solid profile spindle. Tested according to **DIN 18273**.
- 2) HOPPE aluminium fire-resistant knob on narrow rose for profile entrance doors. Rose with zamak base, knob spring-loaded (RF), for HOPPE solid profile spindle. Tested according to **DIN 18273**.



				=4.0			
Article description			F1	F1-2		БП	o.c.
Alticle description		₩	Article no./€	Article no./€		1 .0.	0.0.
1) Fixed knob on rose,	55-65	9	2901363	2157141		2	12
outside, without			59,08	59,08			
scraws niece				(((((1		
F							
				2152152		_	
2) Rotatable knob on		9	2901371	2158135		2	12
rose, outside, with			59,08	59,08	1		
screws, piece							
F					1		
		1 1			1		




Fixing nuts/lugs see page 537.

FS-58G/55

- 1) HOPPE aluminium fire-resistant knob on narrow rose for profile entrance doors. Rose with zamak base, fixed knob, HOPPE FDW-solid profile spindle. Tested according to **DIN 18273**.
- 2) HOPPE aluminium fire-resistant knob on narrow rose for profile entrance doors. Rose with zamak base, knob spring-loaded (RF), concealed fixing. Tested according to **DIN 18273**.



Article description	d b	F	F1	F1-2	P.U.	O.C.
7 ii tiolo decemption		₩	Article no./€	Article no./€	1 .0.	0.0.
1) Fixed knob on rose, without screws, piece	55-65	00	2905348 53,03	2905372 53,03	2	12
2) Rotatable knob on rose, with screws, piece		9	2905487 53,03	2905516 53,03	2	12




Fixing nuts/lugs see page 537.

FS-E50G/55

- 1) HOPPE stainless steel fire-resistant knob on narrow rose for profile entrance doors. Rose with zamak base, fixed knob, HOPPE FDW-solid profile spindle. Tested according to **DIN 18273**.
- 2) HOPPE stainless steel fire-resistant knob on narrow rose for profile entrance doors. Rose with zamak base, knob spring-loaded (RF), HOPPE solid profile spindle. Tested according to **DIN 18273**.



Article description			F69	F77-R		P.U.	O.C.
Article description		 	Article no./€	Article no./€		F.U.	0.0.
1) Fixed knob on rose,	55-65	9	2159162	2906527		2	12
outside, without			93,23	145,38			
screws, piece							
2) Rotatable knob on	55-65	9	2159171	2906543		2	12
rose, outside, without			93,23	145,38			
screws, piece							
l E							



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.




FS-E58G/55

- 1) HOPPE stainless steel fire-resistant knob on narrow rose for profile entrance doors. Rose with zamak base, fixed knob, HOPPE FDW-solid profile spindle. Tested according to **DIN 18273**.
- 2) HOPPE stainless steel fire-resistant knob on narrow rose for profile entrance doors. Rose with zamak base, knob spring-loaded (RF). Tested according to **DIN 18273**.



Article description		F69	F77-R		P.U.	O.C.
Article description	<u>₩</u>	Article no./€	Article no./€		F.U.	0.0.
1) Fixed knob on rose,	9	2905022	2905655		2	12
without screws, piece		83,55	132,81			
F						
2) Rotatable knob on	9	2905073	2905663		2	12
rose, without screws,		83,55	132,81			
piece						




The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.

Resista®
10 years' surface
guarantee

Pull handles and security escutcheons





Contents



Product line duravert®

for the discerning



Pull handles



Monte Carlo M550 page 302



Athinai M516, M517 page 300



Singapore M476 page 303







Product line dura**plus**®

more than usual



Pull handles page 306



Marseille 5710 page 336



Narrow backplate for pull handles

page 338



Cannes M545 page 335



Valencia M439 page 337



Security escutcheons

page 339



Dallas M543 page 336



Vitória M515 page 337



Cylinder ring E795 page 350

Pull handles and security escutcheons







for the discerning duravert®

E5011D with decorative elements

HOPPE stainless steel straight pull handle with decorative elements on both ends, for entrance doors, **including fixing system no. 11** (2 x BS-1102).



and **F5002**.


Article description	Ø	Length/	F69	F69/F68	F69/F5002	DII	O.C.
Article description	Ø	Distance	Article no./€	Article no./€	Article no./€	P.U.	0.0.
Pull handle E5011D with decorative element "ball", piece	30/27	400/300 (504/300 with ball)	8133332 164,32			1	5
Pull handle E5011D with decorative element "ring", piece	30/27	400/300 (460/300 with ring)	8150591 135,14	8150617 140,79	8150625 140,79	1	5
Pull handle E5011D with decorative element "rings", piece	30/27	400/300 (480/300 with rings)	8150633 157,86			1	5
Pull handle E5011D with decorative element "point", piece	30/27	400/300 (476/300 with point)	8150641 146,44			1	5


Article description	Ø	Length/	F69	F69/F68	F69/F5002	DII	O.C.
Article description		Distance	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Pull handle with	30/27			1780686		1	
decorative element and				+ 5,04			
special lengths, piece			surcharg	e per starte	d 100mm		

Please indicate exact lengths of handle required, the distance and the finish.

Working out the centre distance is the same as for the E5011 pull handle without decorative elements. In the case of pull handles with decorative elements, the distance from the centre of the support to the end of the bar is at least 30 mm.

Also available with several supports, surcharge 22,04 €/piece.







E5012D with decorative elements

HOPPE stainless steel straight pull handle with angular (45°) supports and decorative elements on both ends, for entrance doors, **including fixing system no. 11** (2 x BS-1102).



finishes F68, F69 and **F5002**.


		1		1			
Article description	Ø	Length/	F69	F69/F68	F69/F5002	P.U.	o.c.
Article description	Ø	Distance	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Pull handle E5012D	30/27	400/300	8150682			1	5
with decorative element		(504/300	164,32				
"ball", piece		with ball)					
Pull handle E5012D	30/27	400/300	8150708	8150724	8124372	1	5
with decorative element		(460/300	135,14	140,79	140,79		
"ring", piece		with ring)					
Pull handle E5012D	30/27	400/300	8150732		<i>(((((((((((((((((((((((((((((((((((((</i>	1	5
with decorative element		(480/300	157,86				
"rings", piece		with rings)					
Pull handle E5012D	30/27	400/300	8150740			1	5
with decorative element	30/21	(476/300	146,44			'	
"point", piece		with point)					

Article description	Ø	Length/	F69	F69/F68	F69/F5002	DII	00
Article description		Distance	Article no./€	Article no./€	Article no./€	1 .0.	0.0.
Pull handle with	30/27			6836233		1	
decorative element and				+ 5,04			
special lengths, piece			surcharge	e per starte	d 100mm		

Please indicate exact lengths of handle required, the distance and the finish.

Working out the centre distance is the same as for the E5011 pull handle without decorative elements. In the case of pull handles with decorative elements, the distance from the centre of the support to the end of the bar is at least 30 mm.

Also available with several supports, surcharge 22,04 €/piece.







E5513D


HOPPE stainless steel light curved pull handle with angular (45°) supports and decorative elements, for entrance doors, **including fixing system no. 11** (2 x BS-1102).



Article description	Ø	Length/	F69	F68/F69	F69/F77-R	F69/F5002	рп	0.0
Article description		Distance	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Pull handle, piece	30/27	485/250	1841531	1841602	1841611	1841637	1	5
			196,32	209,68	225,54	200,06		
		485/300	1841653	1841661	1841688	1841709	1	5
			196 32	209.68	225 54	200.05		










E5519FD with decorative element

HOPPE stainless steel semicercular pull handle with decorative element, for entrance doors, **including fixing system no. 11** (1 \times BS-1101 and 1 \times BS-1102).



Article description	Ø	Length/	F69	F69/F8901		DII	O.C.
Article description		Distance	Article no./€	Article no./€		JF.U.	O.C.
Pull handle, piece	30/27	500/210	3225969	3225942		1	5
			268.38	268.38			



Fixing systems for pull handles see on pages 526-529.




E5519FD with decorative element

HOPPE stainless steel semicercular pull handle with decorative element, for entrance doors, **including fixing system no. 11** $(1 \times BS-1101 \text{ and } 1 \times BS-1102)$.



Article description	Ø	Length/	F69	F69/F8901			DII	O.C.
Article description		Distance	Article no./€	Article no./€			F.U.	0.0.
Pull handle, piece	30/27	500/210	3225985	3225977			1	5
			300,29	300,29				
195 Fixing systems for pull handles see on Finishes: pages 526-529.								






M516/19

HOPPE brass light curved pull handle on rose for entrance doors, **Athinai Series**. Concealed fixing: **including fixing system for wooden doors.**



Article description	Distance	F49/F69	F77-R/F52-R		DII	O.C.
Article description	Distance	Article no./€	Article no./€		P.U.	0.0.
Pull handle, piece	250	2829912	3054696		1	5
		129,23	129,23			



Fixing systems for pull handles see on pages 526-529.

Matching products for other	
applications:	
Sets for internal doors	88
HCS®	216
Program for windows	426
Lift/slide door sets	502
Complementary products	522

Finishes:



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.




M516

HOPPE brass light curved pull handle for entrance doors, **Athinai Series**. Concealed fixing: **including fixing system no. 11** (1 x BS-1101 and 1 x BS-1102).



Article description	Distance	F49-R/F98-R	DII	
Article description	Distance	Article no./€	F.U	. 0.0.
Pull handle, piece	250	1843894	1	5
		111,33		



Fixing systems for pull handles see on pages 526-529.

Matching products for other applications:	
Sets for internal doors	88
HCS®	
Program for windows	426
Lift/slide door sets	502
Complementary products	522

Finishes:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.






M517/19

HOPPE brass straight pull handle on rose for entrance doors, Athinai Series. Concealed fixing: including fixing system for wooden doors.



Article description	Diotopoo	F49/F69	F77-R/F52-R		DII	0.0	
	Distance -	Article no./€	Article no./€		- P.U.	0.0.	
F	Pull handle, piece	250	2829921	3054709		1	5
			112,90	112,90			



Fixing systems for pull handles see on pages 526-529.

Matching products for other	
applications:	
Sets for internal doors88	
HCS [®] 216	
Program for windows426	
Lift/slide door sets502	
Complementary products522	

Finishes:



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



M517

HOPPE brass straight pull handle for entrance doors, Athinai Series. Concealed fixing: including fixing system no. 11 (1 x BS-1101 and 1 x BS-1102).



Article description	Distance	F49/F69		חח	O.C.
	Distance	Article no./€		P.U.	0.0.
Pull handle, piece	250	1894675 94,99		1	5
50	Et tan a alama f		 		



Fixing systems for pull handles see on



Finishes:


Monte Carlo (Brass)

M550LG

HOPPE brass light curved pull handle, **Monte Carlo Series**. Concealed fixing: **including fixing system no. 11** (1 \times BS-1101 and 1 \times BS-1102).



Article description	Diotopoo	F46-R	F65-R	F74-R	F75-R	DII	0.0	
	'	Distance	Article no./€	Article no./€	Article no./€	Article no./€	[P.U.]	0.0.
Pull handle, piece		250	2301886	2301894	2301907	2301915	1	5
			206,42	206,42	206,42	206,42		




Fixing systems for pull handles see on pages 526-529.

Matching products for other	
applications:	
Sets for internal doors	114
Program for sliding doors	242
Knobs	406
Program for windows	430
Lift/slide door sets	503







The Resista® guarantee applies to all finishes with the letter **R** in the finish key.



Singapore (Brass)




M476/15

HOPPE brass straight pull handle on rose for entrance doors, **Singapore Series**. Concealed fixing: **including fixing system for wooden doors**.



Article description	rtiple description	Distance	F54	F55	F56	F76	DII	0.0
Article description		Distance	Article no./€	Article no./€	Article no./€	Article no./€	P.U.	0.0.
Pull handle, piece		220	2455931	2455965	2455973	2455981	1	5
			113,79	113,79	113,79	113,79		



Sets for internal doors	Matching products applications:	
	Program for window	/s431

Pull handles and security escutcheons







more than usual duraplus®


Pull handles (Aluminium)

5004

HOPPE aluminium straight pull handle with angular (45°) square supports, for entrance doors, **including fixing system no. 11** (1 x BS-1101 and 1 x BS-1102).



Article description	Ø	Length/	F1-2	F9-2		P.U.	0.0
Article description	<u> </u>	Distance	Article no./€	Article no./€		JF.U.	0.0.
Pull handle, piece	25	330/210	2345942	2345951		1	5
			82,40	94,75			




Fixing systems for pull handles see on pages 526-529.


5000 and 5010

HOPPE aluminium straight pull handle for entrance doors, including fixing system no. 11 (2 x BS-1102).



Article description	Ø	Distance	F1	F1-2	P.U.	O.C.
Article description	<u> </u>	Distance	Article no./€	Article no./€	75.0.	0.0.
Pull handle 5000, piece	25	300	6942601 46,47	607464 46,47	1	5
		350	6931356 46,47	807185 46,47	1	5
Pull handle 5010, piece	30	300	8051229 59,67	609253 59,67	1	5
		350	6859177 59,67	655908 59,67	1	5








5100 and 5110

HOPPE aluminium cranked pull handle for entrance doors, **including fixing system no. 11** (2 x BS-1102).



Article description	Ø	Distance	F1	F1-2	P.U.	O.C.
Article description		Distance	Article no./€	Article no./€	75.0.	0.0.
Pull handle 5100, piece	25	300	8051211 54,29	656172 54,29	1	5
		350	8051427 54,29	807192 54,29	1	5
Pull handle 5110, piece	30	300	8051419 63,58	606283 63,58	1	5
		350	8051385 63,58	655922 63,58	1	5



Fixing systems for pull handles see on pages 526-529.

Pull handles with distance 300 mm are suitable for narrow backplate **247N** for profile doors, see on page 338.


Pull handles (Aluminium, stainless steel)


5200 and 5210

HOPPE aluminium triangular pull handle for entrance doors, including fixing system no. 11 (2 x BS-1102).



	_	l	F1	F1-2		
Article description	Ø	Distance	Article no./€		P.U.	O.C.
Pull handle 5200, piece	25	300	8051377 54,29	615490 54,29	1	5
	25	350		615506 54,29	1	5
Pull handle 5210, piece	30	300	8051336 63,58	655946 63,58	1	5
	30	350	8051302 63,58	606269 63,58	1	5





Fixing systems for pull handles see on pages 526-529.

Pull handles with distance 300 mm are suitable for narrow backplate **247N** for profile doors, see on page 338.

5310

HOPPE aluminium semi-circular pull handle for entrance doors, including fixing system no. 11 (2 x BS-1102).

F1

Article no./€

8051260

69,49


8051252

69,49

F1-2

Article no./€

807215



 69,49

 655953

 69,49

1 5

Fixing systems for pull handles see on pages 526-529.

O.C.

5

Pull handles with distance 300 mm are suitable for narrow backplate **247N** for profile doors, see on page 338.



E5000 and E5010

HOPPE stainless steel straight pull handle for entrance doors, including fixing system no. 11 (2 x BS-1102).




Article description	Ø	Distance	F69	F77-R	P.U.	O.C.
Article description		Distance	Article no./€	Article no./€	F.U.	0.0.
1) Pull handle E5000 ,	25	300	553648	832965	1	5
piece			73,68	171,69		
	25	350	602551	1693048	1	5
			73,68	171,69		
2) Pull handle E5010 ,	30	300	556144	656004	1	5
piece			82,91	180,92		
	30	350	602599	656011	1	5
			82.91	180.92		

Article description	Ø	Distance	F69	F77-R		P.U.	O.C.
Article description	W	Distance	Article no./€	Article no./€		P.U.	U.U.
Pull handle E5000 with	25	200-1200	1780619			1	
special lengths, piece			+ 5,04 *				
		200-900		2810390		1	
				+ 8,51 *			
Pull handle E5010 with	30	200-2400	1780627			1	
special lengths, piece			+ 5,04 *				
		200-900		2810429		1	
				+ 8,51 *			

Please indicate exact lengths of handle required, the distance and the finish!

* Surcharge per started 100 mm



Fixing systems for pull handles see on pages 526-529.

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.



E5011

HOPPE stainless steel straight pull handle with straight supports for entrance doors, **including fixing system no. 11** $(2 \times BS-1102)$.




Auticle description	0	Length/	F69	F8901/F69	DII	0.0
Article description	Ø	Distance	Article no./€	Article no./€	P.U.	O.C.
Pull handle, piece	30/27	400/300	6520605	3224325	1	5
			88,78	107,24		
		500/300	2010595		1	5
			93,80			
		600/400	2010624		1	5
			98,81			
		800/560	2010632		1	5
			108,85			
		1000/700	2010659		1	5
			118,88			
		1200/900	2010974		1	5
			128,91			
		1400/1000	2010982		1	5
			138,94			
		1600/1200	2011029		1	5
			148,98			
		1800/1300	2011037		1	5
			159,01			


Article description	Ø	F69	DII	
Article description		Article no./€	F.U	. 0.0.
Pull handle with	30/27	6518369	1	
special lengths, piece		+ 5,04 */		

Please indicate exact lengths of handle required, the distance and the finish.

Also available with several supports, surcharge 22,04 €/piece.

* Surcharge per started 100 mm







E5011D with design-rings

HOPPE stainless steel straight pull handle with with straight supports and design-rings on both ends, for entrance doors, **including fixing system no. 11** ($2 \times BS-1102$).



Article description	Ø	Length/	F69		P.U.	O.C.
Article description		Distance	Article no./€]F.U.	0.0.
Pull handle, piece	30/27	400/300	3224421 94,55		1	5
		500/300	3224448 99,56		1	5
		600/400	3224544 104,58		1	5
		800/560	3224552 114,61		1	5
		1000/700	3224579 124,64		1	5
		1200/900	3224595 134,68		1	5




E5011D with design-rings

HOPPE stainless steel straight pull handle with straight supports and 4 design-rings in the middle, for entrance doors, **including fixing system no. 11** (2 x BS-1102).



Article description	Ø	Length/	F69		P.U.	O.C.	
Article description		Distance	Article no./€		P.U.	0.0.	
Pull handle, piece	30/27	400/300	3224464 94,55		1	5	
		500/300	3224608 99,56		1	5	
		_	600/400	3224616 104,58		1	5
				800/560	3224624 114,61		1
		1000/700	3224641 124,64		1	5	
		1200/900	3224659 134,68		1	5	




Fixing systems for pull handles see on pages 526-529.

E5011D with decorative elements

HOPPE stainless steel straight pull handle with with straight supports and decorative elements on both ends, for entrance doors, $including\ fixing\ system\ no.\ 11\ (2\times BS-1102).$



Autiala dagariation	α	Length/	F69/F8901		DII	0.0
Article description	Ø	Distance	Article no./€		P.U.	0.0.
Pull handle, piece	30/27	500/300	3224341 125,69		1	5





E5012

HOPPE stainless steel straight pull handle with angular (45°) supports, for entrance doors, **including fixing system no. 11** $(2 \times BS-1102)$.




Autiala alaaasiatias	α	Length/	F69	F8901/F69	DII	
Article description	Ø	Distance	Article no./€	Article no./€	P.U.	O.C.
Pull handle, piece	30/27	400/300	8124414	3224481	1	5
			88,78	107,24		
		500/300	2011053		1	5
			93,80			
		600/400	2011061		1	5
			98,81			
		800/560	2011555		1	5
			108,85			
		1000/700	2011571		1	5
			118,88			
		1200/900	2011598		1	5
			128,91			
		1400/1000	2011643		1	5
			138,94			
		1600/1200	2011678		1	5
			148,98			
		1800/1300	2011707		1	5
			159.01			


Article description	Ø	F69		DII	0.0
Article description		Article no./	€	ا F.U.	O.C.
Pull handle with	30/27	1780694	2	1	
special lengths, piece		+ 5,04 *			

Please indicate exact lengths of handle required, the distance and the finish.

Also available with several supports, surcharge 22,04 €/piece.

* Surcharge per started 100 mm






E5012D with design-rings

HOPPE stainless steel straight pull handle with angular (45°) supports and design-rings on both ends, for entrance doors, **including fixing system no. 11** $(2 \times BS-1102)$.



Article description	Ø	Length/	F69		P.U.	O.C.
Article description		Distance	Article no./€		JF.U.	0.0.
Pull handle, piece	30/27	400/300	3224510 94,55		1	5
		500/300	3224691 99,56		1	5
		600/400	3224712 104,58		1	5
		800/560	3224739 114,61		1	5
		1000/700	3224763 124,64		1	5
		1200/900	3224780 134,68		1	5



Fixing systems for pull handles see on pages 526-529.




E5012D with design-rings

HOPPE stainless steel straight pull handle with angular (45°) supports and 4 design-rings in the middle, for entrance doors, **including fixing system no. 11** (2 x BS-1102).



Article description	Ø	Length/	F69		P.U.	O.C.
Article description		Distance	Article no./€		P.U.	0.0.
Pull handle, piece	30/27	400/300	3224528 94,55		1	5
		500/300	3224798 99,56		1	5
		600/400	3224827 104,58		1	5
		800/560	3224851 114,61		1	5
		1000/700	3224878 124,64		1	5
	1200/900	3224886 134,68		1	5	



Fixing systems for pull handles see on pages 526-529.

E5012D with decorative elements

Ø

HOPPE stainless steel straight pull handle with angular (45°) supports and decorative elements on both ends, for entrance doors, **including fixing system no. 11** ($2 \times BS-1102$).

F69/F8901

Article no./€


3224501 **125,69**

Length/

Distance

500/300





Article description

	1	5

pages 526-529.

Fixing systems for pull handles see on

P.U. O.C.


E5014

HOPPE stainless steel straight pull handle with angular, square supports of aluminium, for entrance doors; **including fixing system no. 11** (1 \times BS-1101 and 1 \times BS-1102 if distance 250 mm, 2 \times BS-1102 if distance 300 mm or more).




	~	Length/	F69/F1	F69/F9016	F69/F1-2	F69/F31-1		
Article description	Ø	Distance	Article no./€	Article no./€	Article no./€	Article no./€	P.U.	O.C.
Pull handle, piece	30	400/250	2206301 89,53	2206310 89,53	3224907 89,53	3224974 89,53	1	5
		500/300	2206344 94,55	2206361 94,55			1	5
		600/400	2206387 99,56	2206416 99,56			1	5
		800/560	2206424 109,60	2206432 109,60			1	5
		1000/700	2206459 119,63	2206467 119,63			1	5
		1200/900	2206483 129,66	2206491 129,66			1	5

Article description	Ø	Length/	F8901/F1-2	F8901/F31-1		DII	O.C.
Article description		Distance	Article no./€	Article no./€		JF.U.	0.0.
Pull handle, piece		400/250	3224536	3224894		1	5
			107.99	107.99			



Fixing systems for pull handles see on pages 526-529.

Special lengths on request (max. 2.400 mm). Surcharge per started 100 mm **5,04 €**.






E5014D with decorative elements

HOPPE stainless steel straight pull handle with angular, square supports of aluminium and decorative elements on both ends, for entrance doors, **including fixing system no. 11** (2 x BS-1102).



Autiala alaaasiatiasa	α	Length/	F69/F8901/F1-2	F69/F8901/F31-1		DII	0.0
Article description	Ø	Distance	Article no./€	Article no./€		P.U.	O.C.
Pull handle, piece	30	500/300	3225002 127,01	3225504 127,01		1	5



F69/8901/ F69/F9801/ F1-2 F31-1

Finishes:


Fixing systems for pull handles see on pages 526-529.

E5015

HOPPE stainless steel straight pull handle for entrance doors, including fixing system no. 11 (2 x BS-1102).



Article description	Ø Distance	F69		DII	O.C.	
		Distance	Article no./€		75.0.	0.0.
Pull handle, piece	30	300	2206766 87,81		1	5
	30	350	2206782 87,81		1	5



Fixing systems for pull handles see on pages 526-529.


Special lengths on request (max. 2.400 mm). Surcharge per started 100 mm **5,04 €**.

E5016


HOPPE stainless steel straight pull handle with square, straight supports for entrance doors, **including fixing system no. 11** (2 x BS-1102).



Article description	Ø	Length/	F69	F8901/F69		P.U.	O.C.
Article description		Distance	Article no./€	Article no./€		JF.U.	O.C.
Pull handle, piece	30	400/300	3225272	3225256		1	5
			100,31	118,77			



Fixing systems for pull handles see on pages 526-529.




E5016D with decorative elements

HOPPE stainless steel straight pull handle with with square, straight supports and decorative elements on both ends, for entrance doors, $including\ fixing\ system\ no.\ 11\ (2\times BS-1102).$



Article description	Ø	Length/	F69/F8901	P.U.	0.0
Article description		Distance	Article no./€	F.U.	0.0.
Pull handle, piece	30	500/300	3225678 137,22	1	5






E5019AD with design-rings

HOPPE stainless steel straight pull handle with angular supports and 2 design-rings on both ends, for entrance doors, **including fixing system no. 11** (1 x BS-1101 and 1 x BS-1102).



Article description	Ø	Length/	F69		DII	0.0
Article description		Distance	Article no./€		P.U.	0.0.
Pull handle, piece	30/25	300/210	3209782 133,98		1	5



Fixing systems for pull handles see on pages 526-529.

E5040

Ø20____

HOPPE stainless steel straight pull handle for entrance doors, without fixing system.



Article description	Ø	Distance	F69	P.U	J. O.C.
Article description		Distance	Article no./€	P.C). 0.0.
Pull handle, pair 20	200	2799240 85,16	1	5	
		300	2799258 90,06	1	5
		650	2799274 113,75	1	5


Note:

Please use fixing system type "A" available on request.

E5061

HOPPE stainless steel straight pull handle with straight supports for entrance doors, **including fixing system no. 11** $(2 \times BS-1102)$.

Article description	Ø	Length/	F69			O.C.
Article description		Distance	Article no./€		P.U.	0.0.
Pull handle, piece	35/27	400/300	3225070 100,31		1	5
		500/300	3225299 105,33		1	5
		600/400	3225301 110,35		1	5
		800/560	3225310 120,38		1	5
		1000/700	3225336 130,41		1	5
		1200/900	3225344 140,44		1	5
		1400/1000	3225361 150,47		1	5
		1600/1200	3225387 160,51		1	5
	1800/1300	3225395 170,54		1	5	



Fixing systems for pull handles see on pages 526-529.

Special lengths on request (max. 2.400 mm). Surcharge per started 100 mm 5,04 €.




E5062

HOPPE stainless steel straight pull handle with angular (45°) supports, for entrance doors, **including fixing system no. 11** ($2 \times BS$ -1102).



Autiala alaaasiatias	α	Length/	F69	DII	
Article description	Ø	Distance	Article no./€	P.U	. O.C.
Pull handle, piece 35/27	35/27	400/300	3225117 100,31	1	5
		500/300	3225408 105,33	1	5
	600/400	3225432 110,35	1	5	
		800/560	3225441 120,38	1	5
		1000/700	3225459 130,41	1	5
		1200/900	3225467 140,44	1	5
		1400/1000	3225475 150,47	1	5
		1600/1200	3225483 160,51	1	5
		1800/1300	3225491 170.54	1	5



Fixing systems for pull handles see on pages 526-529.


Special lengths on request (max. 2.400 mm). Surcharge per started 100 mm **5,04 €**.

E5100, E5110 and E5110-110

HOPPE stainless steel cranked pull handle for entrance doors, including fixing system no. 11 (2 x BS-1102).



Article description	Ø	Diotopos	F69	F77-R	P.U.	O.C.
Article description	0	Distance	Article no./€	Article no./€	P.U.	0.0.
Pull handle E5100 , with	25	300	602575	615452	1	5
cranked support (90°),			85,21	183,22		
piece		350	556090	615469	1	5
			85,21	183,22		
Pull handle E5110 , with	30	300	602605	655984	1	5
cranked support (90°),			94,44	192,45		
piece		350	610563	603503	1	5
			94,44	192,45		
Pull handle E5110-110 ,	30	300	2206643		1	5
with cranked support			128,43			
(110°), piece		350	2206740		1	5
			128,43			




Fixing systems for pull handles see on pages 526-529.

Pull handles with distance 300 mm are suitable for narrow backplate **247N** for profile doors, see on page 338.

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.








E5119C

HOPPE stainless steel straight pull handle with angular supports, for entrance doors, **including fixing system no. 11** (1 x BS-1101 and 1 x BS-1102 if distance 210 mm, $2 \times BS-1102$ if distance 350 mm or more).



Article description	Ø	Length/	F69		DII	00
Article description	0	Distance	Article no./€		P.U.	O.C.
Pull handle, piece 30/10	30/10/30	310/210	3210505 91,67		1	5
		500/350	3221888 101,70		1	5
		600/450	3221896 106,72		1 5	5
		800/650	3221909 116,75		1	5
		1000/850	3221917 126,78		1	5
		1200/1050	3221933 136,82		1	5





E5200 and E5210

HOPPE stainless steel triangular pull handle for entrance doors, including fixing system no. 11 (2 x BS-1102).



Article description	Ø	Distance	F69	F77-R	P.U.	O.C.
Article description		Distance	Article no./€	Article no./€	P.U.	0.0.
Pull handle E5200 ,	25	300	573578	648177	1	5
piece			85,21	183,22		
		350	610556	1693030	1	5
			85,21	183,22		
Pull handle E5210 ,	30	300	556106	655991	1	5
piece			94,44	192,45		
		350	595297	603510	1	5
			94,44	192,45		





Fixing systems for pull handles see on pages 526-529.

Pull handles with distance 300 mm are suitable for narrow backplate **247N** for profile doors, see on page 338.

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.





Available also with 3 supports (middle): **E5210S**. Price and delivery-time on request.

E5215

Article description

Pull handle,

piece

HOPPE stainless steel triangular pull handle for entrance doors, **including fixing system no. 11** (2 x BS-1102).

F69

Article no./€

2206811 **111,74**

2206838 **111,74**

Distance

300

350

Ø

30



186 (211)	90
	300 (350)
1	

	1	5
	1	5

Fixing systems for pull handles see on pages 526-529.

P.U. O.C.



E5310

HOPPE stainless steel semi-circular pull handle for entrance doors, including fixing system no. 11 (2 x BS-1102).

F69

Article no./€

6804538

94,44

598212

94,44

300


350

F77-R

Article no./€

603527

192,45



Fixing systems for pull handles see on pages 526-529.

P.U.

1

1

O.C.

5

5

Pull handles with distance 300 mm are suitable for narrow backplate 247N for profile doors, see on page 338.

The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



E5311

Article description

Pull handle,

piece

Ø

30

Distance

300

350

HOPPE stainless steel semi-circular pull handle for entrance doors: with straight supports, including fixing system no. 11 (2 x BS-1102).

F69

Article no./€

588282

107,82

610617

107,82



159 (187)	90
	(0)
Ø30	300 (350)
	27

1 5 Fixing systems for pull handles see on

pages 526-529.

P.U.

1

O.C.

5

Pull handles with distance 300 mm are suitable for narrow backplate 247N for profile doors, see on page 338.


Pull handles (Stainless steel)


E5410 (left)

HOPPE stainless steel triangular pull handle for entrance doors, including fixing system no. 11 (2 x BS-1102).



Article description	Ø	Distance	F69		P.U.	O.C.
Article description		Distance	Article no./€		F.U.	0.0.
Cranked (90°)	30	350	610600		1	5
pull handle, piece			140,93			
Cranked (135°)	30	400	8111403		1	5
pull handle, piece			140,93			





Fixing systems for pull handles see on pages 526-529.


Special lengths on request (max. 2.400 mm). Surcharge per started 100 mm 5.04 €

E5410 (right)

HOPPE stainless steel triangular pull handle for entrance doors, including fixing system no. 11 (2 x BS-1102).



Article description	Ø	Distance	F69		P.U.	O.C.
Article description		Distance	Article no./€		JF.U.	0.0.
Cranked (90°)	30	350	610594		1	5
pull handle, piece			140,93			
Cranked (135°)	30	400	8111320		1	5
pull handle, piece			140,93			



Fixing systems for pull handles see on pages 526-529.

Special lengths on request (max. 2.400 mm). Surcharge per started 100 mm **5,04 €**.




E5511

HOPPE stainless steel light curved pull handle for entrance doors: with straight supports, **including fixing system no. 11** (1 x BS-1101 and 1 x BS-1102 if distance 210 mm, 2 x BS-1102 if distance 695 mm or more).



		Length/	F69			
Article description	Ø	Distance	Article no./€		P.U.	O.C.
Pull handle, piece	30/27	350/210	2707940 111,27		1	5
		800/695	2611059 131,33		1	5
		1200/1000	2694851 151,40		1	5
Pull handle, 3rd support included, piece	30/27	1600/1400	2694860 171,46		1	5
		2000/1800	2694878 191,53		1	5



Fixing systems for pull handles see on pages 526-529.

Special lengths on request (max. 2.400 mm). Surcharge per started 100 mm **5,04 €**.

E5600

HOPPE stainless steel, flat bow-shaped pull handle for entrance doors: can be used for concealed fixing with two screws M8 (not included) on aluminium and nylon doors.

F69

Article no./€

2206862


87,06

Length/

Distance


390/350






Article description

Pull handle, piece





P.U.

O.C.


Pull handles (Stainless steel)

E5601

HOPPE stainless steel light curved pull handle for entrance doors: with straight supports, **including fixing system no. 11** (1 x BS-1101 and 1 x BS-1102).



Article description	Length/	F69		ПП	O.C.
	Distance	Article no./€		P.U.	0.0.
Pull handle, piece	400/250	3226021 124,22		1	5



Fixing systems for pull handles see on pages 526-529.

E5604

500 (400/700)

36


HOPPE stainless steel, flat bow-shaped pull handle with angular, square supports of aluminium for entrance doors, **including fixing system no. 11** (1 \times BS-1101 and 1 \times BS-1102 if distance 250 mm, 2 \times BS-1102 if distance 300 mm or more).



Article description	Length/	F69/F1-2	F69/F31-1	F8901/F1-2	F8901/F31-1	DII	O.C.
Article description	Distance	Article no./€	Article no./€	Article no./€	Article no./€	JF.U.	0.0.
Pull handle, piece	400/250	3225627	3225651	3225521	3225598	1	5
		137,97	137,97	153,54	153,54		
	500/300	3225635	3225660	3225571	3225601	1	5
		147,77	147,77	163,33	163,33		
	700/500	3225643	3225686	3225580	3225619	1	5
		167,37	167,37	182,94	182,94		

Fixing systems for pull handles see on pages 526-529.

300 (250/500)






E5606

HOPPE stainless steel, flat bow-shaped pull handle with square, straight supports for entrance doors, **including fixing system no. 11** (1 x BS-1101 and 1 x BS-1102 if distance 250 mm, 2 x BS-1102 if distance 350 mm or more).

Article description	Length/	F69		P.U.	O.C.
Article description	Distance	Article no./€]F.U.	0.0.
Pull handle, piece	408/250	2206871 128,74		1	5
	500/350	2420375 138,54		1	5
	697/500	2292473 158,14		1	5




Fixing systems for pull handles see on pages 526-529.

E5716

HOPPE stainless steel straight pull handle with square, straight supports for entrance doors, **including fixing system no. 11** (1 x BS-1101 and 1 x BS-1102 if distance 250 mm, 2 x BS-1102 if distance 350 mm or more).

Article description	Length/	F69		P.U.	O.C.
Article description	Distance	Article no./€		1 .0.	0.0.
Pull handle, piece	350/250	3225694 136,64		1	5
	500/350	3225723 142,41		1	5
	650/500	3225731 153,94		1	5



Fixing systems for pull handles see on pages 526-529.


Pull handles (Stainless steel)

E5718

HOPPE stainless steel straight pull handle for entrance doors, including fixing system no. 11 (2 x BS-1102).



Article description	Length/	F69		DII	O.C.
'	Distance	e Article no./€		F.U.	0.0.
Pull handle, piece	330/300	3226030 136,64		1	5
	500/470	3226048 142,41		1	5




Fixing systems for pull handles see on pages 526-529.

E5804

HOPPE stainless steel straight pull handle with angular, square supports of aluminium, for entrance doors; **including fixing system no. 11** (1 \times BS-1101 and 1 \times BS-1102 if distance 250 mm, 2 \times BS-1102 if distance 300 mm or more).



Article description	Length/	F69/F1-2	F69/F31-1	F8901/F1-2	F8901/F31-1	DII	O.C.
Article description	Distance	Article no./€	Article no./€	Article no./€	Article no./€	JF.U.	0.0.
Pull handle, piece	400/250	3225820	3225854	3225740	3225791	1	5
		134,50	134,50	150,07	150,07		
	500/300	3225838	3225862	3225766	3225803	1	5
		144,31	144,31	159,88	159,88		
	700/500	3225846	3225871	3225782	3225811	1	5
		163,91	163,91	179,48	179,48		




Fixing systems for pull handles see on pages 526-529.







E5806

HOPPE stainless steel, flat pull handle with square, straight supports for entrance doors, **including fixing system no. 11** (1 x BS-1101 and 1 x BS-1102 if distance 250 mm, 2 x BS-1102 if distance 300 mm or more).





Fixing systems for pull handles see on pages 526-529.



E5912

Article description

Pull handle, piece

HOPPE stainless steel straight pull handle with angular (45°) supports, for entrance doors, **including fixing system no. 11** ($2 \times BS-1102$).

F69

Article no./€

3226005

124,07

Length/

Distance

450/300

Ø

40-30/27



	027
350 450	Ø30 ⁸
	Ø40

Fixing systems for pull handles see on pages 526-529.

P.U.

O.C.


Pull handles (Stainless steel, nylon)

E5917

HOPPE stainless steel straight pull handle with straight supports, for entrance doors, **including fixing system no. 11** (2 x BS-1102).



Article description	Ø	Length/	F69		пп	0.0
		Distance	Article no./€		P.U. O.C	0.0.
Pull handle, piece	40-30/27-30	450/300	3226013		1	5
			156,36			




Fixing systems for pull handles see on pages 526-529.

K5130

HOPPE nylon cranked pull handle with steel core for entrance doors, **including fixing system no. 11** ($2 \times BS-1102$).



Article description	a	Ø Distance	F5003	F9016		P.U.	0.0
	Ø		Article no./€	Article no./€			0.0.
Pull handle, piece	34	300	679065	635788		1	5
			80,38	80,38			



Finishes F3003, F7038 and F9005 available on request. Price and delivery-time on request.

Fixing systems for pull handles see on pages 526-529.

Pull handles with distance 300 mm are suitable for narrow backplate **247N** for profile doors, see on page 338.




K5230

Pull handles (Nylon)

HOPPE nylon triangular pull handle with steel core for entrance doors, including fixing system no. 11 (2 x BS-1102).



Article description	α	Ø Distance	F5003	F9016	DII	O.C.
	Ø		Article no./€	Article no./€	F.U.	0.0.
Pull handle, piece	34	300	635818 88,90	635832 88,90	1	5



Finishes F3003, F7038 and F9005 available on request. Price and delivery-time on request.

Fixing systems for pull handles see on pages 526-529.

Pull handles with distance 300 mm are suitable for narrow backplate 247N for profile doors, see on page 338.

K5330

HOPPE nylon semi-circular pull handle with steel core for entrance doors, including fixing system no. 11 (2 x BS-1102).

F5003

685783

96,33


300

F9016

669943

96,33

Article no./€ Article no./€



Finishes F3003, F7038 and F9005 available on request. Price and delivery-time on request.

P.U.

1

O.C.

5

Fixing systems for pull handles see on pages 526-529.

Pull handles with distance 300 mm are suitable for narrow backplate 247N for profile doors, see on page 338.


Pull handles (Brass)

M553

HOPPE brass triangular pull handle for entrance doors, **including fixing system no. 11** (1 \times BS-1101 and 1 \times BS-1102).



Article description		Distance -	F77-R	F98-R		P.U.	0.0
	'		Article no./€	Article no./€			0.0.
Pull handle, piece		250	1886288	1868910		1	5
			101,21	101,21			



Fixing systems for pull handles see on pages 526-529.

The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



M555 New

HOPPE brass light curved pull handle on rose for entrance doors. Concealed fixing: **including special fixing system for wooden or glass doors.**



Article description		Distance	F41-R	F42-R	F71	P.U.	O.C.
Article description		Distance	Article no./€	Article no./€	Article no./€	JF.U.	0.0.
Pull handle for wooden		200	3387204	3387212	3387191	1	5
doors, piece			32,80	32,80	25,95		
Pull handle for glass	8-12	200	3416757	3416765	3416749	1	5
doors, piece			40,99	40,99	32,96		
Pull handle for glass	8-20	200	3416781	3416790	3416773	1	5
doors, piece			65,62	65,62	52,00		



Attention: incompatible with fixing systems for pull handles (pages 526-529).

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.




M588 New

HOPPE brass light curved pull handle on rose for entrance doors. Concealed fixing: **including special fixing system for wooden or glass doors.**



Article description		Distance	F41-R	F42-R	F71	DII	0.C.
		Distance	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Pull handle for wooden		200	3387239	3387247	3387221	1	5
doors, piece			35,53	35,53	28,71		
Pull handle for glass	8-12	200	3416811	3416829	3416802	1	5
doors, piece			43,70	43,70	35,72		
Pull handle for glass	8-20	200	3416845	3416853	3416837	1	5
doors, piece			71,06	71,06	57,44		



Attention: incompatible with fixing systems for pull handles (pages 526-529).

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.








M545LG

HOPPE brass light curved pull handle for entrance doors, **Cannes Series**. Concealed fixing: **including fixing system no. 11** $(1 \times BS-1101)$ and $1 \times BS-1102)$.



Article description	Distance	F41-R	F71	F72	F77-R	DII	0.0
	Distance	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	U.U.
Pull handle, piece	220	2664089	2664062	2664071	2664100	1	5
		48,84	27,53	27,53	57,11		



Fixing systems for pull handles see on pages 526-529.

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.




M545LG/23

HOPPE brass light curved pull handle on rose for entrance doors, **Cannes Series**. Concealed fixing: **including fixing system for wooden doors**.



Article description	Distance	F41-R	F71	F72	F77-R	пп	O.C.
Article description	Distance	Article no./€	Article no./€	Article no./€	Article no./€	1 .0.	0.0.
Pull handle, piece	220	2664134	2664118	2664126	2664151	1	5
		68,62	47,31	47,31	76,87		
55 69				The Resista	a® guarante	e apı	olies to



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.




Dallas (Brass), Marseille (Aluminium)

M543 New

HOPPE brass straight pull handle for entrance doors, **Dallas Series.** Concealed fixing: **including fixing system no. 11** (1 x BS-1101 and 1 x BS-1102).

Article description	Distance	F41-R	F49-R	F71	F77-R	DII	0.0
	Distance	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Pull handle, piece	250	3391191	3391203	3391174	3391211	1	5
		93,12	89,68	68,97	96,56		



Fixing systems for pull handles see on pages 526-529.

The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



Matching products for other applications:


Sets for internal doors	149
Knobs	415
Program for windows	443
Program for balcony doors	481
Lift/slide door sets	511

5710

HOPPE aluminium straight pull handle for entrance doors, **Marseille Series.** Concealed fixing: **including fixing system no. 11** (2 x BS-1102).



Article description	Diotopoo	F1-2	F9-2		DII	0.0
	Distance -	Article no./€	Article no./€		JF.U.	0.0.
Pull handle, piece	300	2550882	2550891		1	5
		52,96	60,90			



Fixing systems for pull handles see on pages 526-529.

Matching products for other applications:

Sets for internal doors	107
Security sets	387
Program for windows	448

Valencia, Vitória (Brass)




M439/15

HOPPE brass straight pull handle on rose for entrance doors, **Valencia Series**. Concealed fixing: **including fixing system for wooden doors.**



Article description	Diotopoo	F54	F55	F56	F76	DII	0.0
	Distance -	Article no./€	Article no./€	Article no./€	Article no./€	[F.U.]	0.0.
Pull handle, piece	194	2455551	2455560	2455607	2455623	1	5
		58,92	58,92	58,92	58,92		



Matching products for other applications:


M515LG/23

 $\label{thm:contraction} \mbox{HOPPE brass light curved pull handle on rose for entrance doors, \mbox{\bf Vit\'oria Series}. Concealed fixing: {\bf including fixing system for wooden doors.}$



Article description		Distance	F41-R	F49-R	F71	F72	DII	0.0
	Distance	Article no./€	Article no./€	Article no./€	Article no./€	[P.U.]	0.0.	
Pull handle, piece		210	2844830	2844821	2844784	2844805	1	5
			68,62	59,00	47,31	47,31		

Article description	Dietopoo	F73	F77-R		P.U.	00	
	Distance -	Article no./€	Article no./€		P.U.	0.0.	
Pull handle,	piece	210	2844813	2844848		1	5
			47,31	76,87			



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.




Vitória (Brass), Narrow backplate for pull handles (Aluminium)

M515LG

HOPPE brass light curved pull handle for entrance doors, **Vitória Series**, **including fixing system no. 11** $(1 \times BS-1101)$ and $1 \times BS-1102)$.



Article description		Distance	F41-R	F49-R	F77-R	P.U.	0.0
	الا	Distance	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Pull handle, piece		210	2417176	2417192	2417205	1	5
			48,84	39,23	57,11		



Fixing systems for pull handles see on pages 526-529.

The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.




247N

HOPPE aluminium narrow backplate for pull handles, for profile doors. Concealed fixing with screws M6.



Article description	Keyhole/	F1-2	F32-1	F9016	וום	0.0
	Distance	Article no./€	Article no./€	Article no./€]P.U.]	0.0.
Backplate for pull) 92	6943765	6972038	6943849	1	10
handles, piece	H	52.18	60.01	52,18		



Backplate for profile doors suitable for all cranked, triangular and semicircular pull handles with distance 300 mm.

Security escutcheon (Aluminium)




42NSB-ZA/42S ES1 (SK2)



HOPPE aluminium security escutcheon ES1 (SK2) for entrance doors. Exterior side: security escutcheon with cylinder cover (for cylinder projection 10-18 mm) with steel base and steel lugs (10 mm), self-adhesive protective steel plate; interior side: escutcheon with steel base and steel lugs (7 mm); concealed bolt-through-fixing with thread screws M5. Tested according to **DIN 18257.**



Article description	d d	Kevhole	F1-2	F9016		DII	00
		Reynole	Article no./€	Article no./€		[F.U.]	0.0.
Escutcheon, pair	60+70		2912530	2912652		2	12
		ΙU	75,16	86,44			



Information about security escutcheon ES1 (SK2) see page 35.


42NSB/42S and 42NSA/42S ES1 (SK2)



HOPPE aluminium security escutcheon ES1 (SK2) for entrance doors. Exterior side: security escutcheon with steel base and steel lugs (10 mm), self-adhesive protective steel plate; interior side: escutcheon with steel base and steel lugs (7 mm); concealed bolt-through-fixing with thread screws M5. Tested according to **DIN 18257.**



1	Article description			F1-2	F9016			
	Article description		Keyhole	Article no./€	Article no./€		P.U.	O.C.
	Escutcheon (exterior	60+70		2913760	2913840		2	12
	side: 15 mm), pair		U	38,29	44,05			
	Escutcheon (exterior	60+70		2913962	2913989		2	12
	side: 12 mm), pair		U	36,16	41,58			



Information about security escutcheon ES1 (SK2) see page 35.


Security escutcheon (Aluminium)

42NSB-ZA and 42S

HOPPE aluminium security escutcheon for entrance doors: exterior side: security escutcheon with cylinder cover (for cylinder projection 10-18 mm) with steel base and steel lugs (10 mm); interior side: escutcheon with steel base and steel lugs (7 mm); concealed bolt-through-fixing with thread screws M5.



Article description		Kaybala	F1	F1-2		P.U.	O.C.
Article description		Keyhole	Article no./€	Article no./€		r.U.	0.0.
Escutcheon, pair	60+70			600854		2	12
		l U		66,68			
Escutcheon, exterior	67-72			8090912		5	30
side, piece		l U		62,51			
Escutcheon, interior			6918940	6918890		5	30
side, piece		IU	10,26	10,26			




42NSB, 42NSA and 42S

HOPPE aluminium security escutcheon for entrance doors: exterior side: security escutcheon with steel base and steel lugs (10 mm); interior side: escutcheon with steel base and steel lugs (7 mm); concealed bolt-through-fixing with thread screws M5.



Article description		Keyhole	F1	F1-2	P.U.	O.C.
Article description		Reynole	Article no./€	Article no./€]F.U.	0.0.
Escutcheon, exterior	60+70			601141	2	12
side: 15 mm, pair		l U		33,05		
Escutcheon, exterior	60+70			6918353	2	12
side: 12 mm, pair		l U		31,04		
Escutcheon exterior	67-72	0		8090938	5	30
side: 15 mm, piece		l U		23,77		
Escutcheon exterior	67-72	0		8019556	5	30
side: 12 mm, piece		l U		21,63		
Escutcheon, interior			6918940	6918890	5	30
side, piece		<u> </u>	10,26	10,26		




55S-ZA and 55S

HOPPE aluminium security escutcheon for profile entrance doors: exterior side: escutcheon with cylinder cover (for cylinder projection 15-20 mm), metal base with 2 lugs; interior side: escutcheon with metal base, concealed fixing



Article description	ф	Keyhole	F1-2	F9-2	F9016	DII	O.C.
		Reynole	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Escutcheon, exterior	67-72		2156922	2351429	2161570	5	30
side, piece		U	56,31	64,75	56,31		
Escutcheon, interior		0	654833	2351584	6921696	5	30
side, piece		U	10,43	11,99	10,43		



55S

Fixing nuts/lugs see page 537.






55SDS and 55S

HOPPE aluminium security escutcheon for profile entrance doors: exterior side: escutcheon with metal base and anti-detachment device; interior side: escutcheon with metal base, concealed fixing.



Article description	Kevh	olo	F1-2	F9-2	F9016	рп	O.C.
Article description	Keyi	iole	Article no./€	Article no./€	Article no./€	JF.U.	0.0.
Escutcheon, exterior			6921837	2351509	6921852	5	30
side, piece	U		26,85	33,98	26,85		
Escutcheon, interior			654833	2351584	6921696	5	30
side, piece			10,43	11,99	10,43		



Fixing nuts/lugs see page 537.

Information about security escutcheon for profile entrance doors see page 35.


55S-SR-ZA and 55S

HOPPE aluminium security escutcheon for profile entrance doors: exterior side: non-detachable escutcheon with cylinder cover for cylinder projection 4,5-8,5 mm (version 14 mm) or 4,5-5,5 mm (version 11 mm), metal base with 2 lugs; interior side: escutcheon with metal base, concealed fixing.



Article description	Keyhole	F1	F1-2	F9-2	F8707	P.U.	O.C.
Article description	Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Non-detachable		2906797	2902876	2902884	2902905	5	30
escutcheon, exterior side: 14 mm, piece		26,63	26,63	30,67	26,63		
Non-detachable escutcheon, exterior side: 11 mm, piece		2906771 23,98	2902711 23,98	2902761 27,61	2902796 23,98	5	30
Escutcheon, interior side, piece		2906691 10,43	654833 10,43	2351584 11,99	2708230 10,43	5	30

Article description	Keyhole	F9016		P.U.	O.C.
7 titloic accomption	rtoyrioic	Article no./€		1 .0.	0.0.
Non-detachable		2902913		5	30
escutcheon, exterior	l U	26,63			
side: 14 mm, piece					
Non-detachable	0	2902809		5	30
escutcheon, exterior	l U	23,98			
side: 11 mm, piece					
Escutcheon, interior	0	6921696		5	30
side, piece	U	10,43			



Fixing nuts/lugs see page 537.

Information about security escutcheon for profile entrance doors see page 35.

Security escutcheon (Aluminium)


55S-SR and 55S

HOPPE aluminium security escutcheon for profile entrance doors: exterior side: non-detachable escutcheon with metal base with 2 lugs; interior side: escutcheon with metal base, concealed fixing.



Article description	Kaybala	F1	F1-2	F9-2	F8707	P.U.	O.C.
Article description	Keyhole	Article no./€	Article no./€	Article no./€	Article no./€	P.U.	0.0.
Non-detachable escutcheon, exterior side: 14 mm, piece		2906594 18,10	2903764 18,10	2903844 20,81	2903879 18,10	5	30
Non-detachable escutcheon, exterior side: 8 mm, piece	0	2906586 17,30	2903490 17,30	2903617 19,89	2903721 17,30	5	30
Non-detachable escutcheon, exterior side: 6 mm, piece	0	2906560 16,49	2903351 16,49	2903406 18,97	2903449 16,49	5	30
Escutcheon, piece, interior side		2906691 10,43	654833 10,43	2351584 11,99	2708230 10,43	5	30

Article description	Kovholo	F9016		P.U.	O.C.
Article description	Keyhole	Article no./€		r.U.	0.0.
Non-detachable escutcheon, exterior side: 14 mm, piece		2903895 18,10		5	30
Non-detachable escutcheon, exterior side: 8 mm, piece	P	2903748 17,30		5	30
Non-detachable escutcheon, exterior side: 6 mm, piece	P	2903481 16,49		5	30
Escutcheon, piece, interior side		6921696 10,43		5	30



Fixing nuts/lugs see page 537.



55S-SK

HOPPE aluminium self-adhesive escutcheon for profile doors. Escutcheon with nylon base (version 8 mm) or without base (version 3 mm).





Article description	Keyhole	F1	F1-2	F9-2	F8707	וח	O.C.
Article description	Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Escutcheon, exterior		2906720	2901603	2901611	2901638	5	30
side: 8 mm, piece	U	9,34	9,34	10,73	9,34		
Escutcheon, exterior		2906711	2901531	2901558	2901566	5	30
side: 3 mm, piece	U	8,01	8,01	9,23	8,01		

F9016

Article no./€

2901646

9,34 2901582

8,01

Keyhole



side: 3 r	nm, piece
2 2 33 2	8 (3),

side: 8 mm, piece

Escutcheon, exterior

Information about self-adhesive escutcheon for profile entrance doors see page 35.

P.U.

5

5

O.C.

30

Security escutcheon (Stainless steel)


E42NSB-ZA/42S ES1 (SK2)



HOPPE stainless steel security escutcheon ES1 (SK2) for entrance doors. Exterior side: security escutcheon with cylinder cover (for cylinder projection 10-18 mm) with steel base and steel lugs (10 mm), self-adhesive protective steel plate; interior side: escutcheon with steel base and steel lugs (7 mm); concealed bolt-through-fixing with thread screws M5. Tested according to **DIN 18257.**



Article description		Keyhole	F69	F77-R		DII	0.0
Article description		Reynole	Article no./€	Article no./€		JF.U.	0.0.
Escutcheon, pair	60+70		2915888	2915976		2	12
		ΙU	89,13	111,44			



Information about security escutcheon ES1 (SK2) see page 35.

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.




E42NSB/42S und E42NSA/42S ES1 (SK2)



HOPPE stainless steel security escutcheon ES1 (SK2) for entrance doors. Exterior side: security escutcheon with steel base and steel lugs (10 mm), self-adhesive protective steel plate; interior side: escutcheon with steel base and steel lugs (7 mm); concealed bolt-through-fixing with thread screws M5. Tested according to **DIN 18257.**



Article description		Keyhole	F69	F77-R		DII	O.C.
Article description		Reynole	Article no./€	Article no./€		JF.U.	0.0.
Escutcheon, exterior side: 15 mm, pair	60+70	Ω	2916004 47.85	2916039 68.14		2	12
/ 1		1 2	///////•///////////////////////////////	<u> </u>			
Escutcheon, exterior	60+70		2916063	2916119		2	12
side: 12 mm, pair		l U	46,12	65,96			



Information about security escutcheon ES1 (SK2) see page 35.

The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.








E42NSB-ZA and E42S

HOPPE stainless steel security escutcheon for entrance doors: exterior side: security escutcheon with cylinder cover (for cylinder projection 10-18 mm) with steel base and steel lugs (10 mm); interior side: escutcheon with steel base and steel lugs (7 mm); concealed bolt-through-fixing with thread screws M5.



Article description		Keyhole	F69	F77-R	P.U.	O.C.
Article description		Reynole	Article no./€	Article no./€]F.U.	0.0.
Escutcheon, pair	60+70		601158		2	12
		l U	89,64			
	56+5			605958	2	12
	66+5	l U		108,41		
Escutcheon, exterior	67-72	0	8092892	8091506	5	30
side, piece		l U	72,93	87,20		
Escutcheon, interior			6315873	6325518	5	30
side, piece		U	10,43	17,10		



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.




E42NSB, E42NSA and E42S

HOPPE stainless steel security escutcheon for entrance doors: exterior side: security escutcheon with steel base and steel lugs (10 mm); interior side: escutcheon with steel base and steel lugs (7 mm); concealed bolt-through-fixing with thread screws M5.



	TMT	1	F69	F77-R		
Article description		Keyhole	Article no./€	Article no./€	P.U.	O.C.
Escutcheon, exterior	60+70		609246		2	12
side: 15 mm, pair		U	43,89			
	56+5			6319958	2	12
	66+5	l U		54,69		
Escutcheon, exterior	60+70		609239		2	12
side: 12 mm, pair		l U	41,78			
	56+5			757664	2	12
	66+5	l U		52,74		
Escutcheon, exterior	67-72	0	8092546	8091498	5	30
side: 15 mm, piece		l U	31,65	35,54		
Escutcheon, exterior	67-72	0	8092371	8091316	5	30
side: 12 mm, piece		l U	29,92	33,34		
Escutcheon, interior			6315873	6325518	5	30
side, piece		ΙU	10,43	17,10		



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.




Security escutcheon (Stainless steel)

E55S-ZA and E55S

HOPPE stainless steel security escutcheon for profile entrance doors: exterior side: escutcheon with cylinder cover (for cylinder projection 15-20 mm), metal base with 2 lugs; interior side: escutcheon with metal base, concealed fixing.



Article description	Keyhole	F69	F77-R		DII	O.C.
Article description	Reynole	Article no./€	Article no./€		JF.U.	0.0.
Escutcheon, exterior		2159082	2159103		5	30
side, piece	l U	61,30	69,39			
Escutcheon, interior	0	652693	821020		5	30
side, piece	l U	13,97	17,94			



Fixing nuts/lugs see page 537.

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.




E55SDS and E55S

HOPPE stainless steel security escutcheon for profile entrance doors: exterior side: escutcheon with metal base and anti-detachment device; interior side: escutcheon with metal base, concealed fixing.



Article description		Keyhole	F69	F77-R		DII	O.C.
Article description		Reynole	Article no./€	Article no./€		JF.U.	0.0.
Escutcheon, exterior			652679	779208		5	30
side, piece		U	31,19	40,44			
Escutcheon, interior		0	652693	821020		5	30
side, piece	- 1		13.97	17.94			



Fixing nuts/lugs see page 537.

Information about security escutcheon with anti-detachment device for profile entrance doors see page 35.

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.






E55S-SR-ZA and E55S

HOPPE stainless steel security escutcheon for profile entrance doors: exterior side: non-detachable escutcheon with cylinder cover for cylinder projection 4,5-8,5 mm (version 14 mm) or 4,5-5,5 mm (version 11 mm), metal base with 2 lugs; interior side: escutcheon with metal base, concealed fixing.



Article description	Keyhole	F69 Article no./€	F77-R Article no./€	P.U.	O.C.
Non-detachable escutcheon, exterior side: 14 mm, piece		2881825 31,13	2904791 46,24	5	30
Non-detachable escutcheon, exterior side: 11 mm, piece		2881796 28,31	2904783 42,55	5	30
Escutcheon, interior side, piece		652693 13,97	821020 17,94	5	30



Fixing nuts/lugs see page 537.

Information about security escutcheon for profile entrance doors see page 35.

The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.




E55S-SR and E55S

HOPPE stainless steel security escutcheon for profile entrance doors: exterior side: non-detachable escutcheon with metal base with 2 lugs: interior side: escutcheon with metal base, concealed fixing.



Article description		F69	F77-R	P.U.	O.C.
Article description	Keyhole	Article no./€	Article no./€	P.U.	0.0.
Non-detachable escutcheon, exterior side: 14 mm, piece		2881892 20,06	2904821 31,88	5	30
Non-detachable escutcheon, exterior side: 8 mm, piece	0	2881876 19,26	2904812 30,85	5	30
Non-detachable escutcheon, exterior side: 6 mm, piece	0	2881833 18,39	2904804 29,70	5	30
Escutcheon, interior side, piece		652693 13,97	821020 17,94	5	30



Fixing nuts/lugs see page 537.

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.



Security escutcheon (Stainless steel)

E55S-SK

HOPPE stainless steel self-adhesive escutcheon for profile doors. Escutcheon with nylon base (version 8 mm) or without base (version 3 mm).









Information about self-adhesive escutcheon for profile entrance doors see page 35.

The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.




K42NSB-ZA and K15S

HOPPE nylon security escutcheon for entrance doors: exterior side: security escutcheon with cylinder cover (for cylinder projection 10-18 mm) with steel base and steel lugs (10 mm); interior side: escutcheon with steel base and steel lugs (7 mm); concealed bolt-through-fixing with thread screws M5.



Article description		Keyhole	F9016		DII	O.C.
Article description		Keyriole	Article no./€		F.U.	0.0.
Escutcheon, exterior	60+70	0	691142		5	30
side, piece		l U	56,38			
Escutcheon, interior		0	674916		5	30
side, piece		l U	5,82			



Finishes F3003, F5003, F7038 F8019 and F9005 available on request. Price and delivery-time on request.

Security escutcheon (Nylon, brass)




K42NSB, K42NSA and K15S

HOPPE nylon security escutcheon for entrance doors: exterior side: security escutcheon with steel base and steel lugs (10 mm); interior side: escutcheon with steel base and steel lugs (7 mm); concealed bolt-through-fixing with thread screws M5.



Article description		Keyhole	F9016		P.U.	O.C.
Article description		Reynole	Codice/€		75.0.	0.0.
Escutcheon, exterior	60+70		671670		5	30
side: 15 mm piece			28,25			
Escutcheon, exterior	60+70		670550		5	30
side: 12 mm, piece			27,48			
Escutcheon, interior			674916		5	30
side, piece		U	5,82			




Finishes F3003, F5003, F7038 F8019 and F9005 available on request. Price and delivery-time on request.

K55SDS and K55S

HOPPE nylon security escutcheon for profile entrance doors: exterior side: escutcheon with metal base and anti-detachment device; interior side: escutcheon with metal base, concealed fixing.



Article description	Keyhole	F9016		ПП	O.C.
· ·	Reynole	Article no./€		1 .0.	0.0.
Escutcheon, exterior		635863		5	30
side, piece		26,80			
Escutcheon, interior		635849		5	30
side, piece		10,16			



Fixing nuts/lugs see page 537.


Finishes F3003, F5003, F7038 F8019 and F9005 available on request. Price and delivery-time on request.

M55S-ZA and M55S

HOPPE brass security escutcheon for profile entrance doors: exterior side: escutcheon with cylinder cover (for cylinder projection 15-20 mm), metal base with 2 lugs; interior side: escutcheon with metal base, concealed fixing.



Article description	Kaybala	F49-R	F98-R	P.U.	O.C.
Article description	Keyhole	Codice/€	Codice/€	□P.U.	0.0.
Escutcheon, exterior		2157714	2161334	5	30
side, piece	l U	68,61	79,84		
Escutcheon, interior	0	1868733	1868741	5	30
side, piece	l U	20,33	21,46		



Fixing nuts/lugs see page 537.

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.




Security escutcheon (Brass), cylinder ring (Stainless steel)

M55SDS and M55S

HOPPE brass security escutcheon for profile entrance doors: exterior side: escutcheon with metal base and anti-detachment device; interior side: escutcheon with metal base, concealed fixing.



Article description	Keyhole	F49-R	F98-R	ВП	O.C.
Article description	Reynole	Codice/€	Codice/€	F.U.	0.0.
Escutcheon, exterior		1842031	1919086	5	30
side, piece	U	45,08	46,11		
Escutcheon, interior	0	1868733	1868741	5	30
side, piece	U	20,33	21,46		



Fixing nuts/lugs see page 537.

The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



E795

HOPPE stainless steel cylinder ring.



Article description	F69	DII	
Article description	Article no./€	F.U.	0.0.
Cylinder ring, piece	2904863 7,86	5	30



Program for profile doors





Contents



Product line dura**plus**®

more than usual



Atlanta (M)1530 page 356











Marseille E1138 page 376



New York 1810 New page 378



Paris E138 page 378



Stockholm E1140 page 378



Tôkyô 1710 page 379



Narrow escutcheons page 380







Program for profile doors







more than usual duraplus®


554/3346/1530

HOPPE aluminium lever set on narrow backplate for profile entrance doors, **Atlanta Series**. Backplates with stainless steel underplate and lugs, lever fixed movable (F/D), HOPPE solid spindle, outside concealed bolt-through-fixing.




Article description	d d		Keyh	ole/	F1	F9	F8707	F9010	P.U.	O.C.
Article description		₩	Dista	nce	Article no./€	Article no./€	Article no./€	Article no./€	JF.U.	0.0.
Push pad/lever set,	67-72	8		92	3096061	3096079	2744425	3096095	1	10
push pad 554		40			33,76	38,82	33,76	33,76		
Knob/lever set,	67-72	8		92	3096280	3096301	3096319	3096335	1	10
knob 76G					33,76	38,82	33,76	33,76		
Lever set, outside lever	70	8		92	2589701	2589728	2589744	3094567	1	10
099KH with short neck					25,54	29,37	25,54	25,54		
Lever set	67-72	8		92	2570461	2570488	2570496	3095560	1	20
					19.74	22.70	19.74	19.74		

Autiala alaa awiatia a		m	Keyh	ole/	F9016		DII	0.0
Article description		□	Dista	nce	Article no./€		P.U.	O.C.
Push pad/lever set,	67-72	8	\bigcirc	92	3096087		1	10
push pad 554		40			33,76			
Knob/lever set,	67-72	8	\cap	92	3096327		1	10
knob 76G					33,76			
Lever set, outside lever	70	8		92	2589752		1	10
099KH with short neck					25,54			
Lever set	67-72	8		92	2570517		1	20
					19,74			



Push pad 554



Lever 099KH

Knob 76G Matching products for other




1530/3346SN

HOPPE aluminium lever half set on narrow backplate for profile entrance doors, **Atlanta Series**. Backplates with stainless steel underplate, lever fixed movable (F/D), HOPPE solid spindle, visible fixing, cover cap for screw head.



Article description		Keyhole/	F1		БП	0.0
Article description		Distance	Article no./€		F.U.	O.C.
Half set, interior side	8) 92	3094081		1	20
	40	l U	9,88			




1530G/831

HOPPE aluminium lever set on narrow rose for profile doors, **Atlanta Series**. lever fixed movable (F/D) with spring cassette (RFL), HOPPE solid spindle.



Article description		[:]	F1-4	F8716	F9010	F9714	пп	0.0
Article description		₩	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set, without screws	50-60	8	2405394	2405407	2405415	2405431	20	20
			22,11	22,11	22,11	22,11		




Atlanta (Brass)

M551G/3359ZA/3357N/1530 ES1 (SK2)



HOPPE brass security push pad/lever set ES1 (SK2) on narrow backplate for profile entrance doors, **Atlanta Series**. Backplates outside with protective steel underplate and cylinder cover for cylinder projection 10-18 mm, inside with zamak underplate. Outside fixed push pad (suitable for right or left hand), inside lever spring-loaded (RF), HOPPE solid profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18257**.



all finishes with the letter ${\bf R}$ in the finish key.



Matching products for other applications:


Sets for internal doors	135
Program for windows	439
Program for balcony doors	480
Lift/elida door eate	508



M551G/3358/3357N/1530 ES1 (SK2)



HOPPE brass security push pad/lever set ES1 (SK2) on narrow backplate for profile entrance doors, **Atlanta Series**. Backplates outside with protective steel underplate, inside with zamak underplate. Outside fixed push pad (suitable for right or left hand), inside lever spring-loaded (RF), HOPPE solid profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18257**.



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.





M551G/3357N/1530


HOPPE brass push pad/lever set on narrow backplate for profile entrance doors, **Atlanta Series**. Backplates with zamak underplate and lugs, outside fixed push pad (suitable for right or left hand), inside lever spring-loaded (RF), HOPPE solid spindle, concealed bolt-through-fixing.



Article description	d to		Keyho	ole/	F41-R	F71	F77-R	P.U.	O.C.
Article description		₩	Dista	nce	Article no./€	Article no./€	Article no./€	JF.U.	0.0.
Push pad/lever set,	67-72	8		92	3111890	2768224	2768241	1	5
push pad M551G		40	U		189,32	145,63	218,44		
Push pad/lever set,	67-72	8		92	3112243	3112227	3112286	1	5
push pad M554		40	U		189,32	145,63	218,44		
Knob/lever set, knob	67-72	8		92	2912046	2767854	2767871	1	5
M86G			U		189,32	145,63	218,44		
Lever set	67-72	8		92	3112534	2767580	2767601	1	5
			U		156,44	120,34	180,52		
Lever set, outside lever	67-72	8		92	3112673	3112649	3112702	1	5
M1693KH with short neck					156,44	120,34	180,52		









Push pad M551G

Knob M86G





Push pad M554

Lever M1693KH



Matching products for other applications:

Sets for internal doors	35
Program for windows4	39
Program for balcony doors4	80
Lift/slide door sets5	30




M1530/3357SN

HOPPE brass lever half set on narrow backplate for profile entrance doors, **Atlanta Series**. Backplates with zamak underplate, lever spring-loaded (RF), HOPPE solid spindle.



Article description	Į.	-	Keyhole/	F41-R	F71	F77-R	P.U.	O.C.
Article description		-	Distance	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Half set, interior side,	8	3) 92	3112796	2767758	2767791	1	10
without screws	4	0	U	91,58	70,44	105,67		




The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



1313G/3359ZA/3357N ES1 (SK2)




HOPPE aluminium security lever set ES1 (SK2) on narrow backplate for profile entrance doors, **Liverpool Series**. Backplates outside with protective steel underplate and cylinder cover for cylinder projection 10-18mm, inside with zamak underplate. Outside lever fixed movable (F/D), inside lever spring-loaded (RF), HOPPE solid profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18257**.



1313G/3358/3357N ES1 (SK2)



HOPPE aluminium security lever set ES1 (SK2) on narrow backplate for profile entrance doors, **Liverpool Series**. Backplates outside with protective steel underplate, inside with zamak underplate. Outside lever fixed movable (F/D), inside lever spring-loaded (RF), HOPPE solid profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18257**.






1313G/3357N

HOPPE aluminium lever set on narrow backplate for profile entrance doors, **Liverpool Series**. Backplates with zamak underplate and lugs, lever spring-loaded (RF), HOPPE solid profile spindle, concealed bolt-through-fixing.



Article description			Keyho	ole/	F1-2	F9	F8707	F9010	P.U.	O.C.
Article description		₩	Distar	nce	Article no./€	Article no./€	Article no./€	Article no./€	JF.U.	0.0.
Lever set	67-72	8		92	2896891	2896912	2896947	3086284	1	10
					37,64	43,30	37,64	37,64		
Push pad/lever set,	67-72	8		92	2896154	2896189	2896234	3085337	1	5
push pad 538G		40			51,66	59,38	51,66	51,66		
Push pad/lever set,	67-72	8		92	2896285	2896322	2896373	3085652	1	5
push pad 554		40			51,66	59,38	51,66	51,66		
Knob/lever set, knob	67-72	8		92	2896429	2896453	2896470	3086196	1	5
86G					51,66	59,38	51,66	51,66		
Lever set, outside lever	67-72	8		92	2906623	2906640	2906666	3086444	1	5
099KH with short neck			lU		37,64	43,30	37,64	37,64		

						1		
Article description			Keyh	ole/	F9016		P.U.	O.C.
Article description		₩	Dista	nce	Article no./€		F.U.	0.0.
Lever set	67-72	8		92	2896963		1	10
					37,64			
Push pad/lever set,	67-72	8		92	2896251		1	5
push pad 538G		40			51,66			
Push pad/lever set,	67-72	8		92	2896390		1	5
push pad 554		40			51,66			
Knob/lever set, knob	67-72	8		92	2896496		1	5
86G					51,66			
Lever set, outside lever	67-72	8		92	2906703		1	5
099KH with short neck					37,64			




Push pad 538G


Knob 86G

Matching products for other applications:

Program for fire-resistant doors......278



Push pad 554



Lever 099KH

Liverpool (Aluminium)


1313G/3357SN

HOPPE aluminium lever half set on narrow backplate for profile entrance doors, **Liverpool Series**. Backplates with zamak underplate, lever spring-loaded (RF), HOPPE solid spindle.



Article description		-:	Keyhole/	F1-2	F9	F8707	F9010	DII	00
Article description	l4	≓∥	Distance	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Half set, interior side,		8	O 92	2897069	2897085	2897093	3086698	1	10
without screws	4	40	U	19,14	22,01	19,14	19,14		.

Article description	Ţ.	Keyhole/	F9016		DII	0.0
Article description	 	Distance	Article no./€		F.U.	0.0.
Half set, interior side,	8) 92	2897106		1	10
without screws	40		19,14			



Matching products for other applications:

Program for fire-recistant

Program for fire-resistant


1313G/55

HOPPE aluminium lever half set on narrow rose for profile entrance doors, **Liverpool Series**. Rose with zamak base, lever spring-loaded (RF).



Article description	[::]	F1	F1-2	F9-2	F8707	пп	0.0
Article description		Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Half set, without screws	8	2906076	2899371	2899401	2899419	2	12
		19,95	19,95	22,94	19,95		

Article description			F9016		DII	0.0
Article description		/	Article no./€		JF.U.	0.0.
Half set, without screws	8		2899427		2	12
			19,95			



Fixing nuts/lugs see page 539.

Matching products for other applications:

Program for fire-resistant doors.....278

Liverpool (Stainless steel)



applications:


Program for fire-resistant

doors.....278

E538G/3359ZA/3357N/1313G ES1 (SK2)



HOPPE stainless steel security push pad/lever set ES1 (SK2) on narrow backplate for profile entrance doors, **Liverpool Series**. Backplates outside with protective steel underplate and cylinder cover for cylinder projection 10-18mm, inside with zamak underplate. Outside fixed push pad (suitable for right or left hand), inside lever spring-loaded (RF), HOPPE solid spindle, concealed bolt-through-fixing. Tested according to **DIN 18257**.




Liverpool (Stainless steel)

E538G/3358/3357N/1313G ES1 (SK2)

116,5




HOPPE stainless steel security push pad/lever set ES1 (SK2) on narrow backplate for profile entrance doors, **Liverpool Series**. Backplates outside with protective steel underplate, inside with zamak underplate. Outside fixed push pad (suitable for right or left hand), inside lever spring-loaded (RF), HOPPE solid spindle, concealed bolt-through-fixing. Tested according to **DIN 18257**.





12



Lever E099KH

Knob E86G

116,5

10




E538G/3357N/1313G

HOPPE stainless steel push pad/lever set on narrow backplate for profile entrance doors, **Liverpool Series.** Backplates with zamak underplate and lugs, outside fixed push pad, inside lever spring-loaded (RF), HOPPE solid spindle, concealed bolt-through-fixing.





Article description			Keyh	ole/	F69		P.U.	O.C.
Article description		₩	Dista	nce	Article no./€		JF.U.	0.0.
Push pad/lever set,	67-72	8	\bigcirc	92	3085716		1	5
push pad E538G		40	U		160,51			
Push pad/lever set, push	67-72	8	\bigcirc	92	3085855		1	5
pad E554 (right side)		40	U		160,51			
Knob/lever set, knob	67-72	8	\bigcirc	92	3085901		1	5
E86G			U		160,51			
Lever set	67-72	8	\bigcirc	92	3086049		1	5
			U		116,11			
Lever set, outside lever	67-72	8	\bigcirc	92	3086129		1	5
E099KH with short neck			U		116,11			



Push pad E538G

Knob E86G





Push pad E554

Lever E099KH


Liverpool (Stainless steel)

E1313G/3357SN

HOPPE stainless steel lever half set on narrow backplate for profile entrance doors, **Liverpool Series**. Backplates with zamak underplate, lever spring-loaded (RF), HOPPE solid spindle.



Article description			Keyhole/	F69		DII	0.0
Article description		₩	Distance	Article no./€		P.U.	0.0.
Half set, interior side,		8) 92	2891679		1	10
without screws		40	U	62,20			




E1313G/55

HOPPE stainless steel lever half set on narrow rose for profile entrance doors, **Liverpool Series**. Rose with zamak base, lever spring-loaded (RF), HOPPE solid profile spindle.



Article description	T I	F69	F77-R	PII	O.C.
Article description		Article no./€	Article no./€	P.U.	0.0.
Half set, without screws	8	2737823	2905217	2	12
		36,79	70,91		
	10	2904839 36.79	2905292 70.91	2	12



Fixing nuts/lugs see page 539.

The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.




Matching products for other applications:
Program for fire-resistant doors......278



M86G/3359ZA/3357N/1313G ES1 (SK2)



HOPPE brass security knob/lever set ES1 (SK2) on narrow backplate for profile entrance doors, **Liverpool Series**. Backplates outside with protective steel underplate and cylinder cover for cylinder projection 10-18mm, inside with zamak underplate. Outside fixed knob (suitable for right or left hand), inside lever springloaded (RF), HOPPE FDW-solid profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18257**.



all finishes with the letter ${\bf R}$ in the finish key.




Liverpool (Brass)

M86G/3358/3357N/1313G ES1 (SK2)



HOPPE brass security push pad/lever set ES1 (SK2) on narrow backplate for profile entrance doors, **Liverpool Series**. Backplates outside with protective steel underplate, inside with zamak underplate. Outside fixed knob (suitable for right or left hand), inside lever spring-loaded (RF), HOPPE FDW-solid profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18257**.





finish key.




M86G/3357N/1313G

HOPPE brass knob/lever set on narrow backplate for profile entrance doors, **Liverpool Series**. Backplates with zamak underplate and lugs, outside fixed knob (suitable for right or left hand), inside lever spring-loaded (RF), HOPPE FDW-solid profile spindle, concealed bolt-through-fixing.





Artiala description			Keyho	ole/	F71	F73	F77-R	P.U.	O.C.
Article description		₩	Distar	nce	Article no./€	Article no./€	Article no./€	P.U.	U.C.
Knob/lever set, knob	67-72	8		92	2899566	2899582	2888040	1	5
M86G			U		128,09	128,09	192,14		
Push pad/lever set,	67-72	8		92	2895928	2896082	2887995	1	5
push pad M551G		40	U		128,09	128,09	192,14		
Push pad/lever set,	67-72	8		92	2896197	2896293	2897958	1	5
push pad M554		40	U		128,09	128,09	192,14		
Lever set	67-72	8		92	2899638	2899662	2888517	1	5
			U		113,54	113,54	170,32		
Lever set, outside lever	67-72	8		92	2899697	2899742	2888728	1	5
M1693KH with short neck					113,54	113,54	170,32		



Push pad M551G

Knob M86G





Push pad M554

Lever M1693KH




Liverpool (Brass)

M1313G/3357SN

HOPPE brass lever half set on narrow backplate for profile entrance doors, **Liverpool Series**. Backplates with zamak underplate, lever spring-loaded (RF), HOPPE solid spindle.



Article description			Keyhole/	F71	F73	F77-R	DII	0.0
Article description		₩	Distance	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Half set, interior side,		8) 92	2899814	2899890	2888656	1	10
without screws		40	U	67,28	67,28	100,92		



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.






1500/3359ZA/3357N ES1 (SK2)



HOPPE aluminium security lever set ES1 (SK2) on narrow backplate for profile entrance doors, **Luxembourg Series**. Backplates outside with protective steel underplate and cylinder cover for cylinder projection 10-18 mm, inside with zamak underplate. Outside lever fixed movable (F/D), inside lever spring-loaded (RF), HOPPE solid profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18257**.




1500/3358/3357N ES1 (SK2)



Program for balcony doors483

HOPPE aluminium security lever set ES1 (SK2) on narrow backplate for profile entrance doors, **Luxembourg Series**. Backplates outside with protective steel underplate, inside with zamak underplate. Outside lever fixed movable (F/D), inside lever spring-loaded (RF), HOPPE solid profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18257**.



Program for balcony doors483


Luxembourg (Aluminium)


1500/3357N

HOPPE aluminium lever set on narrow backplate for profile entrance doors, **Luxembourg Series**. Backplates with zamak underplate and lugs, lever spring-loaded (RF), HOPPE solid profile spindle, concealed bolt-through-fixing.



Article description			Keyho	ole/	F1-2	F9	F8707	F9016	P.U.	O.C.
Article description		 	Distar	nce	Article no./€	Article no./€	Article no./€	Article no./€	اج.U.	0.0.
Lever set	67-72	8		92	8023061	6990949	6990741	836499	1	10
					50,10	57,61	50,10	50,10		
Push pad/lever set,	67-72	8		92	8023087	8209496	8023103	8209629	1	5
push pad 513G		40	U		63,66	73,18	63,66	63,66		
Knob/lever set, knob	67-72	8		92	1852547	8207102	1852504	8089146	1	5
86G			U		63,66	73,18	63,66	63,66		
Lever set, outside lever	67-72	8		92	8106585	1774286	8034076	8047193	1	5
099KH with short neck					50,10	57,61	50,10	50,10		






Push pad 513G

Knob 86G

Matching products for other applications:



Lever 099KH

Luxembourg (Aluminium)




1500/3357SN

HOPPE aluminium lever half set on narrow backplate for profile entrance doors, **Luxembourg Series**. Backplates with zamak underplate, lever spring-loaded (RF), HOPPE solid spindle, concealed fixing.



Article description			Keyhole/	F1-2	F9	F8707	F9016	DII	00
Article description		₩	Distance	Article no./€	Article no./€	Article no./€	Article no./€	JF.U.	0.0.
Half set, interior side,		8	O 92	8008146	8008179	8008138	8008120	1	10
without screws		40	U	25,06	28,79	25,06	25,06		




Matching products for other applications:

Program for windows......446
Program for balcony doors483


Marseille (Stainless steel)

E554/3346/1138Z

HOPPE stainless steel push pad/lever set on narrow backplate for profile entrance doors, **Marseille Series.** Backplates with stainless steel underplate and lugs, outside fixed push pad, inside lever fixed/movable (F/D), HOPPE solid spindle, concealed bolt-through-fixing.



Push pad E554



Lever E099KH

Knob E86G

30




E1138Z/3346SN

HOPPE stainless steel lever half set on narrow backplate for profile entrance doors, **Marseille Series**. Backplates with zamak underplate, lever fixed/movable (F/D), HOPPE solid spindle.



Article description	F.	Keyhole/	F69		пп	00
	 	Distance	Article no./€		P.U.	0.0.
Half set, interior side,	8) 92	3123022		1	20
without screws	40	U	28,65			




Matching products for other applications:
Sets for internal doors159
Program for fire-resistant
doors279
Security sets388
Program for windows449
Program for balcony doors484

E1138F/55

HOPPE stainless steel lever half set on narrow rose for profile entrance doors, **Marseille Series**. Rose with zamak base, lever spring-loaded (RF), HOPPE solid profile spindle.



Article description	I	F69		DII	00
Article description		Article no./€		P.U.	0.0.
Half set, without screws	8	3028771		2	12
		44.51			



Fixing nuts/lugs see page 539.

Matching products for other	
applications:	
Sets for internal doors	.159
Program for fire-resistant	
doors	.279
Security sets	.388
Program for windows	.449
Program for balcony doors	484


New York (Aluminium), Paris, Stockholm (Stainless steel)

1810/3346 New

HOPPE aluminium lever set on narrow backplate for profile entrance doors, **New York Series**. Backplates with stainless steel underplate and lugs, lever fixed movable (F/D), HOPPE solid spindle, outside concealed bolt-through-fixing.



Article description	455	I I	Keyho	ole/	F1	F9	F8707	F9016	P.U.	O.C.
Article description		₩	Distance		Article no./€	Article no./€	Article no./€	Article no./€	JF.U.	0.0.
Lever set	67-72	8		92	3257371	3257389	3257397	3257400	1	20
			U		20,84	23,97	20,84	20,84		
Knob/lever set,	67-72	8		92	3257469	3257477	3257485	3257493	1	10
knob 76G					26,04	29,94	26,04	26,04		




E138GF2/55

HOPPE cropped stainless steel lever half set on narrow rose for profile entrance doors, **Paris Series**. Rose with zamak base, lever spring-loaded (RF), HOPPE solid profile spindle.



Article description		F69		DII	O.C.
	 	Article no./€		[P.U.]	0.0.
Half set, without screws	8	2739837		2	12
		104,11			




Fixing nuts/lugs see page 539.

E1140F/55

HOPPE stainless steel lever half set on narrow rose for profile entrance doors, **Stockholm Series**. Rose with zamak base, lever spring-loaded (RF), HOPPE solid profile spindle.



Article description		F69		DII	00
	 →	Article no./€		[P.U.]	0.0.
Half set, without screws	8	3028922		2	12
		44.51			



Fixing nuts/lugs see page 539.

Matching products for other	
applications:	
Sets for internal doors	175
Program for fire-resistant	
doors	288
Security sets	391
Program for windows	455
Program for balcony doors	488






1710RH/3346


HOPPE aluminium lever set on narrow backplate for profile entrance doors, **Tôkyô Series**. Backplates with stainless steel underplate and lugs, lever fixed movable (F/D), HOPPE solid spindle, outside concealed bolt-through-fixing.



Article description	Article description		Keyhole/		F1	F9	F8707	F9010	P.U.	O.C.
Article description		 	Distance		Article no./€	Article no./€	Article no./€	Article no./€	JF.U.	0.0.
Lever set	67-72	8		92	2137570	2137713	2137748	3095906	1	20
					19,74	22,70	19,74	19,74		
Knob/lever set, knob	67-72	8		92	2137684	2137772	2137799	3096221	1	10
76G					25,59	29,42	25,59	25,59		
Push pad/lever set,	67-72	8		92	2177230	2177248	2183226	3095973	1	10
push pad 554		40	U		28,58	32,87	28,58	28,58		
Lever set, outside lever	70	8		92	2183517	2183525	2183509	3094153	1	10
099KH with short neck					21,13	24,30	21,13	21,13		


Article description	d d		Keyh	ole/	F9016		P.U.	O.C.
Article description		□	Dista	nce	Article no./€		F.U.	0.0.
Lever set	67-72	8		92	2085765		1	20
					19,74			
Knob/lever set, knob	67-72	8		92	2089205		1	10
76G					25,59			
Push pad/lever set,	67-72	8		92	2177256		1	10
push pad 554		40			28,58			
Lever set, outside lever	70	8		92	2183496		1	10
099KH with short neck					21,13			





Push pad 554

Knob 76G



Lever 099KH


1710RH/3346SN

HOPPE aluminium lever half set on narrow backplate for profile entrance doors, **Tôkyô Series**. Backplates with stainless steel underplate, lever fixed movable (F/D), HOPPE solid spindle, visible fixing, cover cap for screw head.



Article description		m	Keyhole/	F1	F9	F8707	F9010	חום	00
Article description		₩	Distance	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Half set, interior side		8) 92	2065502	2065561	2065570	3092887	1	20
		40	U	9,88	11,37	9,88	9,88		

Article description		Keyhole/	F9016		P.U.	0.0
Article description	 	Distance	Article no./€		JF.U.	0.0.
Half set, interior side	8) 92	2065588		1	20
	40		9,88			




1710G/831

HOPPE aluminium lever set on narrow rose for profile doors, **Tôkyô Series**. lever fixed movable (F/D) with spring cassette, HOPPE solid spindle.



Article description			F1-4	F8716	F9010	F9714	DII	00
		 	Article no./€	Article no./€	Article no./€	Article no./€	[F.U.]	0.0.
Set, without screws	50-60	8	2405546	2405554	2405562	2405600	20	20
			20.94	20.94	20.94	20.94		



Matching products for other applications:

832S-SK - 833S-SK

HOPPE aluminum self-adhesive narrow escutcheon for profile doors.



Article description		Kevhole	F1-4	F8716	F9010	F9714	PII	00
Article description		Reynole	Article no./€	Article no./€	Article no./€	Article no./€		0.0.
Escutcheon 832S-SK,			2404527	2404535	2404543	2404560	10	50
pair		I U	4,61	4,61	4,61	4,61		

Article description		Kevhole	F1-4	F8716	F9010	F9714	DII	00
Article description		Reynole	Article no./€	Article no./€	Article no./€	Article no./€	ا۔ں۔ا	0.0.
Escutcheon 833S-SK,		\cap	2404594	2404607	2404615	2404631	10	50
pair			6.46	6.46	6.46	6.46		





832S-SK

833S-SK

Security sets





Contents



Product line dura**plus**®

more than usual



London 113 page 386



Paris 138 page 389



Verona 1510 E1800 M151 page 393



Marseille (E)1138 page 387



Stockholm E1140Z page 390



Vitória (M)1515 page 396



München M112 page 389



Tôkyô 1710 page 392





Product line dura**norm**®

consistently good value



Birmingham 1117 page 400



Security sets









more than usual duraplus®

61G/2222ZA/2220/113 ES1 (SK2)





Article description			Keyho	ole/	F1	F4		DII	O.C.
Article description		₩	Distar	nce	Article no./€	Article no./€		F.U.	0.0.
Knob/lever set,	67-72	8		92	6929020	6883896		1	5
61G/2222ZA/2220/113			U		78,08	89,79			
Lever set,	67-72	8		92	8212847	6920607		1	5
113/2222ZA/2220			U		78,08	89,79			



61G/2221/2220/113 ES1 (SK2)






HOPPE aluminium security knob/lever set ES1 (SK2) on backplate for entrance doors, **London Series**. Backplates with protective steel underplate. Outside fixed knob (suitable for right and left hand), inside loose lever, HOPPE FDW-profile spindle, concealed bolt-through-fixing. Tested according to **DIN 18257**.



Article description			Keyhole/	F1	F4		P.U.	O.C.
Article description		₩	Distance	Article no./€	Article no./€		r.U.	0.0.
Knob/lever set,	67-72	8	() 92	6958078	6958052		1	5
61G/2221/2220/113				57,88	66,57			
Lever set,	67-72	8	O 92	6958037	6958045		1	5
113/2221/2220				57.88	66 57			








76G/3332ZA/3440/1138 ES1 (SK2)



HOPPE aluminium security lever set ES1 (SK2) on backplate for entrance doors, Marseille Series. Backplates outside with protective steel underplate and cylinder cover for cylinder projection 10-18 mm, inside with zamak underplate. Loose lever (receiver handle/handle with fixed spindle) with HOPPE Quick-Fit connection (HOPPE solid spindle), concealed bolt-through-fixing. Tested according to DIN 18257.



Article description	444	F.:	Keyhole/	F1		DII	O.C.
Article description		₩	Distance	Article no./€		r.U.	0.0.
Knob/lever set, 76G/	67-72	8) 92	3218937		1	5
3332ZA/3440/1138			U	73,80			
Lever set,	67-72	8	O 92	3218873		1	5
1138/3332ZA/3440			U	73,80			



Matching products for other applications:

Sets for internal doors......157 Pull handles336 Program for windows......448



76G/3331/3440/1138 ES1 (SK2)










Article description	Table 1		Keyh	ole/	F1		P.U.	O.C.
Article description		₩	Dista	ınce	Article no./€		JF.U.	0.0.
Knob/lever set,	68-72	8		92	3218929		1	5
76G/3331/3440/1138			U		49,11			
Lever set,	68-72	8		92	3218865		1	5
1138/3331/3440					49,11			



Marseille (Stainless steel)



E86G/3332ZA/3330/1138Z ES1 (SK2)






HOPPE stainless steel security levers et ES1 (SK2) on backplate for entrance doors, Marseille Series. Backplates and the series of the sewith protective steel underplate, outside with cylinder cover for cylinder projection 10-18 mm. Loose lever (receiver handle/handle with fixed spindle) with HOPPE Quick-Fit connection (HOPPE solid spindle), concealed bolt-through-fixing. Tested according to **DIN 18257.**



Article description	d d		Keyh	ole/	F69		P.U.	O.C.
Article description		-	Dista	ance	Article no./€		JF.U.	0.0.
Knob/lever set, E86G/	67-72	8		92	3528257		1	5
3332ZA/3330/1138Z					135,98			
Lever set,	67-72	8		92	3528214		1	5
E1138Z/3332ZA/3330					135.98			İ



Matching products for other applications:

Sets for internal doors......159 Program for fire-resistant doors .. 279 Program for profile doors376 Program for windows......449 Program for balcony doors484



E86G/3331/3330/1138Z ES1 (SK2)






HOPPE stainless steel security lever set ES1 (SK2) on backplate for entrance doors, Marseille Series. Backplates outside with protective steel underplate, inside with zamak underplate. Loose lever (receiver handle/handle with fixed spindle) with HOPPE Quick-Fit connection (HOPPE solid spindle), concealed bolt-through-fixing. Tested according to DIN 18257.



Article description		m	Keyhole/	F69		P.U.	O.C.
Article description		₩	Distance	Article no./€		F.U.	0.0.
Knob/lever set, E86G/	67-72	8) 92	3528222		1	5
3331/3330/1138Z				116,58			
Lever set,	67-72	8	O 92	3528206		1	5
E1138Z/3331/3330			l U	116,58			



Matching products for other	
applications:	
Sets for internal doors	159
Program for fire-resistant doors	279
Program for profile doors	376
Program for windows	449
Program for balcony doors	484

München (Brass), Paris (Aluminium)




M57/334A/333N/112SH

HOPPE brass security knob/lever set on backplate for entrance doors, **München Series**. Backplates with protective steel plate. Outside fixed knob (suitable for right and left hand), inside loose lever, HOPPE FDW-profile spindle, concealed bolt-through-fixing.



Article description	405		Keyh	ole/	F77-R		P.U.	O.C.
Article description		₩	Distance		Article no./€		F.U.	0.0.
Knob/lever set, right,	67-72	8	\bigcirc	92	619924		1	5
M57/334A/333N/112SH			U		124,32			
Knob/lever set, left,	67-72	8	\bigcirc	92	619931		1	5
M57/334A/333N/112SH			U		124,32			
Lever set, right,	67-72	8	\bigcirc	92	620029		1	5
M112SH/334A/333N			U		124,32			
Lever set, left,	67-72	8	$\overline{}$	92	620036		1	5
M112SH/334A/333N			U		124,32			



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



Matching products for other applications:
Sets for internal doors......163




86G/3331/3330/138L ES1 (SK2)







Article description			Keyhole/	F1		DII	O.C.
Article description		₩	Distance	Article no./€		F.U.	0.0.
Knob/lever set,	67-72	8	() 92	3296185		1	5
86G/3331/3330/138L				64,02			
Lever set,	67-72	8	() 92	3296177		1	5
138L/3331/3330			l U	64,02			



Stockholm (Aluminium)




76G/3332ZA/3440/1140 ES1 (SK2)



 $HOPPE\ a luminium\ security\ lever\ set\ ES1\ (SK2)\ on\ backplate\ for\ entrance\ doors,\ \textbf{Stockholm}\ \textbf{Series}.\ Backplates$ outside with protective steel underplate and cylinder cover for cylinder projection 10-18 mm, inside with zamak underplate. Loose lever (receiver handle/handle with fixed spindle) with HOPPE Quick-Fit connection (HOPPE solid spindle), concealed bolt-through-fixing. Tested according to **DIN 18257.**



Article description		m	Keyh	ole/	F1			P.U.	O.C.
Article description		₩	Distance		Article no./€				0.0.
Knob/lever set, 76G/	67-72	8		92	3345389			1	5
3332ZA/3440/1140			U		63,52				
Lever set,	67-72	8		92	3335050			1	5
1140/3332ZA/3440					63,52				



Matching products for other applications: Sets for internal doors......173 Program for windows......455 Program for balcony doors 487



76G/3331/3440/1140 ES1 (SK2)






HOPPE aluminium security lever set ES1 (SK2) on backplate for entrance doors, Stockholm Series. Backplates outside with protective steel underplate, inside with zamak underplate. Loose lever (receiver handle/handle with fixed spindle) with HOPPE Quick-Fit connection (HOPPE solid spindle), concealed bolt-through-fixing. Tested according to DIN 18257.



Article description			Keyh	ole/	F1		DII	O.C.
			Dista	nce	Article no./€		F.U.	0.0.
Knob/lever set,	68-72	8		92	3337231		1	5
76G/3331/3440/1140					41,65			
Lever set,	68-72	8		92	3334081		1	5
1140/3331/3440			U		41,65			



Matching products for other applications: Sets for internal doors......173 Program for windows......455 Program for balcony doors 487

Stockholm (Stainless steel)






E86G/3332ZA/3330/1140Z ES1 (SK2)



HOPPE stainless steel security lever set ES1 (SK2) on backplate for entrance doors, Stockholm Series. Backplates with protective steel underplate, outside with cylinder cover for cylinder projection 10-18 mm. Loose lever (receiver handle/handle with fixed spindle) with HOPPE Quick-Fit connection (HOPPE solid spindle), concealed bolt-through-fixing. Tested according to DIN 18257.



Article description	ф		Keyhole/	F69		DII	O.C.
Article description		₩	Distance	Article no./€		F.U.	0.0.
Knob/lever set, E86G/	67-72	8	O 92	3328466		1	5
3332ZA/3330/1140Z			U	136,38			
Lever set,	67-72	8	O 92	3326401		1	5
E1140Z/3332ZA/3330			IJ	136,38			



Matching products for other applications:

Sets for internal doors1	75
Program for fire-resistant doors 28	38
Program for profile doors3	78
Program for windows45	55
Program for balcony doors48	38



E86G/3331/3330/1140Z ES1 (SK2)

67-72

67-72

8

Knob/lever set, E86G/

3331/3330/1140Z


Lever set,



1

5

5





Article no./€

3528281

116,82

3528265

Distance

92



E1140Z/3331/3	330		U	116,82	
546	53	116,5 21,5 78	21.5 78	249	131

Program for profile doors	378	
Program for windows	455	
Program for balcony doors	488	



76G/3332ZA/3440/1710 ES1 (SK2)






HOPPE aluminium security lever set ES1 (SK2) on backplate for entrance doors, Tôkyô Series. Backplates outside with protective steel underplate and cylinder cover for cylinder projection 10-18 mm, inside with zamak underplate. Loose lever (receiver handle/handle with fixed spindle) with HOPPE Quick-Fit connection (HOPPE solid spindle), concealed bolt-through-fixing and inside visible screws. Tested according to DIN 18257.



Article description			Keyho	le/	F1	F9		DII	O.C.
Article description		₩	Distan	ice	Article no./€	Article no./€		F.U.	0.0.
Knob/lever set, 76G/	67-72	8	0	92	3219665	3219673		1	5
3332ZA/3440/1710					67,75	77,91			
Lever set,	67-72	8	0	92	3219622	3219631		1	5
1710/3332ZA/3440			lÚ		67,75	77,91			



Matching products for other
applications:
Sets for internal doors

Sets for internal doors	179
Program for profile doors	379
Program for windows	456
Program for balcony doors	489
_ift/slide door sets	515



76G/3331/3440/1710 ES1 (SK2)






HOPPE aluminium security lever set ES1 (SK2) on backplate for entrance doors, Tôkyô Series. Backplates outside with protective steel underplate, inside with zamak underplate. Loose lever (receiver handle/handle with fixed spindle) with HOPPE Quick-Fit connection (HOPPE solid spindle), concealed bolt-through-fixing and inside visible screws. Tested according to DIN 18257.



Article description			Keyh	ole/	F1	F9		P.U.	O.C.
Article description		₩	Distance		Article no./€	Article no./€		F.U.	0.0.
Knob/lever set,	68-72	8		92	3219649	3219657		1	5
76G/3331/3440/1710					43,06	49,52			
Lever set,	68-72	8		92	3219577	3219585		1	5
1710/3331/3440					43,06	49,52			



Matching products for other
applications:

Sets for internal doors	179
Program for profile doors	379
Program for windows	456
Program for balcony doors	489
Lift/slide door sets	515






86G/3332ZA/3330/1510 ES1 (SK2)



HOPPE aluminium security knob/lever set ES1 (SK2) on backplate for entrance doors, Verona Series. Backplates with protective steel underplate, outside with cylinder cover for cylinder projection 10-18 mm. Outside fixed knob (suitable for right and left hand), inside loose lever with HOPPE Quick-Fit connection (HOPPE FDW-profile spindle), concealed bolt-through-fixing. Tested according to DIN 18257.



Article description			Keyh	ole/	F1	F9		DII	0.0	
Article description		₩	Distance		Article no./€	Article no./€		F.U.	0.0.	
Knob/lever set, 86G/	67-72	8		92	3219454	3219219		1	5	
3332ZA/3330/1510			U		84,20	96,74				
Lever set,	67-72	8		92	3218996	3219139		1	5	
1510/3332ZA/3330			U		84,20	96,74				



Matching products for other applications:

Sets for internal doors......189 Program for windows......459




86G/3331/3330/1510 ES1 (SK2)



HOPPE aluminium security knob/lever set ES1 (SK2) on backplate for entrance doors, Verona Series. Backplates with protective steel underplate. Outside fixed knob (suitable for right and left hand), inside loose lever with HOPPE Quick-Fit connection (HOPPE FDW-profile spindle), concealed bolt-through-fixing. Tested according to DIN 18257.



Article description			Keyh	ole/	F1	F9		DII	O.C.
Article description		₩	Distance		Article no./€	Article no./€		F.U.	0.0.
Knob/lever set,	67-72	8		92	3219171	3219180		1	5
86G/3331/3330/1510			U		64,02	73,53			
Lever set,	67-72	8	$\overline{}$	92	3218953	3218961		1	5
1510/3331/3330			U		63,36	73,53			



Matching products for other applications: Sets for internal doors......189

Program for windows......459




E86G/3332ZA/3330/1800Z ES1 (SK2)



HOPPE stainless steel security lever set ES1 (SK2) on backplate for entrance doors, **Verona Series**. Backplates with protective steel underplate, outside with cylinder cover for cylinder projection 10-18 mm. Loose lever (receiver handle/handle with fixed spindle) with **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed bolt-through-fixing. Tested according to **DIN 18257**.



Article description			Keyhole/	F69		DII	O.C.
Article description		₩	Distance	Article no./€		F.U.	0.0.
Knob/lever set, E86G/	67-72	8	O 92	3224085		1	5
3332ZA/3330/1800Z				184,23			
Lever set,	67-72	8	O 92	3223955		1	5
E1800Z/3332ZA/3330			IJ	184,23			




E86G/3331/3330/1800Z ES1 (SK2)



HOPPE stainless steel security lever set ES1 (SK2) on backplate for entrance doors, **Verona Series**. Backplates outside with protective steel underplate, inside with zamak underplate. Loose lever (receiver handle/handle with fixed spindle) with **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed bolt-through-fixing. Tested according to **DIN 18257**.



Article description			Keyhole/		F69			P.U.	O.C.
Article description		₩	Distance		Article no./€			F.U.	0.0.
Knob/lever set, E86G/	67-72	8	\bigcirc	92	3224026			1	5
3331/3330/1800Z			U		163,05				
Lever set,	67-72	8	\bigcirc	92	3223947			1	5
E1800Z/3331/3330			U		163,05				








M86G/3332ZA/3330/151 ES1 (SK2)



HOPPE brass security knob/lever set ES1 (SK2) on backplate for entrance doors, **Verona Series**. Backplates with protective steel underplate, outside with cylinder cover for cylinder projection 10-18 mm. Outside fixed knob (suitable for right and left hand), inside loose lever with **HOPPE Quick-Fit connection** (HOPPE FDW-profile spindle), concealed bolt-through-fixing. Tested according to **DIN 18257**.



Article description		m	Keyhole/	F77-R		DII	O.C.	
Article description		₩	Distance	Article no./€		F.U.	0.0.	
Knob/lever set, M86G/	67-72	8	() 92	3220113		1	5	
3332ZA/3330/151				204,51				
Lever set,	67-72	8	() 92	3220009		1	5	
M151/3332ZA/3330				204,51				



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista® 10 years' surface guarantee

Matching products for other applications:

Sets for internal doors......192
Program for windows......460




M86G/3331/3330/151 ES1 (SK2)



HOPPE brass security knob/lever set ES1 (SK2) on backplate for entrance doors, **Verona Series**. Backplates with protective steel underplate. Outside fixed knob (suitable for right and left hand), inside loose lever with **HOPPE Quick-Fit connection** (HOPPE FDW-profile spindle), concealed bolt-through-fixing. Tested according to **DIN 18257.**



Article description] 		nole/	F77-R			P.U.	O.C.
Article description		₩	Distance		Article no./€			F.U.	0.0.
Knob/lever set,	67-72	8		92	3220084			1	5
M86G/3331/3330/151					180,30				
Lever set,	67-72	8		92	3219972			1	5
M151/3331/3330			lU		180,30				



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista® 10 years' surface guarantee

Matching products for other
applications:
Sets for internal doors192
Program for windows460
•




76G/3332ZA/3440/1515 ES1 (SK2)



HOPPE aluminium security lever set ES1 (SK2) on backplate for entrance doors, Vitória Series. Backplates outside with protective steel underplate and cylinder cover for cylinder projection 10-18 mm, inside with zamak underplate. Loose lever (receiver handle/handle with fixed spindle) with HOPPE Quick-Fit connection (HOPPE solid spindle), concealed bolt-through-fixing and inside visible screws. Tested according to DIN 18257.



Article description	4.7	m	Keyhole/	F1	F9		DII	O.C.
Article description		₩	Distance	Article no./€	Article no./€		F.U.	0.0.
Knob/lever set, 76G/	67-72	8) 92	3219551	3219569		1	5
3332ZA/3440/1515				73,80	84,76			
Lever set,	67-72	8) 92	3219518	3219526		1	5
1515/3332ZA/3440			l U	73,80	84,76			



Matching products for other applications: Sets for internal doors......193 Program for windows......461

1515/3332ZA/3440



76G/3331/3440/1515 ES1 (SK2)

Article description

76G/3331/3440/1515

Knob/lever set,





O.C.

5

5

P.U.

HOPPE aluminium security lever set ES1 (SK2) on backplate for entrance doors, Vitória Series. Backplates outside with protective steel underplate, inside with zamak underplate. Loose lever (receiver handle/handle with fixed spindle) with HOPPE Quick-Fit connection (HOPPE solid spindle), concealed bolt-through-fixing and inside visible screws. Tested according to DIN 18257.

F1

Article no /€

3219534

49,11

F9

Article no./€

3219542

56,39

Keyhole/

Distance

92



Lever set, 1515/3331/3440	68-72	8		92	3219497 49,11	3219500 56,39
91 920 96	\square	116,5 21,5 78	116,5 21,5 78 Ø10		\$250	58

8

Matching products for other
applications:
Sets for internal doors193
Program for windows461






M86G/3332ZA/3330/1515 ES1 (SK2)



HOPPE brass security knob/lever set ES1 (SK2) on backplate for entrance doors, **Vitória Series**. Backplates with protective steel underplate, outside with cylinder cover for cylinder projection 10-18 mm. Outside fixed knob (suitable for right and left hand), inside loose lever with **HOPPE Quick-Fit connection** (HOPPE FDW-profile spindle), concealed bolt-through-fixing. Tested according to **DIN 18257**.



Article description	d → F		Keyho	ole/	F77-R		DII	O.C.
Article description		₩	Distar	nce	Article no./€		F.U.	0.0.
Knob/lever set, M86G/	67-72	8		92	3219761		1	5
3332ZA/3330/1515			U		191,13			
Lever set,	67-72	8		92	3219729		1	5
M1515/3332ZA/3330			U		191,13			



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista® 10 years' surface guarantee



M86G/3331/3330/1515 ES1 (SK2)




GÜTEZEICHEN
GÜTEZEICHEN
ria Series. Backplates

HOPPE brass security knob/lever set ES1 (SK2) on backplate for entrance doors, **Vitória Series**. Backplates with protective steel underplate. Outside fixed knob (suitable for right and left hand), inside loose lever with **HOPPE Quick-Fit connection** (HOPPE FDW-profile spindle), concealed bolt-through-fixing. Tested according to **DIN 18257.**



Article description	d d		Keyh	ole/	F77-R		P.U.	O.C.
Article description		₩	Dista	nce	Article no./€		F.U.	0.0.
Knob/lever set,	67-72	8	\bigcirc	92	3219737		1	5
M86G/3331/3330/1515			U		165,57			
Lever set,	67-72	8	\bigcirc	92	3219711		1	5
M1515/3331/3330			U		165,57			



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.




Matching products for other
applications:
Sets for internal doors195
Pull handles337
Program for windows461

Security sets









consistently good value duranorm®

Birmingham (Aluminium)

54/2221A/2440/1117 ES0 (SK1)

HOPPE aluminium security knob/lever set ES0 (SK1) on backplate for entrance doors, **Birmingham Series**. Backplates with protective zamak underplate. Outside fixed knob, inside loose lever, HOPPE FDW-profile spindle, concealed bolt-through-fixing and inside visible screws.






Matching products for other applications:
Sets for internal doors......201

dura**norm**®

Knobs





Contents



Product line duravert®

for the discerning



Monte Carlo M855 page 406







Product line dura**plus**®

more than usual







Dallas M43 New page 415



Product line dura**norm**®

consistently good value












for the discerning duravert®

Monte Carlo (Brass)

M855/25HK/25KS

HOPPE brass knob half set on rose with escutcheon for interior doors, Monte Carlo Series. Rose and escutcheon with nylon base, knob fixed on rose, concealed fixing with wood screws.








65 62	60
54 27 27	69
28	
60	

Matching products for other	
applications:	
Sets for internal doors	.114
Program for sliding doors	.242
Pull handles	.302
Program for windows	.430
Lift/slide door sets	.503

Two-tone finishes:



F75-R

2301780

91,49


O.C.

4

P.U.

The Resista® guarantee applies to all finishes with the letter ${f R}$ in the finish key.





With the F75-R finish, the rose and upper and lower surfaces of the handle are polished and the front surface is satin.



Knobs








more than usual duraplus®

53H/42K

HOPPE aluminium knob on rose for interior doors. Rose with nylon base, knob fixed on rose, concealed fixing with wood screws.



Article description	Thread	F1	F4		DII	0.0
	Inread	Article no./€	Article no./€		P.U.	0.0.
Knob on rose,	M12	814787	814817		2	12
without screws, piece		8,47	9,75			




53S/42K

HOPPE aluminium knob on rose for interior doors. Rose with nylon base, knob fixed on rose, concealed fixing with wood screws.



Article description			Thread	F1	F4		P.U.	0.0
	''	meau	Article no./€	Article no./€		F.U.	0.0.	
Knob on rose,			M12	814961	814978		2	12
without screws, piece				8,73	10,02			




60L/42K

HOPPE aluminium knob on rose for interior doors. Rose with nylon base, knob fixed on rose, concealed fixing with wood screws.



Article description	Thread	F1	F4	F9	DII	0.0
	Illieau	Article no./€	Article no./€	Article no./€	P.U.	0.0.
Knob on rose,	M12	815074	814206	1790243	2	12
without screws, piece		15,17	17,47	17,47		



Knobs (Aluminium, stainless steel)




84/42K

HOPPE aluminium knob on rose for interior doors. Rose with nylon base, knob fixed on rose.



Article description			F1	F4		DII	0.0
		 →	Article no./€	Article no./€		P.U.	O.C.
Knob on rose,	8-		2124357	2125000		2	12
without screws, piece	M10		11,83	13,60			




84H/42K

HOPPE aluminium knob on rose for interior doors. Rose with nylon base, knob fixed on rose.



Article description			F1	F4		DII	0.0
	 	 	Article no./€	Article no./€		P.U.	0.0.
Knob on rose,	8-		2125536	2125544		2	12
without screws, piece	M10		12,15	13,97			




Also usable with HOPPE FDW-Profile spindle M10 on page 532.

E50/42K

HOPPE stainless steel knob on rose for interior doors. Rose with nylon base, knob fixed on rose.



Article description	F69	DII	0.0
Article description	Article no./€	P.U.	0.0.
Knob on rose, outside,	2607543	2	10
piece	70,64		



Also usable with HOPPE FDW-Profile spindle M10 on page 532.


Knobs (Stainless steel, brass)

E58/42K

HOPPE stainless steel knob on rose for interior doors. Rose with nylon base, knob fixed on rose.



Article description	F69	DIL	$\overline{}$
	Article no./€	F.U. 1	0.0.
Knob on rose, outside,	2607826	2	12
without screws, piece	55,79		




M40HE/15K-2

HOPPE brass knob on rose for interior doors. Rose with nylon base, knob fixed on rose, visible fixing with wood screws.



Article description	F54	F55	F56	F76	DII	0.0
Article description	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Knob on rose,	3039445	3039461	3039470	3039488	1	6
piece	27,19	27,19	27,19	27,19		




M45/42K

HOPPE brass knob set on rose for interior doors. Rose with nylon base, knob fixed on rose, HOPPE profile spindle, concealed fixing with wood screws.



Article description		П	F71		P.U.	O.C.
Article description		₩	Article no./€		P.U.	0.0.
Knob on rose,	20-89	8	1795538		1	6
pair			42,92			
Knob on rose,			525539		2	12
piece			21,28			






M63/15K-2

HOPPE brass knob on rose for interior doors. Rose with nylon base, knob fixed on rose, visible fixing with wood screws.



Article description	F54	F55	F56	F76	DII	0.0
Article description	Article no./	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Knob on rose,	2464933	2464941	2464950	2464968	1	6
piece	24,91	24,91	24,91	24,91		




M63/42K

HOPPE brass knob on rose for interior doors. Rose with nylon base, knob fixed on rose, concealed fixing with wood screws.



Article description		Thread	F41-R	F49-R	F71	F72	DII	0.0
	Trireau	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.	
Knob on rose, piece		M12	799770	799763	657063	804023	2	12
			32,34	28,38	24,92	24,92		

Article description	Thread	F73	F77-R		P.U.	O.C.
Article description	ITITEau	Article no./€	Article no./€		r.U.	0.0.
Knob on rose, piece	M12	799756	799718		2	12
		24,92	34,82			



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.




M83/42K

HOPPE brass knob on rose for interior doors. Rose with nylon base, knob fixed on rose, concealed fixing with wood screws.



Article description		F41-R	F71	F73	F77-R	DII	0.0
Article description		Article no./€	Article no./€	Article no./€	Article no./€	P.U. (6741 2	0.0.
Knob on rose,		668335	527731	1714371	1856741	2	12
piece		35,28	27,85	27,85	37,77		



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.




M83

HOPPE brass knob for interior doors. Knob with HOPPE profile spindle.



Article description			F41-R	F71		P.U.	0.0
Article description			Article no./€	Article no./€		F.U.	0.0.
Knob, pair	29-48	8	1652254	525607		1	6
			73,52	62,34			



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.




M84/42K

HOPPE brass knob on rose for interior doors. Rose with nylon base, knob fixed on rose.



Article description	m	F41-R	F71	F77-R	DII	0.0
Article description		Article no./€	Article no./€	Article no./€	P.U.	0.0.
Knob on rose,	8-	2124824	2124816	2229765	2	12
without screws, piece	M10	28,45	21,00	30,91		



Also usable with HOPPE FDW-Profile spindle M10 on page 532.

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.




M84H/42K

HOPPE brass knob on rose for interior doors. Rose with nylon base, knob fixed on rose.



Article description		F41-R	F71	F77-R	P.U.	O.C.
Article description	<u> </u>	Article no./€	Article no./€	Article no./€	F.U.	O.C.
Knob on rose,	8-	2124912	2124904	2229757	2	12
without screws, piece	M10	32,36	24,88	34,80		



Also usable with HOPPE FDW-Profile spindle M10 on page 532.

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.








M43/843 New

HOPPE brass knob on rose for entrance interior doors, rose with nylon base, knob fixed on rose, **Dallas Series**, concealed fixing: including **fixing system for wooden doors**.



Article description	F41-R	F49-R	F71	F77-R	P.U.	0.0
Article description	Article no./€	Article no./€	Article no./€		JF.U.	0.0.
Knob on rose, piece	3396143	3396151	3396135	3396178	2	12
	43,45	41,85	32,19	45,06		




The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



Knobs







consistently good value duranorm®


Knobs (Brass)

M40H/17K

HOPPE brass knob on rose for interior doors. Rose with nylon base, knob fixed on rose, concealed fixing with wood screws.



Article description		F71		P.U.	0.0
Article description		Article no./€		F.U.	0.0.
Knob,		3055613		10	10
piece		27,19			



Program for windows





Contents



Product line duravert®

for the discerning



Acapulco M0558 page 426



Capri M0950 page 428



Monte Carlo M0550 page 430



Athinai M056 page 426



Genova M0535 page 429



Phoenix M0640 page 430



Bruxelles M029 page 427



Las Vegas E0440 page 429



Singapore M072, M72 page 431







Product line duraplus®

more than usual



Amsterdam (E)1400, (E)0400 page 434



Dakar M0607 page 443



Marseille (E)1138, (E)0138 page 448



Atlanta (M)0530, M1530 page 436



Dallas M0643 New page 443



Metz 0738 page 449



Bilbao E1365, E0365 page 440



Denver E0310 page 444



New York 0810 New page 450



Bonn E150, E050 page 441



Elba M0613 page 445



Paris (E)138, (E)038 page 453



Brest 0739 page 441



M0623 New



Stockholm (E)1140, (E)0140 page 455



Cannes M0545 page 442



Luxembourg 099 page 446



Tôkyô (M)0710 page 456



Contents



Product line dura**plus**®

more than usual



Trondheim E1430, E0430 page 458



Verona 1510, 0510, E1800, E0800, M051 page 459



Window handles Tôkyô, M0693 SG0710, M0693 page 462



422

Valencia M070, M70 page 459



Vitória (M)0515 page 461



Sliding cover rose U26SV page 463







Product line dura**norm**®

consistently good value



Buenos Aires M0840 page 466



Roissy M0941 page 467



Seattle M068L page 467



Milano 068 page 466

Program for windows







for the discerning duravert®


Acapulco, Athinai (Brass)

Secustik®

M0558/US918

HOPPE brass **Secustik®** window handle for tilt-and-turn windows, **Acapulco Series**. Spring-supported swivel cover plate, nylon rosette with brass frame and supporting lugs, solid spindle, 45° stop-in positions. Fulfils the requirements of **AhS RAL-RG 607/13**.

Description	Drojooting		Lugs	F41-R	F45-R	F49-R	F74-R	DII	0.0
Description	Projecting	-	Ø	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Window handle,	35	7	10	2977579	2977632	2977595	2977616	1	10
without screws, piece				54,60	54,60	54,60	54,60		



Information about Secustik® technology see page 59.

Matching products for other


0 1	
applications:	
Sets for internal doors	84
Program for sliding doors	244
Program for balcony doors	474

Two-tone finishes:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.





With the F74-R finish, the rose and upper and lower surfaces of the handle are satin and the front surface is polished. The F41-R and F49-R finishes are monochrome.

M056/US937 New

Article description

without screws, piece

Window handle,



HOPPE brass **Secustik®** window handle for tilt-and-turn windows, **Athinai Series**. Spring-supported swivel cover plate, nylon rosette with brass frame and supporting lugs, solid spindle, 90° stop-in positions. Fulfils the requirements of **AhS RAL-RG 607/13**.

Article no./€

3545858

46,72

F49/F69 F77-R/F52-R

Article no./€

3545866

46,72

5	Å
	ı

43	55	02
	\bigcup _ \bullet	\cup

Information	about	Secustik®	tech-
nology see p	page 59).	

Lugs

Ø

10

Projecting

35

. 88
216
300
502
522

Two-tone finishes:



P.U.

O.C.

10

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.








M029/US937 New



HOPPE brass Secustik® window handle for tilt-and-turn windows, Bruxelles Series. Spring-supported swivel cover plate, nylon rosette with brass frame and supporting lugs, solid spindle, 90° stop-in positions. Fulfils the requirements of AhS RAL-RG 607/13.

Article description	Drojooting	m	Lugs	F49/F9	F72/F9	F77-R/F52-R		211	0.0
Article description	Projecting	₩	Ø	Article no./€	Article no./€	Article no./€]	0.	O.C.
Window handle,	35	7	10	3544450	3547079	3544492		1	10
without screws, piece				54,60	54,60	54,60			



Information about Secustik® technology see page 59.

Matching products for other applications: Sets for internal doors.....96







The Resista® guarantee applies to all finishes with the letter ${f R}$ in the finish key.




M029/US918

HOPPE brass Secustik® window handle for tilt-and-turn windows, Bruxelles Series. Spring-supported swivel cover plate, nylon rosette with brass frame and supporting lugs, solid spindle, 90° stop-in positions. Fulfils the requirements of AhS RAL-RG 607/13.



Article description	Projecting		Lugs	F49/F9	F77-R/F52-R		DII	O.C.
Article description	Projecting	+	Ø	Article no./€	Article no./€		F.U.	0.0.
Window handle,	35	7	10	3136229	3136245		1	10
without screws, piece				54,60	54,60			
_ 16 _ 54	32 Infor	mati	on abo	ut Secustik [®]	® tech-	Finishes:		



nology see page 59.

Matching products for other applications: Sets for internal doors......92 Program for sliding doors.....244 Program for balcony doors475



The Resista® guarantee applies to all finishes with the letter R in the finish key.




Bruxelles, Capri (Brass)



M029/US937 New

HOPPE brass **Secustik®** window handle for tilt-and-turn windows, **Bruxelles Series**. Spring-supported swivel cover plate, nylon rosette with brass frame and supporting lugs, solid spindle, 90° stop-in positions. Fulfils the requirements of **AhS RAL-RG 607/13**.

Article no./€ Article no./€ Article no./€	Article description	Drojooting		Lugs	F41-R	F49-R/F98-R	F77-R	DII	0.0
Window handle 35 7 10 3544425 3544484 1 1	Article description	Projecting	 	Ø	Article no./€	Article no./€	Article no./€	F.U.	O.C.
Wildow Haride,	Window handle,	35	7	10	3544425	3544476	3544484	1	10
without screws, piece 54,60 54,60 54,60	without screws, piece				54,60	54,60	54,60		



Information about Secustik® technology see page 59.

Matching products for other applications:
Sets for internal doors......96





The Resista® guarantee applies to all finishes with the letter **R** in the finish key.




Secustik®

M0950/US956

HOPPE brass **Secustik®** window handle for tilt-and-turn windows, **Capri Series**. Cover cap, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Fulfils the requirements of **AhS RAL-RG 607/13**.



Article description	Projecting		Lugs	F49/F69		P.U.	0.0
Article description	Frojecting	₩	Ø	Article no./€		F.U.	0.0.
Window handle,	35	7	10	3227147		1	10
without screws, piece				46,04			




Information about Secustik® technology see page 59.

Matching products for other	
applications:	
Sets for internal doors	100
HCS®	217

Genova (Brass), Las Vegas (Stainless steel)









HOPPE brass **Secustik®** window handle for tilt-and-turn windows, **Genova Series**. Cover cap, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Fulfils the requirements of **AhS RAL-RG 607/13**.



Article description	Drojecting	F	Lugs	F45-R	F75-R		P.U.	0.0
Article description	Projecting	₩	Ø	Article no./€	Article no./€		r.U.	0.0.
Window handle,	35	7	10	2396379	2396424		1	10
without screws, piece				39,47	39,47			





Information about Secustik® technology see page 59.

Matching products for other applications:
Sets for internal doors......104





The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.






E0440/US956







Article description	Drojecting		Lugs	F69			пп	0.0
Article description	Projecting	₩	Ø	Article no./€			ا ۲۰۰۰	O.C.
Window handle, without screws, piece	35	7	10	2072850 37,61			2	20
16 60	24				Information	about Soc	uotik@	o tooh



Information about Secustik® technology see page 59.

Matching products for other applications:
Sets for internal doors......110


Monte Carlo, Phoenix (Brass)

Secustik®

M0550/US920

HOPPE brass **Secustik®** window handle for tilt-and-turn windows, **Monte Carlo Series**. Spring-supported swivel cover plate, nylon rosette with brass frame and supporting lugs, solid spindle, 90° stop-in positions. Fulfils the requirements of **AhS RAL-RG 607/13**.

Article description	Drojooting		Lugs	F46-R	F65-R	F74-R	F75-R	DII	00
Article description	Projecting	₩	Ø	Article no./€	Article no./€	Article no./€	Article no./€	ا۔ں۔	0.0.
Window handle,	35	7	10	2775969	2804820	2827159	2844629	1	10
screws M5 x 50, piece				88,48	88,48	88,48	97,33		




Information about Secustik® technology see page 59.

Matching products for other

applications:	
Sets for internal doors	114
Program for sliding doors	242
Pull handles	302
Knobs	406
Lift/slide door sets	503

Two-tone finishes:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.





With the F75-R finish, the rosette and upper and lower surfaces of the handle are polished and the front surface is satin.


M0640/US937 New



HOPPE brass Secustik® window handle for tilt-and-turn windows, **Phoenix Series**. Spring-supported swivel cover plate, nylon rosette with brass frame and supporting lugs, solid spindle, 90° stop-in positions. Fulfils the requirements of **AhS RAL-RG 607/13**.



Article description	Drojooting	П	Lugs	F49-R/F98-R	F77-R/F52-R		DII	O.C.
Article description	Projecting	+	Ø	Article no./€	Article no./€		F.U.	0.0.
Window handle,	35	7	10	3545241	3545268		1	10
without screws, piece				54,59	54,59			



Information about Secustik® technology see page 59.

Matching products for other applications:
Sets for internal doors......118

Two-tone finishes:



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.








M072/7

HOPPE brass window handle for tilt-and-turn windows, **Singapore Series**. Brass rosette with supporting lugs, solid spindle, 90° stop-in positions, visible fixing.



Article description	Projecting		Lugs	F54	F55	F56	F76	DII	0.0
Article description	Projecting	₩	Ø	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Window handle,	35	7	10	2456669	2456677	2456685	2456693	1	10
screws M5 x 40, piece				66,95	66,95	66,95	66,95		




Matching products for other
applications:
Sets for internal doors122
Pull handles303
Program for balcony doors475

M72/312

HOPPE brass T-handle on short backplate for windows, **Singapore Series**. Loose HOPPE-solid spindle, visible fixing with wood screws.



Article description	Spindle		F54	F55	F56	F76	DII	0.0
Article description	length	 →	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Window handle,	60	7	2455375	2455383	2455404	2455412	1	10
piece			66,95	66,95	66,95	66,95		



Matching products for other applications:
Sets for internal doors122
Pull handles303
Program for balcony doors475

Program for windows







more than usual

duraplus®

Amsterdam (Aluminium)




1400/US950S (100 Nm)

HOPPE aluminium lockable window handle with **Secu100® + Secustik®** technology (100 Nm), **Amsterdam Series**. Cover cap, zamak rosette with supporting lugs, solid spindle, 90° stop-in positions. The rosette is lockable with push cylinder and reversible key. Fulfils the requirements of **DIN EN 1627-1630**.



Article description	Drojooting		Lugs	F1	F1/F69		DII	0.0
Article description	Projecting	₩	Ø	Article no./€	Article no./€		P.U.	0.0.
Window handle,	35	7	10/12	2589381	2547704		1	20
screws M5 x 50, piece				62,27	73,46			



Up on request also available in other materials and with other designs.

Information about Secu100® + Secustik® technology see page 64.

Matching products for other applications:
Sets for internal doors......129

0400/US956






HOPPE aluminium **Secustik**® window handle for tilt-and-turn windows, **Amsterdam Series**. Cover cap, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Tested according to **RAL-RG 607/9**, fulfils the requirements of **AhS RAL-RG 607/13**.



Article description	Projecting		Lugs	F1	F1/F69	F9	DI	
Article description	Projecting	₩	₩ Ø	Article no./€	Article no./€	Article no./€	r.c	. 0.0.
Window handle,	35	7	10	1871713	1934631	2246565	10	40
without screws, piece				14,25	27,70	16,56		



Information about Secustik® technology see page 59.

Matching products for other applications:
Sets for internal doors......129






E0400/US956/FK-410

HOPPE stainless steel **SecuSignal®** window handle with **Secustik®** technology, **Amsterdam Series**. Cover cap, nylon rosette with supporting lugs, solid spindle, wireless and battery-free nylon radio transmitter with supporting lugs that transmits the position of the window handle (open/tilted/closed) to the SecuSignal® radio receiver. Tested to **RAL-RG607/9**, fulfils the requirements of **AhS RAL-RG 607/13**.

Article description	Drojooting		Lugs	F69/F7501	F7035		DII	0.0
Article description	Projecting	₩	i ø i	Article no./€	Article no./€		P.U.	0.0.
Window handle,	35	7	10/12	2474787			1	10
screws M5 x 65, piece				130,11				





Information about SecuSignal® technology see page 66.

SecuSignal® radio receiver see page 522.




E0400/US956

Secustik®

HOPPE stainless steel **Secustik®** window handle for tilt-and-turn windows, **Amsterdam Series**. Cover cap, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Tested according to **RAL-RG 607/9**, fulfils the requirements of **AhS RAL-RG 607/13**.



Article description	Projecting		Lugs	F69		DII	0.0
Article description	Frojecting	□	Ø	Article no./€		r.U.	0.0.
Window handle,	35	7	10	1969016		2	20
without screws, piece				47,97			



Information about Secustik® technology see page 59.




0530S/US952 (100 Nm)

HOPPE aluminium lockable window handle with **Secu100® + Secustik®** technology (100 Nm) for tilt-and-turn windows, **Atlanta Series**. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, lockable with push cylinder and reversible key, 90° stop-in positions. Fulfils the requirements of **DIN EN 1627-1630**.



Article description	Projecting		Lugs	F1	F4	F9	БП	00
Article description	Projecting	₩	Ø	Article no./€	Article no./€	Article no./€	r.U.	0.0.
Window handle,	35	7	10	2257969	2306564	2257977	10	40
without screws, piece				22,44	25,81	25,81		



Information about Secu100® - Secustik® technology see page 64.

Matching products for other


Matering products for other	
applications:	
Sets for internal doors	133
HCS®	220
Program for profile doors	356
Program for balcony doors	478
Lift/slide door sets	506


0530S/U26 (TBT4)

HOPPE aluminium lockable window handle with **TBT** technology (*Tilt Before Turn*) for tilt-and-turn windows, **Atlanta Series**. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions.



Article description	Projecting		Lugs	F1	F4	F9	F9016	DII	00
Article description	Projecting	₩	Ø	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Window handle,	35	7	10	2726235	2726243	2726251	2726260	10	40
without screws, piece				24,07	27,69	27,69	24,07		





TBT technology

Information about TBT technology see page 60.

Matching products for other applications:
Sets for internal doors133
HCS [®] 220
Program for profile doors356
Program for balcony doors 478
Lift/slide door sets506








HOPPE aluminium lockable **SecuSignal®** window handle with **Secu100® + Secustik®** technology (100 Nm), **Atlanta Series**. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, lockable with push cylinder and reversible key, wireless and battery-free nylon radio transmitter with supporting lugs that transmits the position of the window handle (open/tilted/closed) to the SecuSignal® radio receiver. Fulfils the requirements of **DIN EN 1627-1630**.

Article description	Drainating	<u></u>	Lugs	F9/F7501	F9016			0.0
Article description	Projecting	₩	Ø	Article no./€	Article no./€		P.U.	O.C.
Window handle,	35	7	10/12	2611606	2614621		1	10
screws M5 x 65, piece				91,75	91,75			





Information about SecuSignal® technology see page 66.

SecuSignal® radio receiver see page 522.



0530SV/U26




HOPPE aluminium lockable window handle for tilt-and-turn windows, **Atlanta Series**. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, lockable with push button, 90° stop-in positions.



Article description	Projecting		Lugs	F1	F4	F9	F8707	DII	0.0
Article description	Projecting	₩	Ø	Article no./€	Article no./€	Article no./€	Article no./€]F.U.	0.0.
Window handle,	35	7	10	2258101	2413415	2258110	2258136	10	40
without screws, piece				12,84	14,79	14,79	12,84		

Article description	Drojooting	П	Lugs	F9016		P.U.	O.C.
Article description	Projecting	₩	Ø	Article no./€		F.U.	0.0.
Window handle,	35	7	10	2258128		10	40
without screws, piece				12,84			



Matching products for other	
applications:	
Sets for internal doors	133
HCS®	220
Program for profile doors	356
Program for balcony doors	478
Lift/slide door sets	506

Atlanta (Aluminium)




0530/US952/FK-410

HOPPE aluminium SecuSignal® window handle with Secustik® technology, Atlanta Series. Springsupported swivel cover plate, nylon rosette with supporting lugs, solid spindle, wireless and battery-free nylon radio transmitter with supporting lugs that transmits the position of the window handle (open/tilted/closed) to the SecuSignal® radio receiver. Tested to RAL-RG607/9, fulfils the requirements of AhS RAL-RG 607/13.



	Article description	Drojooting		Lugs	F9/F7501	F9016		DII	0.0
	Article description	Projecting	₩	Ø	Article no./€	Article no./€		P.U.	0.0.
	Window handle,	35	7	10/12	2473207	2614680		1	10
	screws M5 x 65, piece				73,20	73,20			



Information about SecuSignal® technology see page 66.

SecuSignal® radio receiver see page 522



Matching products for other applications: Sets for internal doors......133

HCS [®]	.220
Program for profile doors	.356
Program for balcony doors	.478
Lift/slide door sets	.506



0530/US952




HOPPE aluminium Secustik® window handle for tilt-and-turn windows, Atlanta Series. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Tested according to RAL-RG 607/9, fulfils the requirements of AhS RAL-RG 607/13.



Article description	Drojooting		Lugs	F1	F4	F9	F8707	DII	0.0
	Projecting	₩	≓ Ø	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	O.C.
Window handle,	35	7	10	2210335	2243428	2210343	2254637	10	40
without screws, piece				5,06	5,81	5,81	5,06		

Article description	Drojooting		Lugs	F9016		DII	0.0
Article description	Projecting	₩	Ø	Article no./€		F.U.	O.C.
Window handle,	35	7	10	2236957		10	40
without screws, piece				5,06			



Information about Secustik® technology see page 59.

Matching products for other applications: Sets for internal doors......133

HC9	. 220
Program for profile doors	.356
Program for balcony doors	.478
Lift/slide door sets	.506




M0530S/US910 (100 Nm)





HOPPE brass lockable window handle with Secu100° + Secustik® technology (100 Nm) for tilt-and-turn windows, Atlanta Series. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, lockable with push cylinder and reversible key, 90° stop-in positions. Fulfils the requirements of DIN EN 1627-1630.

Article description	Drojooting		Lugs	F41-R	F71	F72	F77-R	I.	0
Article description	Projecting	₩	Ø	Article no./€	Article no./€	Article no./€	Article no./€	r.U.	O.C.
Window handle,	32	7	10	3062303	3062223	3062266	3062346	1	10
without screws, piece				62,84	52,45	52,45	62,84		



Information about Secu100® Secustik® technology see page 64.

The Resista® guarantee applies to all finishes with the letter ${f R}$ in the finish key.



Matching products for other
applications:
Sets for internal doors135
Program for profile doors358
Program for balcony doors480
Lift/slide door sets508

M0530/US956/FK-410



HOPPE brass SecuSignal® window handle with Secustik® technology, Atlanta Series. Cover cap, nylon rosette with supporting lugs, solid spindle, wireless and battery-free nylon radio transmitter with supporting lugs that transmits the position of the window handle (open/tilted/closed) to the SecuSignal® radio receiver. Fulfils the requirements of AhS RAL-RG 607/13.

Lugs


Ø

10/12

Projecting

35





Article description

Window handle,

F71/F1011		DII	O.C.
Article no./€		F.U.	0.0.
2513643		1	10
87,33			

nology see page 66.

SecuSignal® radio receiver see page 522



Matching products for other	
applications:	
Sets for internal doors	138
Program for profile doors	358
Program for balcony doors	480
Lift/slide door sets	508

Information about SecuSignal® tech-

Atlanta (Brass), Bilbao (Stainless steel)


Secustik®

M0530/US956

HOPPE brass **Secustik®** window handle for tilt-and-turn windows, **Atlanta Series**. Cover cap, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Fulfils the requirements of **AhS RAL-RG 607/13**.



Article description	Drojooting	<u> </u>	Lugs	F41-R	F71	F72	F77-R	DII	0.0
Article description	Projecting	₩	Ø	Article no./€	Article no./€	Article no./€	Article no./€	P.U.	0.0.
Window handle,	32	7	10	2244156	2236412	2244181	2144876	1	10
without screws, piece				31,10	21,07	21,07	31,10		



Information about Secustik® technology see page 59.

The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



E0365/US956






HOPPE stainless steel **Secustik®** window handle for tilt-and-turn windows, **Bilbao Series**. Cover cap, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Tested according to **RAL-RG 607/9**, fulfils the requirements of **AhS RAL-RG 607/13**.



Article description	Projecting		Lugs	F69		DI		
Article description	Frojecting	₩	Ø	Article no./€		0	'. `	0.0.
Window handle,	35	7	10	2044251		2	Т	20
without screws, piece				23,07				



Information about Secustik® technology see page 59.

O.C.

40

Bonn (Stainless steel), Brest (Aluminium)



E050/US956






HOPPE stainless steel Secustik® window handle for tilt-and-turn windows, Bonn Series. Cover cap, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Tested according to RAL-RG 607/9, fulfils the requirements of AhS RAL-RG 607/13.



	Article description	Drojooting		Lugs	F69		DII	O.C.
	Article description	Projecting	₩	Ø	Article no./€		F.U.	0.0.
	Window handle,	35	7	10	1908512		2	20
	without screws, piece				47,97			



Information about Secustik® technology see page 59.

Matching products for other applications: Sets for internal doors.....141 Lift/slide door sets509



0739S/US954 (100 Nm)

HOPPE aluminium lockable window handle with Secu100° + Secustik® technology (100 Nm) for tilt-andturn windows, Brest Series. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, lockable with push cylinder and reversible key, 90° stop-in positions. Fulfils the requirements of DIN EN 1627-1630.



Article description	Projecting		Lugs	F1	F9	F9016		P.U.
Article description	Projecting	=	Ø	Article no./€	Article no./€	Article no./€		F.U.
Window handle,	35	7	10	2292772	2292799	2292828		10
without screws, piece				23,64	24,85	23,64		
18 44	33					Information Secustik® te	about S chnology se	

ecu100® e page 64.

Lift/slide door sets509

Matching products for other	
applications:	

Brest (Aluminium), Cannes (Brass)




0739/US954



HOPPE aluminium **Secustik®** window handle for tilt-and-turn windows, **Brest Series**. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Tested according to **RAL-RG 607/9**, fulfils the requirements of **AhS RAL-RG 607/13**.



Article description	Projecting		Lugs	F1	F9	F9016	P.U.	0.0
Article description	Projecting	=	Ø	Article no./€	Article no./€	cle no./€ Article no./€	F.U.	0.0.
Window handle,	35	7	10	2229554	2229562	2236922	10	40
without screws, piece				5,30	6,09	5,30		



Information about Secustik® technology see page 59.

Matching products for other applications:
Lift/slide door sets509


M0545/US956



HOPPE brass **Secustik®** window handle for tilt-and-turn windows, **Cannes Series**. Cover cap, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Fulfils the requirements of **AhS RAL-RG 607/13**.



Article description	Drojooting	I	Lugs	F41-R	F71	F72	F77-R	DII	0.0
Article description Pro	Projecting	H-	Ø	Article no./€	Article no./€	Article no./€	Article no./€	P.U.	0.0.
Window handle,	35	7	10	2665663	2665591	2665647	2665701	1	10
without screws, piece				33,62	23,24	23,24	33,62		



Information about Secustik® technology see page 59.

The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



Matching products for other
applications:
Sets for internal doors143
Pull handles33
Program for balcony doors 48




M0607/US910



HOPPE brass Secustik® window handle for tilt-and-turn windows, Dakar Series. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Fulfils the requirements of AhS RAL-RG 607/13.



Article description	Projecting		Lugs	F41-R	F71	F73	F77-R	DII	0.0
Article description F	Projecting	₩	Ø	Article no./€	Article no./€	Article no./€	Article no./€	r.U.	O.C.
Window handle,	35	7	10	3198260	3198278	3211840	3211882	1	10
without screws, piece				25,01	19,57	19,57	28,85		



Information about Secustik® technology see page 59.

The Resista® guarantee applies to all finishes with the letter ${f R}$ in the finish key.



Matching products for other applications: Sets for internal doors.....147

M0643S/US943 (100 Nm) New

Projecting



 $\label{eq:hoppe} \mbox{HOPPE brass lockable window handle with } \textbf{Secu100}^{\texttt{0}} + \textbf{Secustik}^{\texttt{0}} \mbox{ technology (100 Nm) for tilt-and-turn}$ windows. Dallas Series. Spring-supported swivel cover plate, nylon rosette with brass frame and supporting lugs, solid spindle, lockable with push cylinder and reversible key, 45° stop-in positions. Fulfils the requirements of **DIN EN 1627-1630**.

F41-R

Article no./€

3393719

65,18

Ø

F49-R

Article no./€

3393735

63,59

Article no./€

3393778

53,93



Window handle,	35	7	10
without screws, piece			
18 45	32		

Article description

Information about Secu100® Secustik® technology see page 64.

Article no./€

3393751

66,80

P.U.

O.C.

10

The Resista® guarantee applies to all finishes with the letter R in the finish key.



Matching products for other	
applications:	
Sets for internal doors	.149
Pull handles	.336
Knobs	.415
Program for balcony doors	.481
Lift/slide door sets	.511


Dallas (Brass), Denver (Stainless steel)

M0643/US943 New

HOPPE brass Secustik® window handle for tilt-and-turn windows, Dallas Series. Spring-supported swivel cover plate, nylon rosette with brass frame and supporting lugs, solid spindle, 45° stop-in positions. Fulfils the requirements of AhS RAL-RG 607/13.



Article description P	Drojooting		Lugs	F41-R	F49-R	F71	F77-R	DII	0.0
	Projecting	₩	Ø	Article no./€	Article no./€	Article no./€	Article no./€	r.U.	0.0.
Window handle,	35	7	10	3386703	3386746	3386666	3386762	1	10
without screws, piece				43,45	41,85	32,19	45,06		



Information about Secustik® technology see page 59.

The Resista® guarantee applies to all finishes with the letter ${f R}$ in the finish key.




Matching products for other	
applications:	
Sets for internal doors149	
Pull handles336	
Knobs415	
Program for balcony doors481	
Lift/slide door sets511	

E0310/US956

HOPPE stainless steel Secustik® window handle for tilt-and-turn windows, Denver Series. Cover cap, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Tested according to RAL-RG 607/9, fulfils the requirements of AhS RAL-RG 607/13.



Article description	Drojooting	<u></u>	Lugs	F69		DII	0.0
Article description	Projecting	₩	Ø	Article no./€		F.U.	0.0.
Window handle,	35	7	10	2798061		2	20
without screws, piece				23,94			



Information about Secustik® technology see page 59.

Matching products for other applications: Sets for internal doors......151




M0613/U30 New

HOPPE brass window handle for tilt-and-turn windows, **Elba Series**. Cover cap, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions.



Article description	Drojooting		Lugs	F54	F55	F56	F76	DII	0.0
Article description Proje	Projecting	+	Ø	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Window handle,	35	7	10	3545022	3545161	3545196	3545217	1	10
screws M5 x 40, piece				16,66	16,66	16,66	16,66		



Matching products for other applications:


Sets for internal doors......153
Program for balcony doors482

M0613T/265KF

HOPPE brass T-handle on short backplate for windows, **Elba Series**. Loose HOPPE-solid spindle, visible fixing with wood screws.



Article description	Spindle		F54	F55	F56	F76	DII	0.0
Article description	length	 	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Window handle,	60	7	2931597	2931600	2931618	2931626	1	10
piece			16,66	16,66	16,66	16,66		



Houston (Brass), Luxembourg (Aluminium)




M0623/US943 New

HOPPE brass **Secustik®** window handle for tilt-and-turn windows, **Houston Series**. Spring-supported swivel cover plate, nylon rosette with brass frame and supporting lugs, solid spindle, 45° stop-in positions. Fulfils the requirements of **AhS RAL-RG 607/13**.



Article description	Drojooting		Lugs	F41-R	F49-R	F71	F77-R	DII	0.0
Article description	Projecting	₩	Ø	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Window handle,	35	7	10	3386607	3386623	3386560	3386640	1	10
without screws, piece				39,52	38,04	29,26	40,97		



Information about Secustik® technology see page 59.

The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



Matching products for other applications:
Sets for internal doors.......155
Program for balcony doors483

Secu 100° + Secustik

099S/US952 (100 Nm)

HOPPE aluminium lockable window handle with **Secu100® + Secustik®** technology (100 Nm) for tilt-and-turn windows, **Luxembourg Series**. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, lockable with push cylinder and reversible key, 90° stop-in positions. Fulfils the requirements of **DIN EN 1627-1630**.



Article description	Projecting		Lugs	F1	F9	F8707	F9016	P.U.	0.0
Article description	Projecting	₩	Ø	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Window handle,	35	7	10	1921434	1983758	2168106	1921418	10	40
without screws, piece				24,61	25,84	24,61	24,61		

Information about Secu100® - Secustik® technology see page 64.

Matching products for other applications:

18	52	88
	4/ ↓	1.1





099S/U26 (TBT4)

HOPPE aluminium lockable window handle with **TBT** technology (*Tilt Before Turn*) for tilt-and-turn windows, **Luxembourg Series**. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions.



Article description	Drojooting		Lugs	F1	F9	F9016	DII	O.C.
Article description	Projecting	₩	Ø	Article no./€	Article no./€	Article no./€	P.U.	0.0.
Window handle,	35	7	10	2210036	2104647	2210044	10	40
without screws, piece				27,62	31,76	27,62		





TBT technology

Information about TBT technology see page 60.

Matching products for other applications:

Program for profile doors373
Program for balcony doors483

099/US952

Article description

without screws, piece

Window handle,



O.C.

40

P.U.

10



HOPPE aluminium **Secustik®** window handle for tilt-and-turn windows, **Luxembourg Series**. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Tested according to **RAL-RG 607/9**, fulfils the requirements of **AhS RAL-RG 607/13**.

F1

8106056

6,26

Lugs

Ø

10

Projecting

35

F9

8106080

6,55

Article no./€ Article no./€

F8707

Article no./€

8107252



16 52 31 EE		
	2	

6,26 6,26

Information about Secustik® technology see page 59.

F9016

Article no./€

8106577

Matching products for other applications:

Luxembourg, Marseille (Aluminium)


099KH/U26



HOPPE aluminium window handle with short neck for tilt-and-turn windows, **Luxembourg Series**. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Tested according to **RAL-RG 607/9**.



Article description	Drojooting	П	Lugs	F1	F9016		P.U.	0.0
Article description	Projecting	₩	Ø	Article no./€	Article no./€		r.U.	0.0.
Window handle,	35	7	10	1922040	1922066		5	30
without screws, piece				7,65	7,65			



Matching products for other applications:

0138/US956








HOPPE aluminium **Secustik®** window handle for tilt-and-turn windows, **Marseille Series**. Cover cap, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Tested according to **RAL-RG 607/9**, fulfils the requirements of **AhS RAL-RG 607/13**.



Article description	Projecting		Lugs	F1	F4		P.U.	O.C.
Article description	Projecting	₩	Ø	Article no./€	Article no./€		г.О.	0.0.
Window handle,	35	7	10	2369792	2410548		10	40
without screws, piece				14,19	16,32			



Information about Secustik® technology see page 59.

Matching products for other applications:
Sets for internal doors......

Sets for internal doors	157
Pull handles	336
Security sets	387



Marseille (Stainless steel), Metz (Aluminium)



E0138/US956






HOPPE stainless steel Secustik® window handle for tilt-and-turn windows, Marseille Series. Cover cap, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Tested according to RAL-RG 607/9, fulfils the requirements of AhS RAL-RG 607/13.



Article description	Drojooting	I I	Lugs	F69		lni		O.C.
Article description	Projecting	₩	Ø	Article no./€		P.	ا.ٰ	0.0.
Window handle,	35	7	10	3054581		2	2	20
without screws, piece				17,75				
15 67	34				Information		ik®	tech-



nology see page 59.

Matching products for other applications: Sets for internal doors......159 Program for fire-resistant doors .. 279 Program for profile doors376 Security sets......388 Program for balcony doors484

0738S/US945 (100 Nm)



 $\label{eq:hoppe} \mbox{HOPPE aluminium lockable window handle with } \textbf{Secu100}^{\texttt{o}} + \textbf{Secustik}^{\texttt{o}} \mbox{ technology (100 Nm) for tilt-and-turn)} \mbox{ for tilt-and-turn)} \mbox{ the properties of t$ windows, Metz Series. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, lockable with push cylinder and reversible key, 90° stop-in positions. Fulfils the requirements of DIN EN 1627-1630.



Article description	Projecting		Lugs	F1	F9	F9016		
Article description	Projecting	₩	Ø	Article no./€	Article no./€	Article no./€		
Window handle,	35	7	10	2292668	2292692	2292748		
without screws, piece				23,64	24,85	23,64		
18 48	31					Information Secustik® te	about chnology	_

Secu100® see page 64.

P.U.

10

O.C. 40

Metz, New York (Aluminium)

0738/US945






HOPPE aluminium **Secustik®** window handle for tilt-and-turn windows, **Metz Series**. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Tested according to **RAL-RG 607/9**, fulfils the requirements of **AhS RAL-RG 607/13**.



Article description	Drojooting	П	Lugs	F1	F9	F9016	пП	0.0
Article description	Projecting	+	Ø	Article no./€	Article no./€	Article no./€	r.U.	0.0.
Window handle,	35	7	10	2229511	2229520	2236762	10	40
without screws, piece				5,30	6,09	5,30		



Information about Secustik® technology see page 59.




0810S/US10 (100 Nm) New





Article description	Drojooting		Lugs	F1	F9	F8707	F9016	P.U.	0.0
Article description	Projecting	+	Ø	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Window handle,	35	7	10	3499177	3499185	3499193	3499206	10	40
without screws, piece				23,12	26,59	22,02	22,02		



Information about Secu100® - Secustik® technology see page 64.

Matching products for other
applications:
Sets for internal doors165
Program for profile doors378
Program for balcony doors 485
Lift/slide door sets512





0810S/U10 (TBT1) New

HOPPE aluminium lockable window handle with **TBT** technology (*Tilt Before Turn*) for tilt-and-turn windows, **New York Series**. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, lockable with push cylinder and reversible key, 90° stop-in positions.



Article description	Drojooting		Lugs	F1	F9	F8707	F9016	DII	0.0
Article description	Projecting	+	Ø	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Window handle,	35	7	10	3286471	3286497	3295967	3286518	10	40
without screws, piece				24,73	28,43	23,55	23,55		





TBT technology

Information about TBT technology see page 60.

Matching products for other
applications:
Sets for internal doors165
Program for profile doors378
Program for balcony doors485
Lift/slide door sets512


0810SVS/U10 (DF) New

HOPPE aluminium lockable window handle with **double function** (lockable, push button) for tilt-and-turn windows, **New York Series**. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, lockable with push button locking cylinder and reversible key, automatic locking, 90° stop-in positions. Fulfils the requirements of **AhS RAL-RG 607/13**.



			Lugo	E4	F4	EΩ	E0707		
Article description	Projecting	 	Lugs	F1	Γ4	F9	F8707	ЫП	O.C.
Article description	Frojecting	₩	Ø	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Window handle,	35	7	10	3286585	3390921	3286606	3286622	10	40
without screws, piece				21,37	24,57	24,57	20,35		
	45	7	10				3508707	10	40
	1	l					20.35		

Article description	Projecting		Lugs	F9010	F9016		БП	0.0
Article description	Projecting	₩	Ø	Article no./€	Article no./€		F.U.	0.0.
Window handle,	35	7	10	3500254	3286649		10	40
without screws, piece				20,35	20,35			



For information on new double function technology see pp. 62.


Matching products for other applications:
Sets for internal doors165
Program for profile doors378
Program for balcony doors 485
Lift/slide door sets512

0810SV/U10 New

HOPPE aluminium lockable window handle for tilt-and-turn windows, **New York Series**. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, lockable with push button, 90° stop-in positions.



Article description	Drojooting		Lugs	F9010	F9016		P.U.	O.C.
Article description	Projecting	₩	Ø	Article no./€	Article no./€		r.U.	0.0.
Window handle,	35	7	10	3508635	3285718		10	40
without screws, piece				8,00	8,00			



165
378
485
512

0810/US10 New






HOPPE aluminium **Secustik®** window handle for tilt-and-turn windows, **New York Series**. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Tested according to **RAL-RG 607/9**, fulfils the requirements of **AhS RAL-RG 607/13**.



Article description	Projecting		Lugs	F1	F4	F9	F8707	DII	0.0
	Projecting	₩	Ø	Article no./€	Article no./€	Article no./€	Article no./€	P.U.	0.0.
Window handle,	35	7	10	3287051	3379001	3287078	3287094	10	40
without screws, piece				5,09	5,86	5,86	4,85		

Article description	Projecting		Lugs	F9010	F9016		P.U.	0.0
Article description	Projecting	₩	Ø	Article no./€	Article no./€		г.О.	0.0.
Window handle,	35	7	10	3500094	3287131		10	40
without screws, piece				4,85	4,85			



Information about Secustik® technology see page 59.

Matching products for other	
applications:	
Sets for internal doors	165
Program for profile doors	378
Program for balcony doors	485
Lift/slide door sets	512




0810/U76 New

HOPPE aluminium lockable window handle for tilt-and-turn windows, **New York Series**. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions.



	rtiala description	Projecting		Lugs	F1	F4	F9	F8707	DII	0.0
A	Article description	Projecting	₩	Ø	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
W	/indow handle,	35	7	10	3371405	3500043	3371421	3371561	20	120
w	ithout screws, piece				5,98	6,27	6,90	5,70		

Article description	Drojooting		Lugs	F9005	F9016		P.U.	0.0
Article description	Projecting	₩	Ø	Article no./€	Article no./€		F.U.	0.0.
Window handle,	35	7	10	3500078	3371587		20	120
without screws, piece				5,18	5,70			




038/US956



HOPPE aluminium **Secustik**® window handle for tilt-and-turn windows, **Paris Series**. Cover cap, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Tested according to **RAL-RG 607/9**, fulfils the requirements of **AhS RAL-RG 607/13**.



Article description	Projecting		Lugs	F1	F4		P.U.	0.0
Article description			Ø	Article no./€	Article no./€		JF.U.	0.0.
Window handle,	35	7	10	1787870	1787909		10	40
without screws, piece				10,28	11,83			



Information about Secustik® technology see page 59.

Matching products for other	
applications:	
Sets for internal doors	167
Security sets	
Coodinty Coto	000


Paris (Stainless steel)





HOPPE stainless steel lockable window handle with Secu100® + Secustik® technology (100 Nm), Paris Series. Cover cap, zamak rosette with supporting lugs, solid spindle, 90° stop-in positions. The rosette is lockable with push cylinder and reversible key. Fulfils the requirements of **DIN EN 1627-1630**.





Information about Secu100® Secustik® technology see page 64.




E038/US956

HOPPE stainless steel Secustik® window handle for tilt-and-turn windows, Paris Series. Cover cap, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Tested according to RAL-RG 607/9, fulfils the requirements of AhS RAL-RG 607/13.



Article description	Projecting		Lugs	F69		DII	0.0
Article description	Projecting L	₩	Ø	Article no./€		JF.U.	0.0.
Window handle,	35	7	10	2049932		2	20
without screws, piece				47,97			



Information about Secustik® technology see page 59.

Matching products for other
applications:
Sets for internal doors169
Program for fire-restistant doors . 282
Program for profile doors378
Lift/elide door sets 51/

Stockholm (Aluminium, stainless steel)



0140/US956






HOPPE aluminium **Secustik®** window handle for tilt-and-turn windows, **Stockholm Series**. Cover cap, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Tested according to **RAL-RG 607/9**, fulfils the requirements of **AhS RAL-RG 607/13**.



Article description	Projecting F		Lugs	F1	F9		DII	O.C.
Article description		₩	Ø	Article no./€	Article no./€		JF.U.	0.0.
Window handle,	35	7	10	2441635	2503189		10	40
without screws, piece				14,19	16,32			ĺ



Information about Secustik® technology see page 59.

Matching products for other
applications:
Sets for internal doors173
Security sets390
Program for balcony doors 487

E0140/US956






HOPPE stainless steel **Secustik®** window handle for tilt-and-turn windows, **Stockholm Series**. Cover cap, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Tested according to **RAL-RG 607/9**, fulfils the requirements of **AhS RAL-RG 607/13**.



Article description	Projecting		Lugs	F69		рп	00
Article description	Projecting	₩	Ø	Article no./€		JF.U.	0.0.
Window handle,	35	7	10	3054565		2	20
without screws, piece				17,75			



Information about Secustik® technology see page 59.


Matching products for other	
applications:	
Sets for internal doors	175
Program for fire-resistant doors	288
Program for profile doors	378
Security sets	391
Program for balcony doors	488

0710S/U26

HOPPE aluminium lockable window handle for tilt-and-turn windows, **Tôkyô Series**. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, lockable with push cylinder and reversible key, 90° stop-in positions.



Article description	Drojooting		Lugs	F8707	F9016		DII	0.0
	Projecting	₩	Ø	Article no./€	Article no./€		[P.U.]	0.0.
Window handle,	35	7	10	1748459	8156507		10	40
without screws, piece				18,69	18,69			



Matching products for other	
applications:	
Sets for internal doors	179
Program for profile doors	379
Security sets	392
Program for balcony doors	489
Lift/slide door sets	515


0710SV/U26

HOPPE aluminium lockable window handle for tilt-and-turn windows, **Tôkyô Series**. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, lockable with push button, 90° stop-in positions.



Article description	Drojooting		Lugs	F1	F2	F4	F9	P.U.	00
Article description	Projecting	 	Ø	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Window handle,	35	7	10	1747536	1747544	1747552	1747561	10	40
without screws, piece				8,16	8,16	9,38	9,38		

Article description	Drojooting	<u> </u>	Lugs	F8707	F9016		DII	0.0
Article description	Projecting	₩	Ø	Article no./€	Article no./€		r.U.	0.0.
Window handle,	35	7	10	1747579	1747587		10	40
without screws, piece				8,16	8,16			



Matching products for other
applications:
Sets for internal doors179
Program for profile doors379
Security sets392
Program for balcony doors 489
Lift/slide door sets515



0710/U26




HOPPE aluminium window handle for tilt-and-turn windows, **Tôkyô Series**. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Tested according to **RAL-RG 607/9**.



Article description	Projecting		Lugs	F1	F2	F4	F9	PII	0.0
Article description	Projecting	I ←→I	Ø	Article no./€	Article no./€	Article no./€		F.U.	0.0.
Window handle,	35	7	10	8127680	1749988	8127722	8155525	20	120
without screws, piece				4,19	4,19	4,81	4,81		

Article description	Drojooting		Lugs	F8707	F9016		DII	0.0
Article description	Projecting	₩	Ø	Article no./€	Article no./€		F.U.	0.0.
Window handle,	35	7	10	8218885	8127672		20	120
without screws, piece				4,19	4,19			




0710ES/6

HOPPE aluminium lockable espagnolette handle for tilt-and-turn windows, **Tôkyô Series**. Metal rosette with supporting lugs, solid spindle, lockable with push cylinder and reversible key.



Article description	Projecting	Ħ	Lugs	F1	F9016		DII	O.C.
Article description	Projecting	□	Ø	Article no./€	Article no./€		[P.U.]	0.0.
Window handle,	40	7	10	2607009	2607017		10	40
without screws, piece				24,23	24,23			



Matching products for other
applications:
Sets for internal doors179
Program for profile doors379
Security sets392
Program for balcony doors489
Lift/slide door sets515


Tôkyô (Brass), Trondheim (Stainless steel)

M0710RH/U30 New

HOPPE brass window handle for tilt-and-turn windows, Tôkyô Series. Cover cap, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions.



Article description	Drojooting	П	Lugs	F41-R	F71	F77-R	рш	0.0
Article description	Projecting	₩	Ø	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Window handle,	35	7	10	3545621	3545663	3545815	2	20
without screws, piece				22,49	18,24	30,93		



The Resista® guarantee applies to all finishes with the letter ${f R}$ in the finish key.



Matching products for other applications: Sets for internal doors......182 Program for balcony doors 491

E0430/US956



O.C. 20



HOPPE stainless steel Secustik® window handle for tilt-and-turn windows, Trondheim Series. Cover cap, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Tested according to RAL-RG 607/9, fulfils the requirements of AhS RAL-RG 607/13.

F69



	Article description	Projecting		Lugs	F69		
Article description		Frojecting	₩	Ø	Article no./€		
	Window handle,	35	7	10	2273651		
	without screws, piece				23,50		
	16 66	34				Information nology see p	
	£ 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2					Matching pro	

out Secustik® teche 59.

icts for other applications: Sets for internal doors......183

Valencia (Brass), Verona (Aluminium)




M070/U30 New

HOPPE brass window handle for tilt-and-turn windows, Valencia Series. Cover cap, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions.



Article description	Drojooting	F	Lugs	F54	F55	F56	F76	DII	0.0
Article description	Projecting	₩	Ø	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Window handle,	35	7	10	3545276	3545305	3545330	3545372	1	10
screws M5 x 40, piece				36,85	36,85	36,85	36,85		



Matching products for other applications:

Sets for internal doors	187
Pull handles	337
Program for balcony doors	492

197


0510/U26



HOPPE aluminium window handle for tilt-and-turn windows, Verona Series. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Tested according to RAL-RG 607/9.



Article description	Drojooting		Lugs	F1	F9		DII	0.0
Article description	Projecting	₩	Ø	Article no./€	Article no./€		P.U.	0.0.
Window handle,	35	7	10	1660393	1859731		20	120
without screws, piece				5,98	6,92			



Matching products for other applications: Sets for internal doors......189 Security sets......393

Verona (Stainless steel, brass)

cocustik®


E0800/US956



HOPPE stainless steel **Secustik®** window handle for tilt-and-turn windows, **Verona Series**. Cover cap, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Tested according to **RAL-RG 607/9**, fulfils the requirements of **AhS RAL-RG 607/13**.



Article description	Drojooting		Lugs	F69		P.U.	0.0
Article description	Projecting	₩	Ø	Article no./€		F.U.	0.0.
Window handle,	35	7	10	2072868		2	20
without screws, piece				38,77			



Information about Secustik® technology see page 59.

Matching products for other	
applications:	
Sets for internal doors1	91
Security sets3	94


Secustik®

M051/US956

HOPPE brass **Secustik®** window handle for tilt-and-turn windows, **Verona Series**. Cover cap, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Fulfils the requirements of **AhS RAL-RG 607/13**.



Article description	Drojooting		Lugs	F41-R	F49-R	F71	F77-R	DII	0.0	
	Projecting	₩	IJØ [Article no./€	Article no./€	Article no./€	Article no./€	P.U.	0.0.	
	Window handle,	35	7	10	3544513	3544530	3544556	3544572	2	20
	without screws, piece				34,78	29,58	24,39	34,78		



Information about Secustik® technology see page 59.

The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



Matching products for other
applications:
Sets for internal doors192
Security sets395

Matching products for other



0515/US956







Article description	Projecting	1	Lugs	F1	F4	F9	P.U.	
Article description	Projecting	₩	Ø	Article no./€	Article no./€	Article no./€	F.U.	
Window handle,	35	7	10	2537856	2537987	2537864	10	ī
without screws, piece				8,92	10,29	10,29		
16 58	33					Information nology see p	ustik®	3

tech-

O.C. 40

Matching products for other applications: Sets for internal doors......193 Security sets......396

M0515/US956




HOPPE brass Secustik® window handle for tilt-and-turn windows, Vitória Series. Cover cap, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Fulfils the requirements of AhS RAL-RG 607/13.



Article description	Projecting		Lugs	F41-R	F49-R	F71	F72	DII	0.0
	Frojecting	₩	Ø	Article no./€	Article no./€	Article no./€	Article no./€	J F.U.	0.0.
Window handle,	35	7	10	2407533	2407541	2407509	2407517	1	10
without screws, piece				27,37	22,34	17,33	17,33		

Article description	Drojooting		Lugs	F73	F77-R		DII	0.0
Article description	Projecting	₩	Ø	Article no./€	Article no./€		F.U.	0.0.
Window handle,	35	7	10	2407525	2407568		1	10
without screws, piece				17,33	27,37			



Information about Secustik® technology see page 59.

The Resista® guarantee applies to all finishes with the letter $\boldsymbol{\mathsf{R}}$ in the finish key.



applications:	
Sets for internal doors	195
Pull handles	337
Security sets	397

Matching products for other

Window handle (Aluminium, brass)

SG0710RH

HOPPE aluminium removable window handle with spindle for sliding cover rose, **Tôkyô Series**.



Article description	Projecting		F1	F9016		DII	0.0
		 	Article no./€	Article no./€		ا.ت	0.0.
Window handle,	45	7	8176323	1776281		5	30
piece			4,39	4,39			




M0693KH/U26



HOPPE brass window handle with short neck for tilt-and-turn windows. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Tested according to RAL-RG 607/9.



Article description	Drojooting		Lugs	F41-R	F71		DII	00
	Projecting	₩	Ø	Article no./€	Article no./€		P.U.	0.0.
Window handle,	35	7	10	3226961	3226937		2	20
without screws, piece				26,94	16,55			.



Sliding cover rose (Aluminium)



U26SV

HOPPE aluminium cover rosette with nylon base for windows



Article description	Lugs	F1	F2	F4	F9	DII	0.0
Article description	Ø	Article no./€	Article no./€	Article no./€	Article no./€	P.U.	0.0.
Rose, without screws,	10	672240	679300	780266	811601	10	60
piece		6,49	6,49	7,45	7,45		

Article description		Lugs	F9016	F9016		חום	
Article description		Ø	Article no./€			P.U.	0.0.
Rose, without screws,		10	1721504			10	60
piece			6,49				



The cover rosette for the handle hole comes with a sliding cover which moves upwards and downwards.



Program for windows








Buenos Aires (Brass), Milano (Aluminium)

M0840/U23

HOPPE brass window handle for tilt-and-turn windows, Buenos Aires Series. Cover cap, nylon rosette with supporting lugs, solid spindle, 45° stop-in positions.



Article description	Drojooting	m	Lugs	F41	F49	F71	F73	DII	0.0
Article description	Projecting	 	Ø	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Window handle,	35	7	10	2912783	2912804	2912767	2912821	30	30
without screws, piece				19,67	19,67	15,75	15,75		



Matching products for other applications:

Sets for internal doors.....202 Program for balcony doors496

068/U34


607/9.



HOPPE aluminium window handle for tilt-and-turn windows, Milano Series. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Tested according to RAL-RG



Article description	Projecting		Lugs	F1	F4		DII	00
Article description		₩	Ø	Article no./€	Article no./€		F.U.	0.0.
Window handle,	35	7	10	2080382	1653943		100	100
without screws, piece				5,75	5,75			



Matching products for other applications: Sets for internal doors.....207




M0941/U23

HOPPE brass window handle for tilt-and-turn windows, **Roissy Series**. Cover cap, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions.



Article description	Projecting	<u> </u>	Lugs	F41	F49	F71	DII	0.0
Article description	Projecting	₩	Ø	Article no./€	Article no./€	Article no./€	r.U.	0.0.
Window handle,	30	7	10	2040356	2065465	2039831	30	30
without screws, piece				19,68	19,68	15,34		



Matching products for other applications:


Sets for internal doors......209

M068L/U23

HOPPE brass window handle for tilt-and-turn windows, **Seattle Series**. Cover cap, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions.



Article description	Projecting		Lugs Ø	F41	F71		DII	O.C.
Article description				Article no./€	Article no./€		[F.U.]	
Window handle,	35	7	10	2487465	764136		30	30
without screws, piece				20,70	16,34			



Matching products for other applications:
Sets for internal doors......210

Program for balcony doors





Contents



Product line duravert®

for the discerning



Acapulco M1558 page 474



Bergen M1602 page 475



Singapore M172 page 475



Product line dura**plus**®

more than usual



Atlanta (M)1530, 0530 page 478











Houston M1623 New page 483









Product line dura**plus**®

more than usual



Marseille E1138 page 484



Tôkyô 0710, M1710 page 489



Roses and escutcheons



New York 0810, 1810 **New** page 485



Valencia M170 page 492



Pull handle K435 page 493



Stockholm (E)1140 page 487

•



Product line duranorm®

consistently good value



Buenos Aires M1840 page 496



Pull handle 430 page 496

Program for balcony doors







Acapulco (Brass)



M1558/38P/38PS

HOPPE brass lever set on narrow rose with narrow escutcheon for profile doors, **Acapulco Series**. Rose and escutcheon with nylon base, loose lever (both side receiver handle) with **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).




Description			Kevhole	F41-R	F45-R	F49-R	F74-R	DII	0.0
		₩	Keyriole	Article no./€	Article no./€	Article no./€	Article no./€	P.U.	O.C.
Set	56-71	8	0	3240747	3240755	3240763	3240771	1	4
			l U	91,66	91,66	91,66	91,66		



Description			P.U.	
	 	Article no./€	P.U.	O.C.
RFL-R/L spring cas-	8	2839977	10	50
sette, pair		2,69		





10



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.



With the F74-R finish, the rose and upper and lower surfaces of the handle are satin and the front surface is polished. The F41-R and F49-R finishes are monochrome.





M1602/38P/38PS


HOPPE brass lever set on narrow rose with narrow escutcheon for profile doors, **Bergen Series**. Rose and escutcheon with nylon base, loose lever (both side receiver handle) with **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).



Description		F.:	Keyhole	F49/F9	F77-R/F52-R	P.U.	0.0
		₩	Reynole	Article no./€	Article no./€	F.U.	0.0.
Set	56-71	8	\bigcirc	3240860	3240878	1	4
			U	91,66	91,66		



Description	I I			DII	0.0
	H	Article no./€		P.U.	0.0.
RFL-R/L spring cas-	8	2839977		10	50
sette, pair		2,69			



iviatening products for other
applications:
Sets for internal doors92
Program for sliding doors244
Program for windows427





The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.




M172/36-2/36S-2

HOPPE brass lever set on narrow rose with narrow escutcheon for profile doors, **Singapore Series**. Rose and escutcheon with nylon base, loose lever, HOPPE profile spindle, visible fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).









Matching products for other	
applications:	
Sets for internal doors	122
Pull handles	303
Program for windows	431

Program for balcony doors








more than usual duraplus®

0530/66N/U26/0530/66NS/49PNS

HOPPE aluminium lever set on narrow rose with narrow escutcheon for patio doors, **Atlanta Series**. HOPPE solid spindle, concealed bolt-through-fixing.



Article description	diameter 1		Keyhole	F1	F9016		P.U.	O.C.
		₩	Reynole	Article no./€	Article no./€		F.U.	0.0.
Set	63-68	7	0	2266507	2266574		1	10
			U	33,27	33,27			
	73-78	7	0	2331487	2331461		1	10
			U	33,27	33,27			
	78-83	7	0	3203647	3203671		1	10
			U	33,27	33,27			




0990KH/66N/U26/0530/66NS/49PNS

HOPPE aluminium lever set on narrow rose with narrow escutcheon for patio doors, **Atlanta Series**. Lever with short neck outside, HOPPE solid spindle, concealed bolt-through-fixing.



Article description			Keyhole	F1	F9016		P.U.	O.C.
				Article no./€	Article no./€		F.U.	0.0.
Set	63-68	7	\bigcirc	2266064	2266101		1	10
				33,27	33,27			
	73-78	7	0	2331516	2331508		1	10
			U	33,26	33,27			
	78-83	7	0	3203727	3203831		1	10
			U	33,26	33,27			



Matching products for other	
applications:	
Sets for internal doors	133
HCS®	220
Program for profile doors	356
Program for windows	436
Lift/slide doors	506



1530/30P

HOPPE aluminium lever half set on narrow rose for profile doors, **Atlanta Series**. Rose with nylon base, lever fixed/movable (F/D), for HOPPE expanding spindle.




Article description		F1	F1-2	F9-2	F8707	DII	0.0
		Article no./€	Article no./€	Article no./€	Article no./€	r.U.	0.0.
Half set		3080288	3085919	3085927	3085935	2	20
		7,65	7,65	8,81	7,65		

Article description	F9016		DII	0.0
	Article no./€		P.U.	0.0.
Half set	3085943		2	20
	7,65			



Description				DII	0.0
	 	Article no./€		P.U.	O.C.
RFL-R/L spring cas-	8	2839977		10	50
sette, pair		2.69			



Atlanta (Brass)



M1530/30P/30PS

HOPPE brass lever set on narrow rose with narrow escutcheon for profile doors, **Atlanta Series**. Rose and escutcheon with nylon base, loose lever (both side receiver handle) with **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).




Article description	45		Kevhole	F41-R	F71	F72	F77-R	PH	0.0
Article description		+	Reynole	Article no./€	Article no./€	Article no./€		F.U.	0.0.
Set	57-69	8	0	3242849	3242822	3242831	3242857	1	4
			U	50,72	32,77	32,77	56,14		





Description			DII	
		Article no./€	P.U.	O.C.
RFL-R/L spring cas-	8	2839977	10	50
sette, pair		2,69		



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



 Program for profile doors
 358

 Program for windows
 439


 Lift/slide door sets
 508

M1530/30P

HOPPE brass lever half set on narrow rose for profile doors, **Atlanta Series**. Rose with nylon base, lever fixed/movable (F/D), HOPPE expanding solid spindle, concealed fixing with wood screws.



Article description	rin.	F41-R	F71	F77-R	DII	0.0
		Article no./€	Article no./€	Article no./€	P.U.	O.C.
Half set	8	3074937	3074953	3074945	2	8
		19,54	15,03	22,55		



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



Matching products for other applications:

Sets for internal doors	135
Program for profile doors	358
Program for windows	439
Lift/slide door sets	508



M1545/30P/30PS


HOPPE brass lever set on narrow rose with narrow escutcheon for profile doors, **Cannes Series**. Rose and escutcheon with nylon base, loose lever (both side receiver handle) with **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).



Article description		[]	Kevhole	F41-R	F71	F72	F77-R	DII	0.0
Article description		+	Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set	57-74	8	\bigcirc	3243163	3243139	3243147	3243180	1	4
			U	56,02	37,41	37,41	61,63		







The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



Matching products for other applications:
Sets for internal doors.......143
Pull handles......335

Program for windows......442




M1643/844P/844PS New

HOPPE brass lever set on narrow rose with narrow escutcheon for profile doors, **Dallas Series**. Rose and escutcheon with nylon base, loose lever (both side receiver handle) with **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).



Article description			Keyhole	F41-R	F49-R	F71	F77-R	P.U.	O.C.
		i 4 → i	Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set	37-49	8	\cap	3395554	3395571	3395538	3395597	1	4
			U	62,73	60,53	46,63	65,02		
	62-74	8	\bigcirc	3395562	3395589	3395546	3395600	1	4
			U	62,73	60,53	46,63	65,02		.





The Resista® guarantee applies to all finishes with the letter **R** in the finish key.




Matching products for other
applications:
Sets for internal doors149
Pull handles336
Knobs415
Program for windows443
Lift/slide doors511

M1613/300LF

HOPPE brass lever set on narrow backplate for profile doors, **Elba Series**. Loose lever, HOPPE profile spindle, visible fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).



Article description			Keyhole/		F54	F55	F56	F76	DII	O.C.
Article description		₩	Dista	ance	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set	35-56	8	\cap	90	2943213	2943230	2943248	2943256	1	4
			U		31,49	31,49	31,49	31,49		
	60-81	8	\bigcirc	90	3063656	3063664	3063672	3063681	1	4
			U		31,49	31,49	31,49	31,49		




M1613/20/20S

HOPPE brass lever set on narrow rose with narrow escutcheon for profile doors, **Elba Series**. Rose and escutcheon with nylon base, loose lever, HOPPE profile spindle, visible fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).



Article description			Keyhole	F54	F55	F56	F76	DII	O.C.
		₩	Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set	60-81	8	\cap	2931167	2931183	2931191	2931204	1	4
			U	31,49	31,49	31,49	31,49		
	60-81	8	0	2931116	2931124	2931132	2931141	1	4
			U	31,49	31,49	31,49	31,49		



Houston (Brass), Luxembourg (Aluminium)






M1623/844P/844PS

HOPPE brass lever set on narrow rose with narrow escutcheon for profile doors, Houston Series. Rose and escutcheon with nylon base, loose lever (both side receiver handle) with HOPPE Quick-Fit connection (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to DIN EN 1906 (category of use: grade 3).



Article description			Keyhole	F41-R	F49-R	F71	F77-R	DII	O.C.
				Article no./€	Article no./€	Article no./€	Article no./€	1 .0.	0.0.
Set	37-49	8	\cap	3395466	3395491	3395440	3395511	1	4
			U	57,07	54,99	42,44	59,17		
	62-74	8	\bigcirc	3395474	3395503	3395458	3395520	1	4
			U	57,07	54,99	42,44	59,17		



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



Matching products for other applications: Sets for internal doors......155 Program for windows.....446

099/66N/U26/099/66NS/49PNS

HOPPE aluminium lever set on narrow rose with narrow escutcheon for patio doors, Luxembourg Series. HOPPE solid spindle, concealed bolt-through-fixing.

F1

F9

F9016





Matching products for other Program for profile doors373

P.U.

O.C.

Luxembourg (Aluminium), Marseille (Stainless steel)

099KH/66N/U26/099/66NS/49PNS


HOPPE aluminium lever set on narrow rose with narrow escutcheon for patio doors, **Luxembourg Series**. Lever with short neck outside, HOPPE solid spindle, concealed bolt-through-fixing.

F9

Article no./€

8126062

37,60



Matching products for other applications:

F9016

Article no./€

8126096

41,17

Program for profile doors373
Program for windows446

P.U.

O.C.

10



E1138Z/30P/30PS


HOPPE stainless steel lever set on narrow rose with narrow escutcheon for profile doors, **Marseille Series**. Rose and escutcheon with nylon base, loose lever (both side receiver handle) with **HOPPE Quick-Fit connection** (HOPPE solid spindle). Corresponding to **DIN EN 1906** (category of use: grade 3).



Article description			Kevhole	F69		PH	00
Article description		₩	Reynole	Article no./€		P.U.	0.0.
Set, without screws	65-75	8	\bigcirc	3292272		1	10
			U	34,70			



Description	 		DII	0.C.
Description	 	Article no./€	F.U.	0.0.
RFL-R/L spring cas-	8	2839977	10	50
sette, pair		2,69		



Matching products for other

Marseille (Stainless steel), New York (Aluminium)






E1138Z/30P

HOPPE stainless steel lever set on narrow rose for profile doors, **Marseille Series**. Rose with nylon base, loose lever (both side receiver handle) with **HOPPE Quick-Fit connection** (HOPPE solid spindle). Corresponding to **DIN EN 1906** (category of use: grade 3).



Article description			F69		DII	0.0
Article description		-	Article no./€		JF.U.	0.0.
Set, without screws	65-75	8	3311146		1	10
			32,34			



Matching products for other applications:
Sets for internal doors

Sets for internal doors	159
Program for fire-resistant doors	279
Program for profile doors	376
Security sets	388
Program for windows	449



1810/30P/30PS New


HOPPE aluminium lever set on narrow rose with narrow escutcheon for profile doors, **New York Series**. Rose and escutcheon with nylon base, loose lever (both side receiver handle) with **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).



Article description		F.:	Kevhole	F1	F4	F9	F8707	DII	0.0
Article description		+	Reynole	Article no./€	Article no./€	Article no./€	Article no./€	r.U.	O.C.
Set	55-65	8	0	3429161	3429187	3429195	3429208	1	10
			U	19,39	22,32	22,32	19,39		



Article description			Kevhole	F9010	F9016		P.U.	O.C.
Article description		+	Reynole	Article no./€	Article no./€		JF.U.	0.0.
Set	55-65	8	\bigcirc	3497163	3429179		1	10
			U	19,39	19,39			



Matching products for other applications:

Sets for internal doors	. 165
Program for profile doors	.378
Program for windows	450
Lift/slide door sets	512

New York (Aluminium)




1810/30P New

HOPPE aluminium lever set on narrow rose with narrow escutcheon for profile doors, **New York Series**. Rose with nylon base, loose lever (both side receiver handle) with **HOPPE Quick-Fit connection** (HOPPE solid spindle), Corresponding to **DIN EN 1906** (category of use: grade 3).



Article description			F1	F4	F9	F8707	DII	0.0
Article description		 	Article no./€	Article no./€	Article no./€			0.0.
Set	55-65	8	3497227	3387474	3497235	3387482	1	10
			12,25	14,09	14,09	12,25		

Article description			F9010	F9016		PH	0.0
Article description		+	Article no./€	Article no./€		P.U.	O.C.
Set	55-65	8	3497358	3497331		1	10
			12,25	12,25			



Matching products for other applications:


0810/961N/U10/0810/962NS/PNS New

HOPPE aluminium lever set on narrow rose with narrow escutcheon for patio doors, **New York Series**. HOPPE solid spindle, concealed bolt-through-fixing.



Article description		曲	Lugs	 Keyhole	F1	F9	F4	F8707	DII	0.0
Article description		₩	Ø	reynole	Article no./€	Article no./€	Article no./€	Article no./€	JF.U.	O.C.
Set	63-73	7	10	\cap	3273792	3273881	3382358	3273899	1	10
				U	33,72	38,78	38,78	32,11		

Article description	4Db		Lugs	Keyhole	F9010	F9016		DII	0.0
Article description		₩	Ø	reynole	Article no./€	Article no./€		F.U.	0.0.
Set	63-73	7	10		3498799	3273901		1	10
					32,11	32,11			



Matching products for other applications:

Sets for internal doors

Sets for internal doors165
Program for profile doors378
Program for windows450
Lift/slide door sets512




099KH/961N/U10/0810/962NS/PNS New

HOPPE aluminium lever set on narrow rose with narrow escutcheon for patio doors, **New York Series**. Lever with short neck outside, HOPPE solid spindle, concealed bolt-through-fixing.



Article description	4Dh	m	Lugs	Keyhole	F1	F9	F4	F8707	P.U.	0.0
Article description		₩	Ø	reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set	63-73	7	12	\bigcirc	3273928	3273936	3382420	3273944	1	10
					33,72	38,78	38,78	32,11		

Article description	4	III.	Lugs	Keyhole	F9010	F9016		DII	0.0
Article description		₩	Ø	reynole	Article no./€	Article no./€		F.U.	0.0.
Set	63-73	7	10	\cap	3499821	3273952		1	10
					32,11	32,11			





1140/30P


HOPPE aluminium lever set on narrow rose for profile doors, **Stockholm Series**. Rose with nylon base, loose lever (both side receiver handle), **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).



Article description		F.:-1	F1	F9		P.U.	O.C.
Article description		+	Article no./€	Article no./€		JF.U.	O.C.
Set, without screws	35-50	8	3296484	3296505		1	10
			15,87	17,61			
	65-80	8	3296492	3296513		1	10
			15,87	17,61			



Description	[]			P.U.	0.0
Description	H	Article no./€			O.C.
RFL-R/L spring cas-	8	2839977		10	50
sette, pair		2,69			



Stockholm (Stainless steel)



E1140Z/30P/30PS

HOPPE stainless steel lever set on narrow rose with narrow escutcheon for profile doors, **Stockholm Series**. Rose and escutcheon with nylon base, loose lever (both side receiver handle), **HOPPE Quick-Fit connection** (HOPPE solid spindle). Corresponding to **DIN EN 1906** (category of use: grade 3).




Article description		F.:	Kevhole	F69		DII	0.0
Article description		₩	Reynole	Article no./€		r.U.	0.0.
Set, without screws	65-75	8	\bigcirc	3292379		1	10
			U	34,70			





Description					P.U.	00
Description		Article no./€	Article no./€			
RFL-R/L spring cas-	8	2839977			10	50
sette, pair		2,69				



Matching products for other applications:



E1140Z/30P


HOPPE stainless steel lever set on narrow rose for profile doors, **Stockholm Series**. Rose with nylon base, loose lever (both side receiver handle) with **HOPPE Quick-Fit connection** (HOPPE solid spindle). Corresponding to **DIN EN 1906** (category of use: grade 3).



Article description			F69		DII	o.c.
Article description		₩	Article no./€		F.U.	0.0.
Set, without screws	65-75	8	3311197		1	10
			32,34			



Description			DII	
Description	 	Article no./€	r.0.	0.0.
RFL-R/L spring cas-	8	2839977	10	50
sette, pair		2,69		



Matching products for other applications:




0710RH/66N/U26/0710/66NS/49PNS

HOPPE aluminium lever set on narrow rose with narrow escutcheon for patio doors, **Tôkyô Series**. HOPPE solid spindle, concealed bolt-through-fixing.



Article description	4		Lugs	Keyhole	F1	F2	F4	F9	P.U.	O.C.
Article description		₩	Ø	regnole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set	63-68	7	12	\bigcirc	8137416	8137432	8137440	8137457	1	10
				U	34,01	34,01	39,11	39,11		
	78-83	7	12		2059410				1	10
				U	34,01					
	88-93	7	12		3512984				1	10
				U	34,01					


Article description			Lugs	Keyhole	F8707	F9016		P.U.	O.C.
Article description		₩	Ø	rteyriole	Article no./€	Article no./€		F.U.	0.0.
Set	63-68	7	12	\bigcirc	8137473	8137481		1	10
				U	34,01	34,01			
	78-83	7	12	\bigcirc		2059452		1	10
				U		34,01			
	88-93	7	12			3513101		1	10
				U		34,01			



099KH/66N/U26/0710/66NS/49PNS


HOPPE aluminium lever set on narrow rose with narrow escutcheon for patio doors, **Tôkyô Series**. Lever with short neck outside, HOPPE solid spindle, concealed bolt-through-fixing.







Article description			Lugs	Keyhole	F8707	F9016		P.U.	O.C.
Article description			Ø	Reynole	Article no./€	Article no./€		JF.U.	0.0.
Set	63-68	7	12	\cap	8127425	8127433		1	10
				U	34,01	34,01			
	63-68	7	10			2017893		1	10
				U		34,01			
	73-78	7	10			2245693		1	10
						34,01			
	88-93	7	10	\bigcirc		3167113		1	10
						34,01			





M1710RH/30P/30PS


HOPPE brass lever set on narrow rose with narrow escutcheon for profile doors, **Tôkyô Series**. Loose lever (both side receiver handle), **HOPPE Quick-Fit connection** (HOPPE solid spindle), concealed fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 3).



Article description			Kevhole	F41-R	F71	F77-R	DII	0.0
Article description		+	Reynole	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set	59-65	8	\bigcirc	3243585	3243593	3243614	1	4
			U	36,92	30,56	51,75		



Description		Article no./€	P.U.	O.C.
RFL-R/L spring cas- sette, pair	8	2839977 2.69	10	50
octto, pair		(///2509///)		



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.




Matching products for other
applications:
Sets for internal doors182
Program for windows458

M1710RH/30P

HOPPE brass lever half set on narrow rose for profile doors, **Tôkyô Series**. Rose with nylon base, lever fixed/movable (F/D), HOPPE expanding solid spindle, concealded fixing with wood screws.



Article description	F	F41-R	F71	F77-R	P.U.	0.0
Article description	 	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Half set	8	3074996	3075016	3075008	2	8
		13,36	10,28	15,42		



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



Matching products for other applications:
Sets for internal doors.

Valencia (Brass), Roses and escutcheons (Aluminium)


M170/20/20S

HOPPE brass lever set on narrow rose with narrow escutcheon for profile doors, **Valencia Series**. Rose and escutcheon with nylon base, loose lever, HOPPE profile spindle, visible fixing with wood screws. Corresponding to **DIN EN 1906** (category of use: grade 2).



Article description			Keyhole	F54	F55	F56	F76	P.U.	O.C.
Article description		 	Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set	41-81	8	\cap	2641688	2641696	2641709	2641717	1	4
			U	65,38	65,38	65,38	65,38		
	41-81	8	\bigcirc	2452772	2452801	2452810	2452836	1	4
			U	65,38	65,38	65,38	65,38		





Matching products for other applications:

Sets for internal doors	187
Pull handles	337
Program for windows	459

30P and 30PS

HOPPE aluminium narrow rose and escutcheon for profile doors. Rose and escutcheon with nylon base, concealed fixing.



Article description	Kaybala	F1	F4	F9	P.U.	O.C.
Article description	Keyhole	Article no./€	Article no./€	Article no./€	F.U.	O.C.
Rose, without screws,		2622102	2622129	2622145	5	25
pair		4,26	4,90	4,90		
Escutcheon, without		2622495	2622516	2622532	5	25
screws, pair	U	4,26	4,90	4,90		
		2622268	2622292	2622313	5	25
		4.26	4.90	4.90		



Description	F.:			P.U.	0.0
Description	 	Article no./€		P.U.	0.0.
RFL-R/L spring cas-	8	2839977		10	50
sette, pair		2,69			






SK802/30P/OL46

HOPPE aluminium narrow escutcheon for profile doors. Escutcheon with nylon base, concealed fixing.



Article description			Kevhole	F1		DII	0.0
Article description		₩	Reynole	Article no./€		F.U.	0.0.
Escutcheon,	45	5-8	Ð	3051751		100	100
without screws, pair			<u> </u>	16,33			



dura**plus**®

Roses and escutcheons (Stainless steel), pull handle (Nylon)



E30P and E30PS

HOPPE stainless steel narrow rose and escutcheon for profile doors. Rose and escutcheon with nylon base, concealed fixing.



Article description		F69		P.U.	O.C.
Article description		Article no./€		JF.U.	0.0.
Rose, without screws,		2620545		5	25
pair		16,58			
Escutcheon, without	Λ	2620553		5	25
screws, pair	U	16,58			
	0	2620588		5	25
	U	16,58			



Description			P.U.	0.0
Description		Article no./€	F.U.	0.0.
RFL-R/L spring cas-	8	2839977	10	50
sette, pair		2,69		





E30P


E30PS

ESK810/30P/OL810

HOPPE stainless steel narrow escutcheon for profile doors. Rose and escutcheon with nylon base, concealed fixing.



Article description			Kevhole	F69	F77-R		P.U.	O.C.
Article description		₩	Reynole	Article no./€	Article no./€		r.U.	0.0.
Escutcheon,	45	5-8	\oplus	3125618	3125669		100	100
without screws, pair				49,48	79,17			



K435

HOPPE nylon pull handle for patio door. Concealed fixing with wood screws.



Article description		F8019M	F9003M		P.U.	0.0
Article description		Article no./€	Article no./€		JF.U.	0.0.
Pull handle, piece		572120	572113		10	60
		3,88	3,88			ı



Program for balcony doors







Buenos Aires (Brass), Pull handle (Aluminium)


M1840/23P/23PS New

HOPPE brass lever set on narrow rose for profile doors, **Buenos Aires Series**. Rose and escutcheon with nylon base, loose lever, HOPPE profile spindle, concealed fixing with wood screws.



Article description			Keyhole	F41	F49	F71	F73	DII	O.C.
Article description		₩	Reynole	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Set	48-81	8	\cap	3546236	3546447	3546261	3546471	10	10
			U	31,72	31,72	25,83	25,83		
	48-81	8		3546244	3546463	3546279	3546480	10	10
			U	31,72	31,72	25,83	25,83		






M1840/23P New

HOPPE brass lever set on narrow rose for profile doors, **Buenos Aires Series**. Rose with nylon base, loose lever, HOPPE profile spindle, concealed fixing with wood screws.



Article description			F41	F49	F71	F73	חום	00
Article description		₩	Article no./€	Article no./€	Article no./€	Article no./€	P.U.	0.0.
Set	48-81	8	3546404	3546412	3546421	3546439	10	10
			25.37	25.37	20.66	20.66		




430

HOPPE aluminum pull handle for patio doors, visible fixing with wood screws.



Article description		F1	F2	F4	F9016	P.U.	00	
Article description		Article no./€	Article no./€	Article no./€	Article no./€		0.0.	
Pull handle, without			517077	517060	517053	634798	50	50
screws, piece			5,08	5,08	5,85	5,08		.





Handles for parallel slide/tilt doors and lift/slide door sets





Contents



Product line duravert®

for the discerning



Athinai HS-M5172 page 502



Monte Carlo HS-M550 page 503







Product line dura**plus**®

more than usual



Amsterdam HS-E0400 page 506



Dallas PSK-M0643 HS-M0643 New page 511



Strasbourg PSK-0735 page 514



AtlantaPSK-(M)0530
HS-(M)0530
page 506



New York PSK-0810 HS-0810 New page 512



TôkyôHS-571
page 515



Bonn HS-E050 page 509



Paris HS-E038 page 514



Lift/slide door sets HS-M576(K) page 516



BrestPSK-0739
HS-0739
page 509

Lift/slide door sets








for the discerning duravert®


Athinai (Brass)

HS-M5172/419/423 and HS-M5172/419

HOPPE brass lift/slide door set with shell, **Athinai Series.** Outside shell, inside cover cap, metal base with supporting lugs, 180° stop-in positions, long lever fixed/movable (F/D), HOPPE solid spindle, concealed bolt-through-fixing with thread screws.









The Resista® guarantee applies to all finishes with the letter **R** in the finish key.



Matching products for other applications:

Sets for internal doors88
HCS®216
Pull handles300
Program for windows426
Complementary products522




F75-R



HS-M550/455/423 and HS-M550/455

HOPPE brass lift/slide door set with shell, **Monte Carlo Series**. Outside shell, inside cover cap, metal base with supporting lugs, 180° stop-in positions, long lever loose, HOPPE solid spindle, concealed bolt-through-fixing with thread screws.

Article description			Keyhole/	F46-R	F65-R	F74-R	F75-R	DII	O.C.
Article description		+	Distance	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
HS-M550/455/423:	72-77	10	without	2245263	2245271	2245255	2245247	1	4
set with shell				149,13	149,13	149,13	149,13		
HS-M550/455:	60-75	10	O 69	2245301	2245319	2245298	2245280	1	4
set as pair			U	284,66	284,66	284,66	284,66		





The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.

F74-R



Matching products for other	
applications:	
Sets for internal doors	114
Program for sliding doors	242
Pull handles	302
Knobs	406
Program for windows	430



With the F75-R finish, the rosette and upper and lower surfaces of the handle are polished and the front surface is satin.

Handles for parallel slide/tilt doors and lift/slide door sets








more than usual duraplus®

Amsterdam (Stainless steel), Atlanta (Aluminium)

HS-E0400Z/431N/422 and HS-E0400Z/431N

HOPPE stainless steel lift/slide door set with shell, **Amsterdam Series.** Outside shell, inside cover cap, metal base with supporting lugs, 180° stop-in positions, long lever fixed/movable (F/D), HOPPE solid spindle, concealed bolt-through-fixing with thread screws.

Article description			Keyhole/	F32-1&F69	F69		P.U.	O.C.
Article description		₩	Distance	Article no./€	Article no./€		JF.U.	0.0.
HS-E0400Z/431N/422:	70-75	10	without	2619608			1	4
set with shell				174,74				
HS-E0400Z/431N:	55-75	10	O 69		2619616		1	4
set as pair			l U		335,60			




PSK-0530S/US952 (100 Nm) New



HOPPE aluminium lockable window handle for parallel slide/tilt door with **Secu100® + Secustik®** technology (100 Nm), **Atlanta Series**. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. The rosette is lockable with push cylinder and reversible key. Fulfils the requirements of **DIN EN 1627-1630**.



Article description	Droinating	П	Lugs	F1	F4	F9	F9016	DII	0.0
Article description	Projecting	 	Ø	Article no./€	Article no./€	Article no./€	Article no./€	r.U.	0.0.
window handle for par-	35	7	10	3294083	3357081	3357072	3294091	2	20
allel slide/tilt door, piece				41,91	48,20	48,20	41,91		



Information about Secu100® + Secustik® technology see page 64.

applications:	
Sets for internal doors	133
HCS®	220
Program for profile doors	356
Program for windows	436
Program for balcony doors	478

Matching products for other



PSK-0530/US952-1








Article description	Drojooting		Lugs	F1	F4	F9	F8707	DII	0.0
Article description F	Projecting	₩	Ø	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	O.C.
window handle for parallel	35	7	10	3211153	3211217	3211188	3211276	10	40
slide/tilt door, piece				23,43	26,95	26,95	23,43		

Article description	Drojooting		Lugs	F9016		P.U.	0.0
Article description	Projecting	₩	Ø	Article no./€		P.U.	0.0.
window handle for parallel	35	7	10	3211241		10	40
slide/tilt door, piece				23,43			



Information about Secustik® technology see page 59.


HS-0530/431N/422 and HS-0530/431N New

HOPPE aluminium lift/slide door set with shell, **Atlanta Series.** Outside shell, inside cover cap, metal base with supporting lugs, 180° stop-in positions, long lever fixed/movable (F/D), HOPPE solid spindle, concealed bolt-through-fixing with thread screws.



Article description	Project-		Lugs	F1	F4	F9	F8707	P.U.	O.C.
Article description	ing	<u>₩</u>	Ø	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
HS-0530/431N/422:	70-75	10	UG	3322081	3322110	3322099	3527511	1	4
set with shell				52,42	60,28	60,28	52,42		
HS-0530/431N:	65-75	10	O 69	3322515	3322591	3322558	3473292	1	4
set as pair				90,15	103,67	103,67	90,15		

Article description	Project-	m	Lugs	F9016		P.U.	0.0
Article description	ing	→	Ø	Article no./€		1 .0.	0.0.
HS-0530/431N/422:	70-75	10	UG	3322101		1	4
set with shell				52,42			
HS-0530/431N:	65-75	10	() 69	3322486		1	4
set as pair			U	90,15			



Matching products for other applications:

Sets for internal doors133
HCS [®] 220
Program for profile doors356
Program for windows436
Program for balcony doors478

PSK-M0530/US956

Article description

Article description

HS-M0530/431N:

set with shell

HS-M0530/431N/423:

Window handle.

HOPPE brass Secustik® window handle for parallel slide/tilt door, Atlanta Series. Cover cap, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Fulfils the requirements of AhS RAL-RG 607/13.

F41-R

Article no./€

2407120

40,18

Luas

Ø

10

Projecting

35

F71



without screws, piece	
14 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	33

		—		11)11	O.C.
	Article no./€	Article no./€	Article no./€	F.U.	0.0.
1	2407015	2407023	2407154	1	10
	29,77	29,77	40,18		
		Information	about Sec	ustik®	® tech-

F77-R

P.U.

O.C.

F72

nology see page 59. The Resista® guarantee applies to

all finishes with the letter R in the finish key.



Matching products for other applications: Sets for internal doors......135 Program for profile doors358 Program for windows......439 Program for balcony doors480

HS-M0530/431N/423 and HS-M0530/431N

Keyhole/

Distance

without

69

HOPPE brass lift/slide door set with shell, Atlanta Series. Outside shell, inside cover cap, metal base with supporting lugs, 180° stop-in positions, long lever fixed/movable (F/D), HOPPE solid spindle, concealed boltthrough-fixing with thread screws.

F41-R

2730787

157,57

2730841

F71

Article no./€ Article no./€ Article no./€

2730752

130,32

2730816

246.99

F72

2730761

130,32

2730824

246,99



set as pair					<u> </u>	301,50
150	13 80 80 80 80 80 80 80 80 80 80 80 80 80	80 815 816		092	160	34
1 22 1	11 2	14	/	4		J4

70-75

60-75

10

10

The Resista® guarantee applies to all finishes with the letter R in the finish key.

F77-R

Article no./€

2730808

166,66

2730867

319,67

P.U.

O.C.

4

4



Matching products for other applications: Sets for internal doors......135 Program for profile doors358 Program for windows......439 Program for balcony doors 480




HS-E050Z/431N/422 and HS-E050Z/431N

HOPPE stainless steel lift/slide door set with shell, **Bonn Series.** Outside shell, inside cover cap, metal base with supporting lugs, 180° stop-in positions, long lever fixed/movable (F/D), HOPPE solid spindle, concealed bolt-through-fixing with thread screws.







Matching products for other applications:
Sets for internal doors......141
Program for windows.....441

PSK-0739/US954-1






HOPPE aluminium **Secustik®** window handle for parallel slide/tilt door, **Brest Series**. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. Tested according to **RAL-RG 607/9**, fulfils the requirements of **AhS RAL-RG 607/13**.



Article description	Drojooting		Lugs	F1	F9	F9016	P.U.	O.C.
Article description	Projecting	+	Ø	Article no./€	Article no./€	Article no./€	r.U.	0.0.
Window handle,	35	7	10	2708619	2554373	2554390	10	40
without screws, piece				23,43	26,95	23,43		




Information about Secustik® technology see page 59.


Matching products for other applications:
Program for windows......441

HS-0739/431N/422 and HS-0739/431N

HOPPE aluminium lift/slide door set with shell, **Brest Series.** Outside shell, inside cover cap, metal base with supporting lugs, 180° stop-in positions, long lever fixed/movable (F/D), HOPPE solid spindle, concealed bolt-through-fixing with thread screws.



Article description			Keyhole/	F9016	F9714		P.U.	O.C.
Article description		₩	Distance	Article no./€	Article no./€		F.U.	0.0.
HS-0739/431N/422:	60-65	10	without	2866246	2868655		1	4
set with shell				54,43	54,43			
HS-0739/431N:	65-75	10	O 69	2867345	2871096		1	4
set as pair				96,06	96,06			
			without	2866983	2869164		1	4
				96,06	96,06			



Matching products for other applications:
Program for windows......441




secustik®

PSK-M0643/US943 New

HOPPE brass **Secustik®** window handle for parallel slide/tilt door, **Dallas Series**. Cover cap, nylon rosette with brass frame and supporting lugs, solid spindle, 45° stop-in positions. Fulfils the requirements of **AhS RAL-RG 607/13**.

Article description	Drojecting		Lugs	F41-R	F49-R	F71	F77-R	DII	0.0
Article description	Projecting	₩	Ø	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Window handle,	35	7	10	3396047	3396063	3396021	3396098	1	10
without screws, piece				46,23	44,65	34,97	47,85		



Information about Secustik® technology see page 59.

The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.




Matching products for other	
applications:	
Sets for internal doors	149
Pull handles	336
Knobs	415
Program for windows	443
Program for balcony doors	481

HS-M0643/419N/423 and HS-M0643/419N New

HOPPE brass lift/slide door set with shell, **Dallas Series**. Outside shell, inside cover cap, metal base with supporting lugs, 180° stop-in positions, long lever fixed/movable (F/D), HOPPE solid spindle, concealed bolt-through-fixing with thread screws.

Article description	411		Keyhole/	F41-R	F49-R	F71	F77-R	DII	0.0
Article description		₩	Distance	Article no./€	Article no./€	Article no./€	Article no./€	JF.U.	0.0.
HS-M0643/419N/423:	70-75	10	without	3391836	3391852	3391828	3391861	1	4
set with shell				82,25	79,21	60,92	85,30		
HS-M0643/419N:	60-75	10	O 69	3391887	3391895	3391879	3391908	1	4
set as pair			U	155,21	149,46	114,96	160,94		



The Resista® guarantee applies to all finishes with the letter ${\bf R}$ in the finish key.



Matching products for other	
applications:	
Sets for internal doors	149
Pull handles	336
Knobs	415
Program for windows	443
Program for balcony doors	481

New York (Aluminium)




PSK-0810S/US10 (100 Nm) New

HOPPE aluminium lockable window handle for parallel slide/tilt door with **Secu100® + Secustik®** technology (100 Nm), **New York Series**. Spring-supported swivel cover plate, nylon rosette with supporting lugs, solid spindle, 90° stop-in positions. The rosette is lockable with push cylinder and reversible key. Fulfils the requirements of **DIN EN 1627-1630**.



Article description	Projecting		Lugs	F1	F4	F9	F9016	DII	0.0
Article description	rrojecting	₩	Ø	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	O.C.
window handle for par-	35	7	10	3528142	3528185	3528151	3528169	2	20
allel slide/tilt door, piece				40,11	46,13	46,13	38,20		



Information about Secu100® + Secustik® technology see page 60.

Matching products for other	
applications:	
Sets for internal doors	165
Program for profile doors	378
Program for windows	450
Program for balcony sets	485

PSK-0810/U10 New



O.C.

20

P.U.

HOPPE aluminium window handle for parallel slide/tilt door, **New York Series**. Spring-supported swivel cover plate, nylon rosette with reinforcement plate and supporting lugs, solid spindle, 90° stop-in positions. Tested according to **RAL-RG 607/9**.

F1

Article no./€

3371675

15,47

F4

3390884

17,79

Lugs

Ø

10

Projecting |

35



without screws, piece	
13 51 29	32

Article description

Window handle,

17,79	14,/3		
Matalalaaa	l t - f 1		
Matching pro	oducts for ot	ner	
applications:	:		
Sets for inter	rnal doors		

F9

Article no./€ Article no./€ Article no./€

3371683


Sets for internal doors165
Program for profile doors378
Program for windows450
Program for balcony sets 485

F9016




HS-0810/431N/422 and HS-0810/431N New

HOPPE aluminium lift/slide door set with shell, **New York Series.** Outside shell, inside cover cap, metal base with supporting lugs, 180° stop-in positions, long lever fixed/movable (F/D), HOPPE solid spindle, concealed bolt-through-fixing with thread screws.



	_		14 1 1 1	E0040			
Article description			Keyhole/	F9016		P.U.	O.C.
Article description		₩	Distance	Article no./€		F.U.	0.0.
HS-0810/431N/422:	70-75	10	without	3273442		1	4
set with shell				42,97			
HS-0810/431N:	65-75	10	O 69	3273670		1	4
set as pair			U	74,21			




Paris (Stainless steel), Strasbourg (Aluminium)

HS-E038Z/431N/422 and HS-E038Z/431N

HOPPE stainless steel lift/slide door set with shell, **Paris Series**. Outside shell, inside cover cap, metal base with supporting lugs, 180° stop-in positions, long lever fixed/movable (F/D), HOPPE solid spindle, concealed bolt-through-fixing with thread screws.



Article description	d to		Keyhole/	F32-1&F69	F69		P.U.	O.C.
Article description		₩	Distance	Article no./€	Article no./€		F.U.	0.0.
HS-E038Z/431N/422:	70-75	10	without	2619675			1	4
set with shell				151,95				
HS-E038Z/431N:	55-75	10	O 69		2619683		1	4
set as pair			U		290,02			



Matching products for other applications:

PSK-0735/U26




HOPPE aluminium window handle for parallel slide/tilt door, **Strasbourg Series**. Spring-supported swivel cover plate, nylon rosette with reinforcement plate and supporting lugs, solid spindle, 90° stop-in positions. Tested according to **RAL-RG 607/9**.



Article description Project	Drojecting	m	Lugs	F1	F2	F4	F9	DII	0.0
	Projecting	₩	Ø	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
Window handle,	35	7	10	2085669	2317693	2085829	2742032	2	20
without screws, piece				15,39	15,39	17,69	17,69		


Article description	Drojooting		Lugs	F8707	F9016		P.U.	0.0
	Projecting	₩	Ø	Article no./€	Article no./€		P.U.	0.0.
Window handle,	35	7	10	2539000	1893859		2	20
without screws, piece				15,39	15,39			






HS-571/431N/422 and HS-571/431N

HOPPE aluminium lift/slide door set with shell, **Brest Series.** Outside shell, inside cover cap, metal base with supporting lugs, 180° stop-in positions, long lever fixed/movable (F/D), HOPPE solid spindle, concealed bolt-through-fixing with thread screws.







Matching products for other	
applications:	
Sets for internal doors	179
Program for profile doors	379
Security sets	392
Program for windows	456
Program for halcony doors	189


Lift/slide door sets (Brass)

HS-M576/419/423 and HS-M576/419

HOPPE brass lift/slide door set with shell. Outside shell, inside cover cap, metal base with supporting lugs, 180° stop-in positions, long lever fixed/movable (F/D), HOPPE solid spindle, concealed bolt-through-fixing with thread screws.



Article description		m	Keyhole/	F54	F55	F56	F76	DII	O.C.
Article description		₩	Distance	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
HS-M576/419/423:	70-75	10	without	2930244	2930252	2930287	2930332	1	4
set with shell				111,77	111,77	111,77	111,77		
HS-M576/419:	65-75	10	O 69	2930172	2930181	2930199	2930201	1	4
set as pair				209,92	209,92	209,92	209,92		




HS-M576K/419/423

HOPPE brass lift/slide door set with shell. Outside shell, inside cover cap, metal base with supporting lugs, 180° stop-in positions, short lever fixed/movable (F/D), HOPPE solid spindle, concealed bolt-through-fixing with thread screws.




Article description	d d		Keyhole/	F54	F55	F56	F76	DII	O.C.
Article description		₩	Distance	Article no./€	Article no./€	Article no./€	Article no./€	F.U.	0.0.
HS-M576K/419/423:	70-75	10	without	2930341	2930359	2930367	2930375	1	4
set with shell (short				122,93	122,93	122,93	122,93		
lever)									



Complementary products





Contents



Complementary products



Information signs page 520



Hat and coat hooks page 522



SecuSignal® radio receiver page 522




Door stops page 521



Complementary products





Information signs (Stainless steel)


E663

HOPPE stainless steel circular information sign.



Article description		F69		DII	O.C.
		Article no./€		JF.U.	0.0.
Information sign: E663		605200		5	30
"PUSH", piece		18,29			
Information sign: E663		605217		5	30
"PULL", piece		18,29			







E664

HOPPE stainless steel circular information sign.













E665

HOPPE stainless steel square information sign.











Door stops (Stainless steel, brass)



E484

HOPPE stainless steel door stop, floor fixing.



Article description	olo description			P.U.	O.C.
Article description		Article no./€		F.U.	0.0.
Door stop, piece		604531		5	25
		14,46			



E487

HOPPE stainless steel door stop, wall fixing.



Article description		F69		P.U.	0.0
Article description		Article no./€		JF.U.	0.0.
Door stop, piece		606511		5	30
		8,12			



E497

HOPPE stainless steel door stop, floor fixing.



Article description	F69	DII	O.C.
Article description	Article no./€	P.U.	0.0.
Door stop E497, piece	820221	5	30
	25,12		



M497

HOPPE brass door stop, floor fixing.



Article description	F71		DII	0.0	
Article description	Article no./€		P.U.	0.0.	
Door stop M497, piece	820238 19,64		5	30	



Hat and coat hooks (Stainless steel, Brass), SecuSignal® radio receiver

E695

HOPPE stainless steel coat hook.



Article description	escription	F69		DII	0.0
Article description		Article no./€		F.U.	0.0.
Coat hook E695, piece		820429		5	30
		26,59			



M695

HOPPE brass coat hook.



Article description	F71/F72	P.U.	
Article description	Article no./€	P.U.	0.0.
Coat hook M695, piece	820412 22,17	5	30




M696

HOPPE brass hat and coat hook.



A Calandara Callara	F49/F41	F71		DII	0.0
Article description	Article no./€	Article no./€		[P.U.]	0.0.
Coat hook, piece	820504	820511		5	30
	38,67	29,76			



FE-411



HOPPE nylon SecuSignal® radio receiver: 230-volt mains receiver including LED 7-segment display for numerical, two-digit indication of the programmed SecuSignal® window handles, 3 signal lights (red/amber/green) to indicate their status, and a control panel for programming. The receiver can be placed in a standing position or attached to a wall.

F7035

Article no./€

2513871

152,51

O.C.

10




Article description


SecuSignal® radio

Accessories





Contents



Fixing accessories



Fixing systems for pull handles

page 526



Fixing accessories

page 537



Sleeves for spindles

page 539



Drill jigs

page 530



Nylon lug

page 538



Sleeves for window handles

page 539



Spindles

page 531



Special spindles

page 538



Nylon washers

page 539



Sets of fixing accessories

page 535



Screws

page 539




Kit patent

page 540

Accessories






Fixing Systems for pull handles

Fixing System nº 1

HOPPE fixing system no. 1 for pull handles: concealed one-sided fixing for aluminium and nylon profiles as well as wood entrance doors with steel frame.



Autiala alaaasistias	Measure	Ø 25,30, K34	DII	00
Article description	V	Article no./€	P.U.	O.C.
BS-100/B, piece	6-11	6522924 14,70	1	10
BS-101/B, piece	11-16	625864 14,70	1	10
BS-102/B, piece	16-21	625871 14,70	1	10
BS-103/B, piece	21-26	6293153 14,70	1	10
BS-104/B, piece	26-31	659616 14,70	1	10
BS-105/B, piece	31-36	654819 14,70	1	10
BS-106/B, piece	36-41	625888 14,70	1	10
BS-107/B, piece	41-46	8018681 14,70	1	10



Attention: 1 fixing system (piece) per fixing point = 2 fixing systems per pull handle.

Matching drill jigs see page 530.


Wall thickness has to be at least 2 mm in the expanding area.

Fixing System nº 2

HOPPE fixing system no. 2 for pull handles: concealed one-sided fixing for wood doors.



Article description		Ø 25,30, K34	DII	0.0
		Article no./€	P.U.	0.0.
BS-201/B, piece	min. 56	562879	1	10
		17.94		



Attention: 1 fixing system (piece) per fixing point = 2 fixing systems per pull handle.

Matching drill jigs see page 530.




Fixing System nº 5

HOPPE fixing system no. 5 for pull handles: back-to-back-fixing for wood-, aluminium- and PVC-doors.



Article description		Ø 25,30, K34	DII	0.0
		Article no./€	P.U.	O.C.
BS-501/B, piece	37-47	600168 8,72	1	10
BS-502/B, piece	47-57	763870 8,72	1	10
BS-503/B, piece	57-67	646753 8,72	1	10
BS-504/B, piece	67-77	649808 8,72	1	10
BS-505/B, piece	77-87	606306 8,72	1	10
BS-506/B, piece	87-97	839759 8,72	1	10



Attention: 1 fixing system (piece) per fixing point = 2 fixing systems per pull handle.

Matching drill jigs see page 530.

Fixing System nº 7

HOPPE fixing system no. 7 for pull handles: back-to-back-fixing, for glass doors.



Article description		Ø 25,30, K34	DII	00
Article description		Article no./€	F.U.	0.0.
BS-701/B, piece	8-12	573585	1	10
		8,72		



glass profile

Attention: 1 fixing system (piece) per fixing point = 2 fixing systems per pull handle.

Matching drill jigs see page 530.


Fixing Systems for pull handles

Fixing System nº 8

HOPPE fixing system no. 8 for pull handles: one-sided bolt-through-fixing, with cover cap, for wood-, aluminium- and PVC-doors.



Article description		Ø 25,30, K34	DII	00
		Article no./€	P.U.	O.C.
BS-810/B, piece	37-47	6808521 20,28	1	10
BS-811/B, piece	47-57	829316 20,28	1	10
BS-812/B, piece	57-67	820641 20,28	1	10
BS-813/B, piece	67-77	6808562 20,28	1	10
BS-814/B, piece	77-87	6808570 20,28	1	10
BS-815/B, piece	87-97	6808596 20,28	1	10



profile

Attention: 1 fixing system (piece) per fixing point = 2 fixing systems per pull handle.

Matching drill jigs see page 530.

Fixing System nº 9

HOPPE fixing system no. 9 for pull handles: one-sided bolt-through-fixing, with cover cap, for glass doors



Article description		Ø 25 (F69)	Ø 30 (F69)	Ø 25,30, K34	P.U	J. O.C.
Article description		Article no./€	Article no./€	Article no./€	Γ.0	0.0.
BS-901/A, piece	8-12			807604 25,48	1	10
BS-901/B, piece	8-12	763016 23,65			1	10
BS-901/C, piece	8-12		763054 25.48		1	10



glass profile

Attention: 1 fixing system (piece) per fixing point = 2 fixing systems per pull handle.

Matching drill jigs see page 530.




Fixing System nº 10

HOPPE fixing system no. 10 for pull handles: Concealed wall fixing.



Article description	Ø 25, 30, K34	DII	O.C.
	Article no./€	P.U.	0.0.
BS-1001/B, piece	763009 10.96	1	10



Attention: 1 fixing system (piece) per fixing point = 2 fixing systems per pull handle.

Matching drill jigs see page 530.


Fixing System nº 11

HOPPE fixing system no. 11 for pull handles: concealed fixing for wood-, aluminium- and PVC-doors:


BS-1101 – for fixing in the area of the lock case for one-sided pull handle fixing on wood-, aluminium- and PVC-doors (PVC profiles can only be fitted in the case of V-measurement of 11-16 mm).

BS-1102 – for one-sided pull handle fixing on wood-, aluminium- and PVC-doors.

BS-1103 – for fixing in the area of the lock case for one-sided pull handle fixing on wood-, aluminium- and PVC-doors (PVC profiles can only be fitted in the case of V-measurement of 21-26 mm).




Article description	Ø 25, 30, K34	DII	. O.C.
Article description	Article no./€	P.U	. 0.0.
BS-1101, piece	1841717 7,05	1	10
BS-1102, piece	1841733 7,05	1	10
BS-1103, piece	2149116 7,05	1	10



Attention: 1 fixing system (piece) per fixing point = 2 fixing systems per pull handle.

Matching drill jigs see page 530.

aium	iiniu	ım k	oro	riie



nylon profile

pural profile

wood profile

Drill jigs and tools (fixing system for pull handles / security roses)


HOPPE drill jig for pull handles and security roses.



Article description			P.U.	O.C.
Article description	Article no./€		1 .0.	0.0.
Drill jig for pull handles,	6300867		1	1
piece	183,43			
Drill jig for security roses,	6300875		1	1
piece	76,93			
Facing cutter 10/13,	6300743		1	1
piece	48,31			
Facing cutter 10/16,	835430		1	1
piece	48,31			

Sets:

00101				
Set 1: Drill jig for pull handles,	6300859		1	1
drill jig for security roses,	349,10			
facing cutter 10/13 and 10/16,				
piece				
Set 2: Drill jig for pull handles,	6927156		-1	-1
, , ,			1	'
facing cutter 10/16, piece	218,93			









You can buy the drilling jigs as a set in a handy tool case.








Drill jig (security sets aso.)

HOPPE drilling jig and tools: for security sets, security sets for profile doors, profile door sets on backplate and interior door sets on rose.



Article description	on			P.U.	0.0	
7 ti dolo docompacti		Article no./€		1 .0.	0.0.	
Set including drilling jig,		1935191		1	1	
guide bolt for 8 mm, 9 mm and		176,55				
10 mm spindle size, guide bolt						
for 7 mm, 8 mm and 17 mm						
keyhole (dimension), drill bits						
of 7,5 mm and 10,5 mm dimen-						
sion, per piece						



You can buy the drilling jigs as a set in a handy tool case.



Solid spindle

Solid spindle: material iron.



Article description		lonath	zinc-plated	DII	O.C.		
Article description		length	Article no./€	P.U.	0.0.		
Solid spindle, pair	7	60	519071	10	10		
			0,36				
		70	519095	10	10		
			0,36				
		80	519118	10	10		
			0,36				
	8	110	519163	10	10		
			0,71				
				120	519170	10	10
			0,71				
			130	519187	10	10	
			0,77				
		135	2274911	10	10		
			0,77				
		140	519194	10	10		
			0,77				
		145	2275112	10	10		
			0,84				
		150	630974	10	10		
			0,84				
		160	666782	10	10		
			0,84				

FDW-solid spindle

FDW solid spindle in iron: This spindle may only be used in conjunction with knobs on backplates and with knob (pad) / lever sets which are equipped with the HOPPE Quick-Fit connection!



Article description			Longth	zinc-plated		DII	O.C.			
Article description			Length	Article no./€		P.U.	0.0.			
FDW-solid spindle, piece M12	M12	8	80	2875468 5,96		1	10			
			90	3203276 5,96		1	10			
			100	3203284 5,96		1	10			
						110	3203292 5,96		1	10
							120	3203313 6,05		1
			130	3203452 6,05		1	10			
			140	3203461 6,05		1	10			

FDW-Profile spindle efha

FDW-Profile spindle efha: This spindle may only be used in conjunction with knobs on backplates and knob / lever sets.



Article description			Longth	zinc-plated	DII	O.C.																					
Article description			Length	Article no./€	P.U.	0.0.																					
FDW-Profile spindle	M10	8	70	2122896	10	10																					
EFHA with tread, piece				5,96																							
			80	2122909	10	10																					
				5,96																							
			90	2122917	10	10																					
				5,96																							
	10	100	2122925	10	10																						
					5,96																						
							110	2122933	10	10																	
				5,96																							
																								120	2122941	10	10
				6,05																							
			130	2122950	10	10																					
				6,05																							
			140	2122968	10	10																					
				6,11																							

Profile spindle

Profile spindle in iron.



Article description		lonath	zinc-plated	P.U.	O.C.					
Article description		length	Article no./€	P.U.	O.C.					
Profile spindle, pair	8	100	517572 1,40	10	10					
		110	517596 1,40	10	10					
		120	517565 1,40	10	10					
							130	672578 1,47	10	10
		140	517589 1,47	10	10					
		150	693078 1,47	10	10					
		160	519200 1,47	10	10					



i-Solid profile spindle

HOPPE I solid profile spindle in iron: for doors drilled from both sides.



Article description	[- <u>:</u> -]	Longth	zinc-plated		P.U.	00
	 	Length	Article no./€		F.U.	0.0.
i-Solid profile spindle, piece	8	90	8053597 4,43		1	10
		110	6961239 5,24		1	10


F/Ei-Profile spindle



Solid profile spindle in iron: for lock follower depth 12-16 mm. This spindle may only be used with entrance doors drilled on one side and for half sets for the interior side of entrance doors in aluminium (only the 8 mm spindle version), stainless steel, nylon or brass.

Article description	 	length	zinc-plated	P.U.	00
	↓	iengtri	Article no./€	P.U.	0.0.
F/Ei-Profile spindle, piece	8	70	515073 4.59	1	10
		90	515066 5,01	1	10

Installation of F/Ei-Profile spindle



FDW-Profile spindle

FDW solid spindle in iron: This spindle may only be used in conjunction with knobs on backplates and knob / lever sets.



Article description			Length	zinc-plated	DII	O.C.	
Article description		₩	Lengui	Article no./€	F.U.	0.0.	
FDW-Profile spindle with tread, piece	M12	8	100	823246 5,96	10	10	
	M14 8			120	823277 6,05	10	10
			140	820849 6,11	10	10	
		110	515141 5,96	10	10		
			130	515097 6,05	10	10	

Solid profile spindle

Solid profile spindle in iron: with tempered flat spring, slotted on both sides.



Article description		lonath	zinc-plated	DII	O.C.
Article description	 	length	Article no./€	P.U.	0.0.
Solid profile spindle, piece	8	105	630905 3,88	10	10
		125	680092 4,43	10	10
		135	821914 4,68	10	10
		145	4872820 5,10	10	10

Expanding spindle New

Expanding spindle for handle sets with HOPPE Quick-Fit connection (can be used also for handle sets with profile spindle)



Article description		Longth	zinc-plated	DII	
Article description		Length	Article no./€	P.U.	O.C.
Expanding spindle, piece	8	45	1683894 1,94	1	10
		55	518524 1,94	1	10
		65	518531 1,94	1	10
		75	518555 2,08	1	10
		85	771967 2,08	1	10
		95	3532192 2,08	1	10

Expanding spindle

Expanding spindle for handle sets with HOPPE Quick-Fit connection (can be used also for handle sets with profile spindle)



Article description		Length	zinc-plated	P.U.	O.C.
Article description	 	Lengui	Article no./€	F.U.	0.0.
Expanding spindle,	9	65	3519730	1	10
piece			5,46		
		75	3519756	1	10
			5,46		
		85	3519828	1	10
			5,46		
	10	65	3522218	1	10
			5,46		
		75	3522251	1	10
			5,46		
		85	3522269	1	10
			5,46		

Sets of fixing accessories



Panic spindle

2-piece panic spindle with screw, 9 x 55 mm / 9 x 46 mm. Note: other dimensions on request



Article description		zinc-plated		P.U.	O.C.
	 	Article no./€		P.U.	0.0.
Piece panic spindle,	9	679607		10	10
set		3,40			

Set of fixing accessories for lift/slide door sets

Set of fixing accessories for lift/slide door sets. Chamfered spindle and M5 screws.



Article description				zinc-plated		P.U.	O.C.
Article description		₩		Article no./€		F.U.	0.0.
Set of fixing accesso-	M5	10	55-65	2822622		1	4
ries for lift/slide door				2,07			
sets	M6	10	55-65	2822631		1	4
				2,07			

Set of fixing accessories for knob/lever sets

Set of fixing accessories for knob/lever sets. FDW-profile spindle, M6 screws to **DIN 965** 10.9, mounting sleeve and Allen key, for sets on backplate (**E/M3357**) suitable for profile doors.



Article description	а		Screws	steel nickel-plated	P.U.	O.C.
Alticle description		₩	OCIEWS	Article no./€	1 .0.	0.0.
Set of fixing accessories	62-67	8x	M6x70	2012056	1	10
for knob/lever sets		90		9,07		
	77-82	8x	M6x85	2012275	1	10
		110		11,45		
	82-87	8x	M6x90	2012283	1	10
		110		15,15		

Set of fixing accessories for lever/lever sets

Set of fixing accessories for lever/lever sets. FDW-profile spindle, M6 screws to **DIN 965** 10.9, Allen key, for sets on backplate (**E/M3357**) suitable for profile doors.



Article description			Screws	steel nickel-plated		P.U.	O.C.
Article description		₩	Sciews	Article no./€		F.U.	0.0.
Set of fixing accessories	62-67	8x	M6x70	1933398		1	10
for lever/lever sets		135		8,30			
	77-82	8x	M6x85	1979281		1	10
		145		10,53			
	82-87	8x	M6x90	2011521		1	10
		145		10,53			

Sets of fixing accessories

Set of fixing accessories for lever/lever sets

Set of fixing accessories for lever/lever sets. M6 screws to **DIN 965** 10.9, for sets on backplate (**E/M3357**) suitable for profile doors.



Article description		Screws	steel nickel-plated	P.U.	O.C.
Article description		Screws	Article no./€	¬F.U.	0.0.
Set of fixing accessories	62-67	M6x70	8047037	1	100
for lever/lever sets			3,50		
	77-82	M6x85	8047177	1	100
			4,64		
	82-87	M6x90	8047201	1	100
			6,29		

Set of fixing accessories for security sets

Set of fixing accessories for security sets: FDW-profile spindle, M6 screws to **DIN 966** 8.8, mounting sleeve and Allen key, for brass sets with protective steel plate and aluminium security sets ES0 (SK1) and ES1 (SK2) with interior backplates 2440 and 3440 (visible fixing).



Article description			F4	steel nickel-plated	P.U.	O.C.
Article description		 	Article no./€	Article no./€	F.U.	0.0.
Set of fixing accessories	57-62	8	1929954	1929946	1	10
for security sets			10,34	9,07		
	67-72	8	1929962	1930031	1	10
			11,28	9,71		
	62-67	10	1930074	1930082	1	10
			11,28	9,71		

Set of fixing accessories for security sets

Set of fixing accessories for security sets: FDW-profile spindle, M6 screws to **DIN 965** 10.9, mounting sleeve and Allen key, for aluminium, stainless steel and brass security sets ES1 (SK2) with interior backplates (E/M)3330 and 2220 (concealed fixing).



Article description	425		steel nickel-plated	P.U.	O.C.
Article description		 	Article no./€	٦F.U.	0.0.
Set of fixing accessories	57-62	8	6803977	1	10
for security sets			9,45		
	62-67	8	650453	1	10
			9,45		
	67-72	10	650415	1	10
			9,45		



Fixing nut M5

Fixing nut M5 in iron: for the attachment of the (E/K/M) 55 roses on aluminium doors (except for adhesive and sliding roses).



Article description		Ø	steel nickel-plated	DII	00
Article description		V .	Article no./€	F.U.	0.0.
Fixing nut, piece	M5	10	1930277 1.56	1	10

Fixing nut M6

Fixing nut M6 in iron: for half profile door lever sets on backplate on **aluminium** doors.



Article description			Ø	steel nickel-plated		P.U.	0.0
Article description			Ø	Article no./€		F.U.	0.0.
Fixing nut, piece	N	/16	10	1955221		1	10
				1,67			

Expanding lug M5

Expanding lug M5 in iron: for the attachment of the (E/K/M) 55 roses on nylon doors (except for adhesive and sliding roses).



Article description		Ø	steel nickel-plated	DII	O.C.
Article description		Ø	Article no./€	P.U.	0.0.
Expanding lug, piece	M5	10	1955239 1.56	1	10

Expanding lug M6

Expanding lug M6 in iron: for half profile door lever sets on backplate on **nylon** doors.



Article description			α	steel nickel-plated	DII	0.0
Article description			Ø	Article no./€	F.U.	0.0.
Expanding lug, piece	N	Л6	10	1930285	1	10
				1,67		

Fixing accessories

Nylon lug

Nylon lug for fixing the E/K/M55 roses. Please note that this is not suitable for single chamber aluminium profiles.



Article description	white	DII	0.0
Article description	Article no./€	P.U.	0.0.
Nylon lug	2192819	1	10
	0,17		

Special spindle for knobs

HOPPE steel zinc-plated special spindle for knobs.



Article description	f-‡-}	Length	zinc-plated		P.U.	O.C.
· ·	<u> </u>	Lengur	Article no./€		F.U.	
Special spindle for knobs, piece	8	30	525126 2,51		10	100
		34,7	2840003 2,51		10	100

Special spindle for knobs SUP54

HOPPE steel zinc-plated special spindle for knobs SUP54.



Article description	\Box	Length	zinc-plated		P.U.	O.C.
	₩		Article no./€		F.U.	0.0.
Special spindle for	8	34,4	2839993		10	100
knobs, piece			2,51			



Screws

HOPPE steel screws for profile spindles.



Article description	Dimen-	zinc-plated	brass-coated		P.U.	0.0
	sions	Article no./€	Article no./€		F.U.	0.0.
Screw for profile	M6 x 12	524686	524679		50	50
spindle, piece		0,42	0,42			

Sleeves for spindles

HOPPE steel raw/black sleeves for spindles.



Article description		Length	raw/black		DII	00
Article description	 		Article no./€		P.U.	0.0.
	7/8	20	524624		50	50
			0,42			
	8/9	30	524631		50	50
			0,42			
	8/10	30	524648		50	50
			0,42			

Sleeves for window handles

HOPPE nylon sleeves for window handles, lugs from 10 to 12 mm.



Article description		black		DII	
		Article no./€] F.U.	0.0.
Sleeve, piece	10/12	524655 0,21		10	50

Nylon washers

HOPPE nylon washers for interior doors.




Article description	No.	Sizes	Gold	Nature (white)	P.U.	00
	INO.	SIZES	Article no./€	Article no./€	F.U.	0.0.
Nylon washers,	F14	21,25 x 18,1 x 7,9	522514	518487	50	50
piece			0,05	0,05		

Kit patent - Accessories for fire-resistant set, OB-keyhole

Nylon accessories for oval standard keyhole available with up to 10 different keys.



Article description	Key	F9005M		P.U.	O.C.
	Key	Article no./€		P.U.	0.0.
Kit patent	no. 1	570775		1	1
		4,80			
	no. 2	570782		1	1
		4,80			
	no. 3	635931		1	1
		4,80			
	no. 4	635948		1	1
		4,80			
	no. 5	635955		1	1
		4,80			
	no. 6	683437		1	1
		4,80			
	no. 7	676712		1	1
		4,80			
	no. 8	676705		1	1
		4,80			
	no. 9	635962		1	1
		4,80			
	no. 10	673933		1	1
		4,80			



Presentation systems





Contents



Presentation systems



Wall presentation (New System) Page 544



Sample boards (New System)
Page 545



Page 548



Sample columns (New System) Page 544



Sample blocks Page 546



Sample boards interchangeable
Page 549



Counter presentation (New System) Page 545



Sample profiles Page 547



Sample boards in exceptional dimensions Page 550



Sample case (New System) Page 545



Presentation cases
Page 548

Presentation systems





Wall presentation and sample columns

Wall presentation

Wall presentation: metal frame (1 element) to display sample boards in a walnut wood finish complete with hardware (and lock mechanism in the case of door handles), information display with the latest news at the top.



Article description	sample	Dimensions			P.U.	O.C.
Article description	boards	(W x H)	Article no./€		F.U.	0.0.
Wall presentation, piece	8	28 x 120	2723712		1	
	(1 x 8)	cm	152,00 *			

* share of costs, net



Triangular column

Triangular column: base plate, metal frame (3 elements) to display sample boards in a walnut wood finish complete with hardware (and lock mechanism in the case of door handles), information display with the latest news at the top, dispenser for brochures.

Article description	sample	Dimensions			P.U.	O.C.
Article description	boards	(W x H)	Article no./€		r.U.	0.0.
Triangular column, piece	24	64 x 198	2653435		1	
	(3×8)	cm	575,45 *			



* share of costs, net



Star-shaped column

Star-shaped column: base plate, metal frame (3 elements with sample boards on both sides) to display sample boards in a walnut wood finish complete with hardware (and lock mechanism in the case of door handles), information display with the latest news at the top, dispenser for brochures.

Article description	sample	Dimensions			P.U.	0.0
Article description	boards	(W x H)	Article no./€		r.U.	0.0.
Star-shaped column,	48	64 x 198	2653443		1	
piece	(6 x 8)	cm	977,18 *			



* share of costs, net



Hexagonal column

Hexagonal column: base plate, metal frame (6 elements) to display sample boards in walnut wood finish complete with hardware (and lock mechanism in the case of door handles), information display with the latest news at the top, dispenser for brochures.

Article description	sample	Dimensions			P.U.	O.C.
Article description	boards	(W x H)	Article no./€		r.U.	0.0.
Hexagonal column,	48	71 x 198	2653451		1	
piece	(6 x 8)	cm	1.085,76 *			



* share of costs, net

Counter presentation, sample case and M1-M6 sample boards



Counter presentation

Counter presentation: synthetic frame to display sample boards in walnut wood finish complete with hardware (and lock mechanism in the case of door handles) and angled information display about the "10-year operational guarantee" at the foot.



Article description	sample	Dimensions			P.U.	O.C.
Article description	boards	(W x H)	Article no./€		F.U.	0.0.
Counter presentation,	3	29,5 x 46,5	2723747		1	
piece		cm	90,12 *			

^{*} share of costs, net

Sample case

Sample case: in synthetic material with foam inserts to display sample boards, in walnut wood finish complete with hardware (and lock mechanism in the case of door handles).



Article description	sample	Dimensions			P.U.	O.C.
Article description	boards	(W x H)	Article no./€		F.U.	O.C.
Sample case, piece	6	54 x 44 x 13	2760249		1	
		cm	108,58 *			

^{*} share of costs, net

M1-M6 sample boards

Sample boards: in walnut wood finish with hardware (and lock mechanism in the case of door handles), chamfered edges (top and bottom), design and series name on the upper chamfered front surface, description of design on the reverse, unique hanging method (nylon lugs) for quick and easy hanging on the metal frames of the presentation systems.



Article description	sample boards	Dimensions (W x H)	Walnut wood Article no./€		P.U.	O.C.
Sample Board M1,	1	24 x 8,5	2723801		1	
piece		cm	14,66 *			
Sample Board M2,	2	24 x 18,5	2723798		1	
piece		cm	28,23 *			
Sample Board M3,	3	24 x 28,5	2723780		1	
piece		cm	40,17 *			
Sample Board M4,	4	24 x 38,5	2723771		1	
piece		cm	54,29 *			
Sample Board M5,	5	24 x 48,5	2723763		1	
piece		cm	66,23 *			
Sample Board M6,	6	24 x 58,5	2723755		1	
piece		cm	80,35 *			



* share of costs, net

M6

15

Sample boards and sample blocks

Sample board

Slanting, rectangular sample board in walnut finish on base complete with hardware (and lock mechanism in the case of door handles).



Article description	sample	Dimensions			P.U.	0.0
Article description	boards	(W x H)	Article no./€		r.U.	0.0.
Sample board, piece		19 x 28	2079074		1	
		cm	15,20 *			

^{*} share of costs, net

Sample block

Rectangular sample block in walnut finish on base complete with hardware and mortice lock.



Article description	sample	Dimensions			P.U.	O.C.
Article description	boards	(W x H)	Article no./€		F.U.	0.0.
Sample block, piece		28 x 18	2107400		1	
		cm	58,90 *			

^{*} share of costs, net

Sample block – sliding door set

Rectangular sample block in walnut finish on base with hardware for sliding door sets.



Article description	sample	Dimensions			P.U.	O.C.
Article description	boards	(W x H)	Article no./€		F.U.	0.0.
Sample block, piece		30 x 20	646098		1	
		cm	80,07 *			

^{*} share of costs, net

HCS® sample for glass doors

Quadratical sample board (plexiglass) on base (walnut finish) with hardware.



Article description	sample	Dimensions			DII	0.0
Article description	boards	(W x H)	Article no./€		F.U.	0.0.
Sample board on base,		12 x 20	777402		1	
piece		cm	26,06 *			

^{*} share of costs, net

Sample boards and sample profiles



HCS® sample block

Quadratical sample block in walnut finish on base with hardware.



Article description	sample	Dimensions			P.U.	O.C.
Article description	boards	(W x H)	Article no./€		F.U.	0.0.
Sample block, piece		20 x 20	564170		1	
		cm	26,06 *			

^{*} share of costs, net

Wood profile - Secustik®

Secustik®-sample: base with window profile in wood with Secustik® window handle and mechanism (knob) to display automatic blocking against tampering from outside.



Article description	sample	Dimensions			P.U.	O.C.
Article description	boards	(W x H)	Article no./€		F.U.	0.0.
Wood profile – Secustik®,		8 x 31	1775879		1	
piece		cm	21,72 *			

^{*} share of costs, net

Nylon profile - Secustik®

Secustik®-sample: base with window profile in PVC with Secustik® window handle and mechanism (knob) to display automatic blocking against tampering from outside.



Article description	sample	Dimensions			P.U.	O.C.
Article description	boards	(W x H)	Article no./€		F.U.	0.0.
Nylon profile – Secustik®,		8 x 31	1775844		1	
piece		cm	21,72 *			

^{*} share of costs, net

Presentation cases and presentation boards

HCS® presentation case for glass doors

HCS®-presentation case in nylon with foam inserts to display samples, sample board in plexi-glass, diverse HCS® designs, HCS® decorative rings, HCS® latch sets, assembly / disassembly key.



Article description	sample	Dimensions			DII	0.0
Article description	boards	(W x H)	Article no./€		r.U.	0.0.
Presentation case HCS®		48 x 37	2700078		1	
glass door, piece		cm	174,26 *			

^{*} share of costs, net

HCS® presentation case for wood doors

HCS®-presentation case in metal / nylon with foam inserts to display samples, two sample blocks in wood, diverse HCS® designs, HCS® decorative rings, HCS® latch sets, HCS® strike plates, assembly / disassembly kev.



Article description	sample	Dimensions			P.U.	0.0
Article description	boards	(W x H)	Article no./€		r.U.	0.0.
Presentation case HCS®,		45 x 37	2596311		1	
piece		cm	249,72 *			

^{*} share of costs, net

SecuSignal® presentation case

SecuSignal® presentation case in metal / nylon with foam inserts to display samples, 1 sample board in wood, 1 SecuSignal® window handle, 1 SecuSignal® receiver and the installation / user manual.



Article description	sample	Dimensions			DII	0.0
Article description	boards	(W x H)	Article no./€		r.U.	0.0.
SecuSignal®-provväska,		32 x 30	2530347		1	
styck		cm	132,46 *			

^{*} share of costs, net



Interchangeable presentation board for HCS®-wall presentation, with hardware



Article description	sample	Dimensions			DII	0.0
Article description	boards	$(W \times H)$	Article no./€		F.U.	O.C.
Presentation board M8	8	24 x 74	2794481		1	
HCS®, piece		cm	114,00 *			

^{*} share of costs, net

Sample boards – interchangeable



Sample board MT-1

Interchangeable sample board for wall presentation WS-1 and the presentation system S-3, with hardware.





Article description	sample	Dimensions			P.U.	O.C.
Article description	boards	(W x H)	Article no./€		r.U.	0.0.
Sample board MT-1,		15 x 10	667079		1	
piece		cm	15,58 *			

* share of costs, net

Sample board MT-2

Interchangeable sample board for wall presentation WS-1 and the presentation system S-3, with hardware.



Fig.: A



Article description	sample	Dimensions			P.U.	O.C.
Article description	boards	(W x H)	Article no./€		F.U.	0.0.
Sample board MT-2,		15 x 30	668311		1	
piece		cm	24,48 *			

* share of costs, net

Sample board MT-6

Interchangeable sample board for wall presentation WS-1 and the presentation system S-3, with hardware.





Article description	sample	Dimensions			DII	O.C.
Article description	boards	(W x H)	Article no./€		r.U.	0.0.
Sample board MT-6,		15 x 42	692019		1	
piece		cm	28,88 *			

* share of costs, net

Sample boards in exceptional dimensions

Sample boards in exceptional dimensions:



Article description	Dimensions (W x H)	Article no./€		P.U.	O.C.
Sample boards in exceptional dimensions,	Please indicate!	1775730		1	
piece					

^{*} net price available on request

Appendix





Contents



Delivery Information

page 553



Guarantee

page 562



Index in numerical ascending order by design-number

page 571



General terms of supply and payment

page 554



Conditions of use

page 564

Product lines
Series name
dura vert ®
Acapulco
Athinai
Bergen
Brisbane
Capri
Genova

Produkt overview

page 578

1. Product informa

- Misuse (inappro
 Product perforn
- 4. Product care
- 5. Duty to inform a 6. Application of re


Product reliability

page 559

2367375

Index in numerical ascending order by article-number

page 565



Delivery information



Order quantities

... should be by pack unit (P.U.) and outer carton (O.C.) as indicated!

F2		P.U.	O.C.
cle no./€	(F.U.	0.0.
01530	`	1	5
8,82			
01556		1	5
i8,82			

Gross prices ...

... are in \in and do not include VAT as a recommended price for the enduser. The 2012/2013 edition replaces all previous price lists and purchasing information.

Keyh	iole/	F1	F2	
Dista	ance	Article no./€	Article no./€	
	72	1901505	1901530	
U		(68,82)	68,82	
\bigcap	72	1901548	1901556	
ΙU		68.82	68.82	

Matching screws ...

... will be included as standard in the delivery of most HOPPE brand products.



Orders ...

... are subject to the General Conditions of Sale (see pp. 554).

Product reliability ...

... of hardware systems for doors and windows. Please see details on p. 559.

Guarantee ...

... relating to Resista® and the operational guarantee. Please see further information on p. 562.





General terms of supply and payment

§ 1 Terminology

Unless otherwise specified, following expressions, when used in the context of any contractual document providing the supply or performance of services from HOPPE S.p.A. shall be intended as follows: "HOPPE": HOPPE S.p.A. with registered office in Via del Giovo 16,

I-39010 S. Martino in Passiria (BZ);

"Client":identifies the Contracting Partywho, in the range of its professional activities, has entered into a contract with HOPPE for the supply of the goods marketed by HOPPE or for the performance of services or works by HOPPE;

"Consumer" means the final user and identifies the Contracting Party who, in his quality as final consumer under Legislative decree (L. decree) 206/2005, has entered into a contract with HOPPE for the supply of the goods marketed by HOPPE or for the performance of services or works by HOPPE;

"Particular terms": identifies the particular terms which jointly with the General Terms rule the contractual relationship between HOPPE and the Client:

"Good": identifies any good commercialised by HOPPE;

"Service": identifies any activity performed by HOPPE in favour of the

"Work": identifies the good realised by HOPPE in favour of the Client; "Prices": identifies the price list or the prices agreed each time by the parties

"The Parties": HOPPE and the Client.

§ 2 Draw up and rules of the Contract

- The contract shall be considered as completed when HOPPE has confirmed acceptance of the Client's order or, in case of lack of explicit acceptance, when HOPPE gives execution to the order of the Client.
- 2.2. The present General Terms of supply and payment are essential and integrate all other sales and supply contracts entered into by HOPPE and the Client. Supplies, performances and offers by HOPPE take place exclusively on the basis of the Particular Terms agreed in writing and accepted by the Parties and on the basis of the present General Terms, which are to be applied on any future commercial relationship, even if not expressly agreed upon again.
- 2.3. Possible amendments to the present General Terms shall be communicated in written form.

§ 3 Prices

- 3.1. Unless otherwise agreed in the Particular Terms, in the confirmation of order or anyway in writing between the Parties, Prices will be applied as indicated in the price list in force at the moment of confirmation of the order or, in lack of explicit acceptance, by the execution by HOPPE of the order received.
- 3.2. Prices are always quoted in Euros, VAT and statutory taxes excluded, and are considered ex warehouse.
- 3.3. Notwithstanding the provision of § 3.1. and if not differently agreed between the Parties, if the performance's execution shall start with a delay of more than 3 months from the date of the order's confirmation, the contractual consideration shall be subject to possible adjustment in proportion with the increment of the unit price, if the actual list prices have increased from 2% up to 10%.
- 3.4. Notwithstanding the provision of § 3.1. HOPPE reserves the right to adjust the prices even after the conclusion of the contract and/or the acceptance of the order, mainly in case of extraordinary increase of the



- prices of the raw material of the increase of the labour's price following changes in the collective agreement.
- 3.5. In the event that the unit price is subject to an increase of more than 10% of the price agreed upon in the confirmed order, the Client shall withdraw from the contract but shall refund HOPPE of the documented expenses already carried by HOPPE.
- 3.6. The discounts possibly applied to the Client shall be calculated with reference to the price per unit as indicated in the current price list at the moment of the order confirmation or, in case of lack of explicit acceptance, at the moment of execution by HOPPE of the received order.
- 3.7. In case of delay in the payment by the Client, the discounts and the reductions applied by HOPPE shall automatically renege.

§ 4 Terms and conditions of payment

- 4.1. Unless differently agreed in writing, payments shall be made within 30 days from the date of the invoice.
- 4.2. Only the payments made directly to HOPPE at its registered office shall be considered valid. HOPPE reserves the right to reject payment by means of bill of exchange and by means of set-off with possible credits of such Clients, who are not "Consumer".
- 4.3. In case of lack of payment or delay of more than 10 days from the agreed term of payment, or in case of such events which determine a diminished credit-worthiness, HOPPE is entitled to duly interrupt further delivery of Products to the Client, even if referred to a different and separate Contract with the Client. The interruption shall be carried on until payment has been effected.
- 4.4. Without any formal notice to be needed, the delay in payment shall determine the application of late-payment interests in the amount of the prime rate added with 7 points, from the due date of the invoice expiry to the effective payment date.
- 4.5. Notwithstanding the above, payment delays longer than 14 days after the due date shall be considered as essential delays and shall give HOPPE the right to terminate the contract.

§ 5 Title reservation

- 5.1. HOPPE reserves title on the goods delivered until all the payment of all due credits, interests and costs included are done by the Client. The transfer of the risks is ruled in § 6.
- 5.2. In case of payment by means of bill of exchange or by check, the title is transferred to the Client only after HOPPE has cashed the due amount.
- 5.3. The Client shall be obliged to sufficiently insure the bayed goods on his costs with reservation of title against common risks as arson, theft and water damages. Possible credits towards the insurance company shall be transferred to HOPPE. The Client has to notify such transfer to the insurance company.
- 5.4. Unless under written consent by HOPPE the Client is not authorized to transfer the goods subject to title reservation to third parties, to proceed with the manufacture, elaboration or incorporation of the goods with other materials.
- 5.5. In the event of unlawful transfer in favour of third parties, all the credits towards third parties shall be transferred to HOPPE. The client shall notify the transfer of the credits in favour of HOPPE to the third parties and shall provide HOPPE with all the information necessary for the recovery of the credit.
- 5.6. In case of unlawful manufacture, elaboration and incorporation the Client shall be obliged to compensate for damages, except the obligation to pay all debts towards HOPPE.

General terms of supply and payment

§ 6 Delivery

- 6.1. The terms and conditions of delivery shall be agreed from time to time in writing; the terms of delivery are non-binding for HOPPE.
- 6.2. The costs of packaging and delivery are, if not differently agreed, carried by the client.
- 6.3. HOPPE carries the risks concerning integrity, damages and loss of the Products until the moment of delivery of the products to the Client or to the forwarding agent appointed by the Client or by HOPPE on behalf of the Client.
- 6.4. Unless otherwise agreed, all the expenses concerning and related to the transport and to the up- and downloading and accessories related to the unwrapping of the goods are carried by the client.

§ 7 Guarantee

- 7.1. According to art. 1490 and following of the Italian civil code, HOPPE guarantees that the Products object of the contract are free of such faults and defects in manufacturing which make them not suitable for the use they were meant for.
- 7.2. The client shall promptly check the Products at the moment of the delivery. The apparent faults including the lack of the promised amounts must be immediately notified in writing and in any case not later than 8 days after the receipt of the Products. The hidden defects must be notified in writing by 8 days after their discovery.
- 7.3. Even if the Client has not the qualities of a Consumer, the duration of the above guarantee of point 7.1. is of 2 years. This term runs from the day of the delivery of the product.
- 7.4. Furthermore, HOPPE guarantees the good conservation of the Resista® surfaces of its Products as well as the good functioning of the HOPPE handle for 10 years from the date of purchase by the first final user, to be proved by means of receipt. The guarantee includes the defects which can be traced back in a demonstrable way to faults in manufacture or materials, in particular as far as the Resista® surface is concerned, mist over or infiltration ("appearance of spots") or the protective surface has become separated from its base material and, as far as the handles are concerned, failing transmission of the turning movement onto door's locks or onto the turning engine or vasistas of windows or of the locking mechanism. On the contrary, expressly excluded all the replaceable detail components (f. i. screw, plugs, springs a.s.o.), as well as windows, doors and locks. Towards exhibition of the Product and of the relevant receipt and for a maximum amount covering the sale price resulting from the mentioned receipt, HOPPE shall substitute or repair the Product – or the single parts - on its expenses. The notification of the fault must be done within 30 days from the discovery of the fault. The limitation of the relevant action is 6 years from the date of the discovery.
- 7.5. The guarantee loses legal force if the products are used for purposes different from the one they were sold for, as well as in case of faults and defects deriving from mistakes in assembling or installation or from a maintenance which is inadequate or not in compliance with HOPPE's suggestions.
- 7.6. The burden of proof concerning the correct use and the lack of mistakes of installation and maintenance is carried by the Client and, in the cases cited in point 7.4. is carried by the first final Consumer.
- 7.7. The guarantee shall neither cover technical intervention carried out by personnel not authorized by HOPPE, nor any defects caused by not original spare components, which were not delivered by HOPPE or by companies authorized by HOPPE, nor any damages caused by the conduct of third parties or by events caused by unforeseeable circumstances or force majeure.



7.8. HOPPE does not respond for any damages caused by possible Product's defects.

§8 Complaints

- 8.1. Complaints must be served by registered letter addressed to HOPPE S.p.A., Via del Giovo 16, I-39010 S. Martino i.P. (BZ) and must indicate in detail the faults and dissimilarities.
- 8.2. During the guarantee period foreseen by § 7. HOPPE can, at its own discretion, undertake to let the Products be repaired by its appointed staff or to substitute such Products resulting defective on the basis of a due check.
- 8.3. HOPPE can refuse its intervention if, in case of delay of payment by the Client, the latter shall not pre-emptively offer to pay the due amount.
- 8.4. In case of claims, any cost connected to the estimation of the faults made by HOPPE either by its personnel as well as by third parties shall be carried by the client.
- 8.5. Complaints about wrongly calculated prices can only be accepted if made within 90 days of the issue of the invoice.

§ 9 Responsibility of HOPPE towards the Consumer

9.1. In the event that the Products are sold by HOPPE to Consumer the relevant rules concerning guarantee as per art. 128 and following L. decree 206/2005 (Consumer code) shall be applied.

§ 10 Industrial and intellectual property

- 10.1. The Client shall respect the industrial and intellectual property concerning the Products marketed by HOPPE, the trademark and distinctive signs used by HOPPE as well as the utility and ornamental models concerning the Products.
- 10.2. By any breach of the present clause, the Client shall compensate HOPPE by paying a fine in the amount of two times the costs originally carried by HOPPE or by any other subject acting on behalf of HOPPE for the planning and production of the Product violated.

§ 11 Failure to fulfil and delays by HOPPE

- 11.1. HOPPE shall not be responsible when the failure to fulfil or delay in fulfilling the contractual duties derives from unforeseeable events and force majeure such as, for example, strikes, lock-outs, wars, riots, insurrections, fire, explosions, earthquakes, floods, sudden lack of materials needed for the production of the Products due to facts or acts of third parties, impossibility to obtain or withdrawal of export and/or import and/or marketing licenses for goods, materials or Products.
- 11.2. For delays due to different causes such as those mentioned in the above point 11.1. by HOPPE, the Client shall grant HOPPE a delay of the deadline of further 20 days.

§ 12 Termination clause

12.1. By breach of the duties mentioned in § 10, in case of lack or delay of payment of more than 14 days from the expiration day of even just one invoice HOPPE or if the Client is subject to insolvency or bankruptcy proceedings or agreements with creditors, HOPPE shall terminate any contract in force with the Client simply by written notice.

General terms of supply and payment

§ 13 Jurisdiction and applicable Law

- 13.1. Except for the contracts with Consumers, any dispute arising between the Parties shall be of the exclusive competence of the Court of Bolzano (I).
- 13.2. The present contract is subject to the Italian Law, with express exclusion of the provisions foreseen by the Vienna Convention on Contracts for the international sale dated 11 April 1980.

§ 14 Personal Data

14.1. The personal Data shall be collected and processed by means of computer and/or registered on paper in accordance with the right of freedom, personal honour for the purposes related to the execution of the supply and sale contracts and, in general, in order to fulfill any duty foreseen by the EU laws as well as for commercial, informational, scientific and statistic purposes of HOPPE S.p.A.. The communication of the personal data is optional. If the Client refuses to communicate its personal data as well as in the event of change and/or deletion of the archived data HOPPE shall possibly fail to give execution or give partial execution to the contract. In observance of the above mentioned purposes HOPPE shall forward the personal data to contractual partners, even abroad. The Client has the right to ask any time information about the data collected by HOPPE and their use, the deletion and/or the blocking of the data if their processing is carried in breach of the law, the update, modification or integration as well as the confirmation of the transmission of the updated and integrated data to third parties or object to the data processing. Owner of the data processing is HOPPE S.p.A. in the person of his legal representative, with registered office in Via del Giovo 16. The person in charge of the data processing is Mrs Eveline Brück, address I-39012 Merano (BZ). Updated lists of the persons in charge of the data processing can be requested on www.hoppe.com/privacy or at HOPPE S.p.A., Via del Giovo 16, I-39101 S. Martino i. P. (BZ).

The Client expressly declares to have fully acknowledged accepted all the clauses of the present contract and according to art. 1341 and 1242 of the Italian Civil code to approve expressly following articles:

- § 3 Prices
- § 4 Terms and conditions of payments
- § 5 Title reservation
- § 7 Guarantee
- § 8 Complaints
- § 10 Intellectual and industrial Property
- § 11 Failure to fulfil and delays
- § 12 Termination clause
- § 13 Jurisdiction and applicable law

Product reliability



Product liability of door and window hardware (eg door handle sets and window handles)

- 1. Product information and application according to instruction
- 2. Misuse (inappropriate use or use contrary to instruction)
- 3. Product performance
- 4. Product care
- 5. Duty to inform and instruct
- 6. Application of related hardware
- 7. Resista® The HOPPE surface guarantee
- 8. HOPPE function guarantee for door and window hardware

As a result of a new product liability law, the manufacturer is to define products as to their performance (duty to instruct and inform).

HOPPE is thereby providing the following information.

1. Product information and application according to instruction

HOPPE hardware fittings are manually-operated appliances by means of which doors, French doors and windows in domestic and non-domestic buildings can be opened or closed and/or locked.

They are normally used in conjunction with supplementary hardware such as locks, cylinders or tilt/turn hardware.

Special provisions of law have to be observed in the case of fire doors and the direction of escape for example, in cases where a fixed fitting (knob,handle) is used.

It is imperative that only the parts supplied for fixing are used and also that fixing instructions are strictly adhered to.

This applies to all means of fixing

- a) supplied by HOPPE
- **b)** supplied by other manufacturers as integral parts of their hardware (eg. screws supplied by the manufacturer of tilt/turn hardware for windows).

Products which are installed in aggressive, corrosion-inducing areas are special fittings. They should only be used (applied) following consultation with HOPPE.

2. Misuse (inappropriate use or use contrary to instruction)

Misuse of fittings for doors and windows, ie using the product contrary to instruction, may occur in particular when

- tools, such as pliers or tubular adaptors are used,
- additional loads (blocking loads or support loads) have an impact, for example when an object is placed under the handle to block the door,
- when force over and above normal manual use is applied to the handle, for example when attempting to force a tilt/turn fitting beyond its normal rest position or when children, for example, use door handles as something to hold on to.
- foreign objects or objects contrary to instruction, such as spindles manufactured by other companies are used or when such products are used alongside HOPPE products,
- tampering has occurred which interferes with the function of the product, for example in attempting to break in or out with tools in the case of lock-

able window handles,

- sharp objects are used to damage the surface,
- foreign objects and/or objects contrary to instruction are introduced into the hardware or strike-plate so as to prevent normal use,
- tampering with the hardware or strike-plate has occurred resulting in damage to the construction or adversely affecting function or effectiveness.

3. Product performance

The DIN 18255, DIN 18257 and DIN 18273 standards for door hardware and the RAL-RG 607/9 standard for window hardware are definitive (in a pioneering sense).

The content of these standards applies in the same way to other fittings too.

In the case of window handles, the regulations of appropriate institutes, such as the Institute for Window Technology in Rosenheim apply in addition to those of RAL.

No other conditions may be added without prior approval by HOPPE.

The durability of a product is especially dependent on the frequency of

- use
- type of use
- location and care.

Replacement of the fitting shall occur only when, despite proper maintenance and care, it no longer functions or when the surface maycause injury.

4. Product care

It is essential that the fitting and fixing-means are fitted correctly!

All movable parts are to be correctly maintained at least once a year.

This is particularly so in the case of door handle - spindle connections as well as in locking cylinders for lockable window handles. It is essential that no resinous lubricants (graphite is appropriate) are used in the locking cylinders.

Dependent on the amount of use, fittings should be treated by agents recommended by HOPPE.

Basically no strong acids or alkalis should be used. Contact with mortar and similar substances should also be avoided. Only cleaning agents which do not contain corrosion-inducing substances should be used.

5. Duty to inform and instruct

The following information material is available to the trade, planners/ architects, advisory institutions, installers, builders and users:

- catalogues and brochures,
- offer documentation
- DIN standards: 18255, 18257, 18273 as well as related standards (published by Beuth GmbH, 10785 Berlin) along with instructions for fixing, use and care.

Where necessary HOPPE is also able to advise.

When choosing HOPPE fittings as well as for their fixing, use and care,



- architects, planners and advising institutions are expected to request all the necessary product information from HOPPE and to adhere to it,
- architechtural hardware distributors are expected to observe the product information in the documention and in particular request all the necessary mounting instructions and pass them on to the installers,
- installers are expected to observe all product information, especially HOPPE's instructions relating to use and care and to pass them on to the contractors and users.

6. Application of related hardware

All possible variations within the individual fittings, as well as accessories, are expected to be used appropriately with regard to their particular qualities according to the requirements of product liability as listed above.



1. Resista® - The HOPPE surface guarantee

Guarantee:

As manufacturer, we guarantee, under the conditions set forth below, the durability of properly-used HOPPE hardware, over and above the seller's legal liability for material defects. The Resista® surface guarantee includes all defects which can be proved to have been caused through fault in manufacturing or material, for example when the surface is tarnished or discoloured (appearance of spots) or the protective surface has become separated from its base material, and not through improper use.

Guarantee Exclusions:

All interchangeable parts, such as screws, connecting spindles and springs etc, are excluded from this guarantee. Furthermore, no liability will be assumed for any damage caused through:

- unsuitable or improper use
- incorrect or negligent treatment
- disregard for instructions for fitting or care
- alterations or repair by the enduser or a third party
- chemical or physical agents, where the surface has been improperly treated, for example by sharp instruments.

Guarantee Conditions:

This guarantee relates, within the guarantee period, solely to either replacing the handle free of charge or to repairing same free of charge, on behalf of the original enduser, this decision being at HOPPE's discretion. Costs and ex-penses, postage and packaging and similar, as incurred by the complainant, shall not be reimbursed. Claim to guarantee shall only occur on presenta-tion of the product itself and the receipt and shall not exceed the original purchase price.

Guarantee period:

The guarantee period shall be for 10 years and shall begin on the day of purchase by the original enduser. In the event of any claim, complainants should address themselves directly to the seller or manufacturer presenting both the product and the receipt.

HOPPE Holding AG · Via Friedrich Hoppe · 7537 Müstair



2. HOPPE operational guarantee for door and window hardware

Guarantee:

As manufacturer, we guarantee, under the conditions set forth below, the durability of properly-used HOPPE hardware, over and above the seller's legal liability for material defects. The guarantee applies to the function of HOPPE door and window hardware and includes all defects which can be proved to have been caused through fault in manufacturing or material.

The operational guarantee includes the following features:

- transfer of the rotary motion to the door lock or the window turn-/tilthard ware
- locking mechanism (in the case of window handles with special functions: lockable, push-to-open, Secustik®)

Guarantee Exclusions:

All interchangeable parts, such as screws, connecting spindles etc, are excluded from this guarantee. Furthermore, no liability will be assumed for any damage caused through:

- unsuitable and improper use,
- incorrect or negligent treatment,
- the disregard of instructions for fitting or care, alterations and repair by the enduser or a third party,
- chemical or physical agents, where the surface has been improperly treated, for example by sharp instruments,
- elements (door, window) and/or hardware parts (e.g. locks, hinges etc.) which do not work perfectly.

Guarantee Conditions:

This guarantee relates, within the guarantee period, solely to either replacing the handle free of charge or to repairing same free of charge, on behalf of the original enduser, this decision being at HOPPE's discretion. Costs and expenses, postage and packaging and similar, as incurred by the complainant, shall not be reimbursed. Claim to guarantee shall only occur on presentation of the product itself and the receipt and shall not exceed the original purchase price.

Guarantee period:

The guarantee period shall be for 10 years and shall begin on the day of purchase by the original enduser. In the event of any claim, complainants should address themselves directly to the seller or manufacturer presentingboth the product and the receipt.

HOPPE Holding AG · Via Friedrich Hoppe · 7537 Müstair




Conditions of use

Examples





File name: 1138-42K-42KS OB F1



File name: 1138-42K-42KS OB F1

Conditions for the use of HOPPE pictures/technical drawings

HOPPE Holding AG, CH-7537 Müstair, hereinafter referred to as HOPPE, in the interests of cooperation with its partners in the promotion of goods supplied by HOPPE, makes available the enclosed pictures and technical drawings without charge. Both illustrated products and pictures/technical drawings are protected by copyright to which HOPPE has unrestricted entitlement. This is equally valid for HOPPE's brand rights used in connection with the pictures and technical drawings.

HOPPE allows the use of its pictures/technical drawings in print media, e.g. in catalogues and similar sales documentation, for users' distribution to customers. HOPPE is, however, to be informed in advance of the use of such pictures/technical drawings in advertisements and on the internet.

The user is to inform the printers/service providers involved that the pictures/technical drawings are protected by copyright. The user shall not been titled to alter the pictures/technical drawings as made available by HOPPE in any way whatsoever, e.g. in using pertinent picture-editing pro-grammes, though he may take measures to alter the size of the image for printing purposes.

The user is to undertake all the necessary precautions to protect the pic-tures/ technical drawings made available by HOPPE from misuse by a third party and is to inform HOPPE without delay in the event of any such misuse being discovered.

Two copies of the printed matter showing use of the said pictures/technical drawings are to be sent to HOPPE. In using such pictures/technical drawings, the user automatically consents to the conditions of use. Swiss law shall apply. Place of jurisdiction to be CH-7000 Chur/GR, Switzerland.

Müstair, January 2006

File formats

You can get picture and drawing data from HOPPE in the following standard formats:

	Pict	ures	Catalogue drawing			
Type of format	Pixel*	Pixel*	Pixel*	Vektor**		
File format	jpg	tif	tif	eps	dwg	
Compression	9 / standard	LZW	LZW	none	none	
Mode	RGB	CMYK	Bitmap	-	-	
Resolution	300 dpi	300 dpi	750 dpi	independent	independent	

Other file formats available on request.

^{*}Pixel files can only be enlarged to 20-25% of the original size.

^{**}Vektor files can be enlarged as required without loss of quality.



SOM SOM SOM PRETTY 256 1779/291 A02 1995/285 SOM SOM PRETTY 256 1779/291 A02 1995/285 SOM SO	093	Page 236	Article no. 600168	Page 527	Article no. 655984	Page 322	Article no. 783458	Page 225	Article no. 1775844	Page 547	Article no. 1930082	Page 536
SOUTH Common Co		236	600854	340	655991	324	783656	225	1775879	547	1930277	537
BORFORD 207 601455 277 606772 200 787803 221 17006027 309 1894831 506722 200 770407 221 17006027 309 3094831		236									1930285	537
508722 277 602551 300 656752 210 700467 221 1780686 296 195191												535
514503 207 002676 302 057006 208 791972 204 1772700 413 1956221 515040 207 0026005 302 059006 208 791980 204 1772700 423 105006 515040 4150400 4150400 4150400 4150400 4150400 4150												434
5145460 207 6007646 309 657096 206 719869 204 1787870 453 1985558 5145671 207 6007645 3092 656010 2094 718969 204 1787890 453 1985518 514571 207 600503 302 656015 227 720009 204 1700243 410 1970241												531
SH4564 207												537
594571 207 003033 222 058016 227 702000 204 1700243 410 1970281 515073 633 600557 325 685803 206 7707360 210 1704615 208 184358 515073 633 005257 525 685803 226 707040 210 1704615 208 184358 515073 633 005257 525 685803 226 707040 210 1704615 208 184358 515073 633 005257 525 685803 226 707040 210 1704615 208 184358 515073 635 685803 226 707040 210 1704615 208 184358 515074 226 707040 210 1704615 208 184358 515074 226 707040 210 1704615 210 184358 515074 226 707040 210 1704615 210 184358 515074 226 707040 210 184358 515074 226 707040 210 184358 515074 226 707040 210 184358 515074 21												537
1950 1950 1950 2050 1950 2050 2070 2070 2080 1950 2050												435
515073 533												535
1515967 533												446
515141												373
519988 270 60524 520 689091 226 799702 413 1796538 412 2010625 517053 496 605241 520 689107 227 799770 413 1796538 412 2010625 517053 496 605241 520 689114 228 500414 221 1796538 210 2010637 517050 496 605246 520 689114 228 500414 221 1796538 210 2010637 517050 496 605246 520 689114 228 500702 413 41705387 210 2010637 517050 496 605246 520 689114 228 500702 413 41705387 210 2010637 517050 418												373
517069												310
517050												310
517000 496 6005245 520 683183 227 807165 506 71796418 210 2010982 517565 532 600525 520 683185 227 807165 506 71796413 296 20110507 517565 532 600526 200 683185 228 807162 507 1841531 296 20110507 517565 532 600526 200 683185 228 807162 506 81841601 206 20110507 517565 532 600526 345 663176 229 811066 134 1841602 296 20110507 517565 532 600526 345 663176 229 811066 134 1841602 296 20110507 517565 328 600526 345 663176 229 811066 134 1841607 296 20110507 517565 329 600526 345 663176 229 811066 134 1841607 296 20110507 51756 34 600526 320 600526 345 663176 229 811066 134 1841607 296 20110507 51756 34 600511 221 683200 220 811027 34 1841607 296 20110507 51855 518531 534 600524 68365 220 81606 220 811027 34 1841607 296 20110507 51855 518531 534 6005246 345 668671 228 814060 410 1841707 296 20110507 519163 518507 531 600524 534 668671 228 814060 410 1841707 529 2011643 519007 531 600523 306 668664 232 814076 410 1841703 296 2011640 519163 519163 531 600524 534 668607 228 814067 410 1841703 529 2011640 519163 531 600565 324 668605 228 814067 410 1843043 300 20100506 519170 531 610565 322 668606 228 814076 410 1843043 300 20100506 519170 531 610565 322 668606 228 814076 410 1843043 300 20100506 519170 531 610565 322 686016 526 800501 528 8105074 410 1843043 300 20100506 519170 531 610565 322 686016 526 800501 522 810504 522 1862547 374 2010275 519164 51916 519170 531 610565 322 686016 526 800501 522 810504 522 1862547 374 2010275 519170 531 610565 322 686016 526 800501 522 810504 522 1862547 374 2010275 519170 531 610565 322 686016 526 800501 522 810504 522 1862547 374 2010275 519170 531 610565 300 686070 528 800501 522 810504 522 810504 520 520 520 520 520 520 520 520 520 520												310 310
STOTO STOT												310
517565 5.32 605279 520 688145 228 807192 307 1841531 288 2011025 517589 322 605279 520 688152 233 807704 528 1841602 298 2011033 517589 322 605289 308 685183 229 817609 314 1841637 298 2011033 517589 324 605289 308 685183 329 817609 314 1841637 298 2011033 518247 330 605285 527 685206 229 817601 463 1841637 298 2011035 518524 344 685806 527 685206 238 812127 334 1841637 298 2011525 518555 544 686806 527 685206 238 812127 334 1841637 298 2011525 518555 534 607484 308 685867 233 814787 410 1841709 288 2011536 518555 534 607484 308 685867 233 814787 410 1841709 288 2011536 519071 531 606226 345 658671 228 814961 410 1841709 288 2011536 519105 531 606226 306 658687 228 814961 410 1841733 529 2011678 51918 531 606263 324 685806 228 815074 410 1843894 300 2011678 519170 531 610563 324 685806 228 815074 410 1843894 300 2012056 519170 531 610563 324 685806 228 815074 410 1843894 300 2012056 519170 531 610563 324 685806 228 815074 410 1843894 300 2012056 519170 531 610563 324 685806 228 815074 410 1843894 300 2012056 519170 531 610563 324 685806 228 815074 410 1843894 300 2012056 519170 531 610563 324 685806 228 815074 410 1843894 300 2012056 519170 531 610563 324 685806 228 815074 410 1843894 300 2012056 519170 531 610563 324 685806 228 815074 410 1843894 300 2012056 519170 531 610560 322 680916 526 680916 526 680916 526 680916 526 680916 526 680916 526 680916 526 680916 526 680916 526 680916 526 680916 526 680916 526 680916 526 680916 526 680916 526 680916 526 680916 526 680916 526 680916 526 680916												310
517572 532 605279 520 685162 233 807215 308 1841602 298 2011037 517589 532 605269 308 685183 229 817069 134 1841637 298 2011035 518647 539 605283 307 685190 229 811069 134 1841637 298 2011051 518624 534 606396 627 685206 230 812127 134 1841661 298 2011555 518531 534 606511 521 685206 230 812127 134 1841661 298 2011555 518531 534 606511 521 685206 230 812127 134 1841661 298 2011557 518555 534 6067469 306 886857 233 814767 410 1841709 288 201157 518555 534 605306 306 868857 233 814767 410 1841709 288 201157 518556 534 605306 306 868857 233 814767 410 1841709 288 201157 5181080 531 60556 324 668861 328 814767 410 1841709 320 2011579 519171 531 610556 324 668861 228 814078 410 1841703 350 2011707 519187 531 610556 324 668701 228 820221 521 185264 374 2012275 519187 531 610569 326 668762 531 820412 522 186741 413 2012275 519194 531 610560 326 666762 531 820412 522 186741 413 2012275 519194 531 610560 326 666762 531 820412 522 186741 413 2012275 519200 532 610617 325 686709 548 820220 522 1868731 439 20039010 522614 539 615469 322 66831 549 820504 522 1868731 439 20039010 524621 539 615469 322 668335 540 820504 522 1868731 439 20039010 524621 538 615600 338 673830 349 820648 533 1908909 466 2004275 525264 539 615469 322 668335 540 823648 533 1908909 466 2004275 52526 538 636600 338 673830 540 823648 533 1908909 466 2004275 52526 538 636600 338 673830 540 823648 533 1908909 466 2004275 52526 538 636600 338 673833 540 823648 533 1908909 466 2004075 526600 348 636600 366 636865 540 7005000 328 6367712 54												310
517598												310
597596 532 606269 308 658183 229 811069 134 1941637 298 2011051 518487 536 606283 307 658190 229 811001 463 1941633 298 2011555 515631 534 606306 527 658260 230 812127 134 1941661 298 2011555 515631 534 606306 527 658260 230 812127 134 1941661 298 2011551 1518555 534 606283 305 658267 233 814787 410 1941709 298 2911593 1519071 331 606228 345 658664 233 814787 410 1941709 298 2011631 519071 331 606228 346 658664 228 814967 410 1941709 298 2011631 519071 331 61053 346 658664 228 814967 410 1941709 298 2011631 519170 531 610563 346 658866 228 814967 410 1941709 298 2011631 519170 531 610563 324 658701 228 810274 410 1941709 201 2016709 519170 531 610563 322 658701 228 820221 521 186294 374 2012275 519187 531 610563 322 658701 228 820221 521 186294 374 2012275 519187 531 610564 326 666762 531 820412 522 1866741 413 2012275 519200 522 610617 325 6667079 549 820429 522 1866741 413 2012275 5224624 539 615490 322 668311 549 820504 522 1866733 349 2009620 524624 539 615490 322 668311 549 820504 522 1866733 349 2009620 524624 539 615490 322 668335 540 820504 522 1866733 349 2009620 524643 539 615490 326 666792 548 820504 522 1866733 349 2009620 524643 539 615490 326 666792 549												313
51848 539 606283 307 658100 229 811601 483 1841683 298 2011555 518531 534 606511 521 65820 230 812127 134 1841681 298 2011557 518555 534 607464 306 658657 233 814787 410 1841709 299 2011598 519077 531 606246 345 658664 233 814877 410 1841777 529 2011673 519075 531 606246 345 658664 233 814817 410 1841777 529 2011673 519075 531 606246 345 658664 233 814817 410 1841717 529 2011673 519181 531 606258 324 685865 228 814974 410 1841231 350 2011707 519181 531 610558 324 685865 228 814974 410 1841231 350 2011707 519187 531 610558 324 685865 228 814974 410 184201 350 2011707 519181 531 610558 324 685865 228 816974 410 184201 350 2011707 519181 531 610558 324 686762 286 6867												313
518624 554 606306 527 658206 230 812127 134 1841661 298 2011555												535
518631 634 6006811 521 668220 231 814206 410 1841688 298 2011571 519071 531 609239 345 668664 233 814487 410 1841773 529 2011643 519108 531 609245 345 668668 228 8148961 410 1841733 529 2011643 519118 531 609253 306 658668 228 814978 410 1841234 300 2011707 519187 531 610563 322 658701 228 802021 521 1852504 374 2012275 519197 531 610569 322 667079 549 820023 521 1852574 374 2012275 519194 531 610607 326 667079 549 8200429 522 1866714 413 20178893 519240 531 610561 368 6670396 549												
518955 5 534 607464 306 6686867 233 814787 410 1841709 288 2011598 519071 531 60929 345 668667 233 814817 410 1841733 529 2011678 519018 531 609263 306 658688 228 814961 410 1841733 529 2011679 519118 531 609263 306 658688 228 8149678 410 1842931 530 2011776 519183 531 610566 324 658685 228 815074 410 1842931 530 2011276 519170 531 610563 322 668701 228 80221 521 1852504 374 2012257 519194 531 610564 326 659616 526 80238 521 1852547 374 2012285 519194 531 610564 326 669678 531 802042 521 1852547 374 2012285 519194 531 610564 326 66978 531 802042 522 1856731 439 2017895 519194 531 610542 322 668371 549 802042 522 1856731 439 2017895 519194 531 610542 322 668371 549 802042 522 1856731 349 2017895 519194 531 610542 322 668311 549 802042 522 1856731 349 2017895 514 802042 539 615492 322 668311 549 802044 522 1856731 349 2017895 524631 539 615490 308 669943 333 802041 522 1856731 349 2007895 524631 539 615490 308 669943 333 802041 522 1856731 349 2007895 524643 539 615490 308 670550 349 802049 532 186674 334 2009865 524655 539 619924 389 671670 349 820040 533 1871713 434 2009865 524655 539 619924 389 671670 349 820040 533 1871713 434 2009865 524686 539 610902 389 672576 532 822003 233 1894675 301 20040275 526486 539 602023 389 672576 532 822003 233 1894675 301 20040275 526486 539 602023 389 672576 532 822003 233 1894675 301 20040275 526486 539 602023 389 672576 532 822003 233 1894675 301 20040275 526486 539 602023 389 672576 532 822003 233 1894675 301 20040275 5265639 412 621248 232 674916 348 823246 533 190309 456 2004055 526569 412 621248 232 674916 538 82346 533 190309 456 2004055 526650 414 620566 426 675005 349 820304 349												313 313
619971 531 609299 345 658664 233 814817 410 1841717 529 20116126 619985 531 609254 345 658667 228 814961 410 184173 529 20116126 619181 531 609253 306 658688 228 814978 410 1842031 350 2011707 619183 531 610565 324 658689 228 814578 410 1842031 350 2011707 619187 531 610565 324 658689 228 815074 410 1843843 300 201207 619187 531 610563 322 658701 228 800221 521 1852504 374 201227 619187 531 610560 326 659616 526 800238 521 1852547 374 201227 619187 531 610560 326 666782 531 800412 522 1856741 413 2017865 619200 532 610617 325 667079 549 800429 522 1859731 459 2017865 622514 539 615469 322 668331 549 800504 522 1868733 449 2005910 6224624 539 615469 322 668331 549 800504 522 1868733 449 2005910 6224624 539 615469 322 668331 549 800504 522 1868713 349 2005910 6224624 539 615469 322 668335 413 800511 522 1868711 349 20059620 6224631 539 615469 322 668335 413 800511 522 1868711 349 20059620 6224648 539 615566 508 670550 349 800549 533 1677131 434 20058620 6224649 539 615493 389 671570 349 800549 533 1677131 434 20058620 6224679 539 615931 389 6712670 349 800549 533 1677131 434 20058620 6224679 539 615931 389 672240 463 821514 534 1838539 144 2040276 6224679 539 615931 389 672240 463 821514 534 1838539 144 2040276 6224679 538 600540 349 800540 3												313
59905 531 699246 345 688671 228 814961 410 184733 529 2011675 519186 531 699253 306 658688 228 814978 410 1842031 350 2011707 519183 531 610566 324 685695 228 815074 410 1843894 300 2012076 519170 531 610563 322 658701 228 8202218 521 1852540 374 2012275 519194 531 610594 326 659616 526 820238 521 1852541 413 2012285 519194 531 610594 326 666782 531 820412 522 1856741 413 2012285 519194 531 610594 322 668311 549 820429 522 1859731 459 2017895 519200 532 610617 325 6667079 549 820504 522 1859731 459 2017895 522514 539 615462 322 668311 549 820504 522 186873 349 2039601 524631 539 615400 308 669943 333 820611 528 1868741 349 2039625 524631 539 615400 308 669943 333 820611 528 1868701 349 2039625 524655 539 619924 389 671670 349 820049 533 1871713 434 2039861 524686 539 619924 389 671670 349 820049 533 1871713 434 2039861 5264686 539 620029 389 672573 532 622003 389 672573 532 622003 323 1894675 301 2040223 5254686 539 620029 389 672573 532 622003 323 1894675 301 2040225 525659 412 62148 232 674916 348 823277 633 19009997 456 2040255 5256599 412 62148 232 674916 348 823277 633 19009997 456 2040255 5256599 412 62148 232 674916 348 823277 633 1900909 456 2040255 5256599 412 62148 232 674916 348 823277 633 1900909 456 2040255 5256599 412 62148 232 674916 348 823277 633 1903909 456 2040255 5256599 412 62148 232 674916 348 823277 633 1903909 456 2040255 5256599 412 62148 523 674916 540 682475 540 682474 540 682475 540 682474 540 682474 540 682474 540 682474 540 682474 540 682474 540 682474 540 682474 540												313
519118 531 609253 306 658688 228 814078 410 1842031 550 2011707 519187 531 610663 322 658701 228 820221 621 1852504 374 2012276 519187 531 610894 36 69616 526 820238 521 1852547 374 2012283 519194 531 610800 326 666782 531 820412 522 1856741 413 2017893 519194 531 610600 326 666782 531 820412 522 1858731 459 2017893 519200 532 616469 322 668313 439 820464 522 1886731 349 2039101 5246453 539 615490 308 669343 333 820641 528 1868741 349 2039826 524655 539 619924 389 671670 349 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>313</td></td<>												313
519163 531 610556 324 6586915 228 815074 410 18483894 300 2012056 519187 531 610594 326 659616 526 820231 521 1852504 374 2012275 519194 531 610600 326 666782 531 820412 522 1856741 413 2017885 519200 532 610617 325 667079 549 820429 562 1856741 449 2017895 524521 539 615452 322 668311 549 820504 622 1888731 349 2039101 524651 539 615490 308 669043 333 820511 622 1888731 349 2039801 524655 539 619624 389 671670 349 8202049 533 1871713 349 2039260 5244686 539 6019331 389 6722678 532												
619170 531 610563 322 658701 228 820221 521 1852504 374 2012278 619184 531 610600 326 666782 531 820412 522 1856741 413 2017893 619194 531 610600 326 666782 531 820412 522 1856741 413 2017893 522514 539 615452 322 668311 549 820450 522 1886733 349 2039102 524631 539 615490 308 669043 333 820641 522 1868731 349 2039101 524655 539 615906 368 671670 349 820429 533 187173 434 2039865 524656 539 619921 389 672240 463 821914 534 1889389 514 2040276 524666 539 619921 389 672578 532 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>313 535</td></td<>												313 535
519187 531 610600 326 666782 531 820412 522 1856741 13 2017855 519200 532 610617 325 667079 549 820429 522 1859731 459 2017893 522514 539 615452 322 668311 549 8205014 522 1868733 439 2039101 524651 539 615490 308 669943 333 820641 522 1868731 349 2039820 524858 539 615506 308 670550 349 820849 533 1871713 434 2039851 524856 539 619924 398 671670 449 821020 346 183888 61420325 524886 539 619924 398 672576 532 822013 233 18817173 434 2040276 5258539 619924 398 672578 532 822014 533												
519194 531 610600 326 666782 531 820412 522 1856741 413 2017826 519200 532 8161542 522 667079 549 820429 522 1856731 459 2017838 522514 539 615452 322 6688315 549 820504 522 1868733 349 2039605 524631 539 615469 322 6688315 413 820511 522 1868733 349 2039605 524631 539 615400 308 669043 333 820641 528 1868910 334 2039631 524636 539 615506 308 670550 349 820849 533 1871713 434 2039863 524655 539 619924 389 672570 349 821020 346 1868288 334 2039625 524655 539 619924 389 672240 463 821920 346 1868288 334 203962 524669 539 619931 389 672240 463 821910 544 1868288 334 203962 524669 539 619034 389 672578 532 82003 233 1894675 301 204023 525539 412 621248 232 674916 348 823277 533 1902997 456 2040356 525539 412 621248 232 674916 348 823277 533 1902997 456 2040356 525731 414 621255 231 676040 210 828074 225 1908512 441 2049828 527731 413 62075 230 676705 540 829316 528 81912629 266 2059049 5229421 164 623082 230 676712 540 828074 225 1908512 241 241 249832 529469 164 625684 526 679905 332 835430 530 1913741 266 2059458 535052 261 625871 526 679905 346 838499 374 1914015 266 2059458 535052 261 625881 526 679905 540 8384699 374 1914014 266 205945 536054 261 625885 283 679607 535 1656254 414 1914171 266 205945 536054 261 625885 283 679607 535 1656254 414 1914171 266 205945 536054 261 625885 283 679607 535 1656254 414 1914171 266 205945 536054 261 625885 283 679607 535 1656254 414 1914171 266 205945 536055 261 625887 534 680092 534 680092 534 680092 534 680092 534 680092 534 680092 534 680092 534 680092 534 680092 534 680393 499 1914701 267 205485 555008 261 625885 283 679607 535 1656254 414 1914171 266 205478 555008 261 625885 283 679607 535 1656254 414 1914171 266 205478 555008 261 625885 283 68363 33 169303 24 1914808 267 205485 555008 261 625885 283 68363 33 169303 24 1914808 267 205485 555008 261 625885 283 68363 33 169303 24 1914808 267 205485 555008 261 625885 283 68363 283 68363 283 68363 283 68363 284 68422 270 180485 2270 180485 2270 180485 2270 180485 2270 180485 2270 180485 2270 180485 2270 180485 2270 180485 2												535 535
592200 532 610617 325 6667079 549 820429 522 1659731 459 2017833 522614 539 615452 322 6668131 549 820504 522 1658731 349 2039101 524624 539 615409 322 6668131 549 820504 522 1658731 349 2039205 524631 539 615409 308 669943 333 820641 528 1868741 349 2039620 524631 539 615409 308 669943 333 820641 528 1868741 349 2039620 524655 539 619924 389 670550 349 821020 346 1886288 334 2040273 524657 539 619934 389 671570 349 821020 346 1886288 334 2040273 524686 539 620029 349 672578 532 822003 233 1894675 301 2040321 524686 539 620029 349 672578 532 822003 233 1894675 301 2040321 5256126 538 620036 389 672578 532 822003 233 1894675 301 2040321 5256126 538 620036 389 672578 532 822003 233 1894675 301 2040321 5256507 446 62525 241 676040 210 828074 225 1908512 441 2049325 527731 413 623075 230 676705 540 829316 528 1912829 266 2059046 529469 164 625864 526 679065 332 835430 530 1913741 266 2059410 530052 261 625874 526 679065 332 835430 530 1913741 266 2059410 530052 261 625888 526 679055 332 835430 530 1913741 266 2059410 530052 261 625888 526 679055 332 835430 530 1913741 266 2059410 530052 261 625888 526 67905 332 835430 530 1913741 266 2059410 530052 261 625888 526 679055 332 835430 530 1913741 266 2059410 530052 261 625888 526 679055 332 835430 530 1913741 266 2059410 530052 261 625888 526 679055 332 835430 530 1913741 266 2059410 530052 261 625888 526 679055 332 835430 530 1913741 266 2059410 530052 261 625888 526 679055 332 835430 530 1913741 266 2059410 530052 261 625888 526 679055 332 835430 530 1913741 266 2059410 530052 261 625888 526 679055 332 835430 530 1913741 266 2059410 530052 261 625888 526 679055 332 835430 530 1913741 266 2059410 530052 261 625888 526 679055 332 835430 530 1913741 266 2059485 535602 261 639905 534 680092												490
622514 539 615452 322 668311 549 820501 522 1868733 349 2039101 624631 539 615490 308 669943 333 820641 628 1868910 344 2039831 524645 539 615506 308 870550 349 820849 533 1871713 434 2039851 524655 539 619924 389 671670 349 820200 346 1886888 334 2040232 524679 539 619934 389 672578 532 821914 534 18983859 514 204225 524686 539 60933 89 673333 540 822003 233 1804675 301 2040321 525539 412 621248 232 674916 348 823277 533 1902997 456 204325 5257731 414 621255 231 676040 210												490
524624 539 615469 322 668335 413 820511 522 1868741 349 2039823 524638 539 615506 308 669560 349 820849 533 1871713 434 2039831 524655 539 619924 389 67670 349 821020 346 186288 334 204023 524679 539 619931 389 672240 463 821914 534 1893859 514 2040275 525126 538 620036 389 672876 532 82203 231 1894675 301 2040275 525126 538 620036 389 673933 540 823246 533 1903009 456 2044251 5255367 414 621248 232 674916 348 823277 533 1903009 466 2044251 529421 164 622082 30 676705 540 82												209
624831 539 615490 308 669943 333 820641 528 1868910 344 2039831 524655 539 619324 389 671670 349 820849 533 1871713 343 2039851 524679 539 619931 389 672578 532 821020 346 1886288 334 2040275 524686 539 620029 389 672578 532 822003 233 1894675 301 2040327 526126 538 620036 389 6725878 532 822003 233 1894977 456 2040356 525559 412 621248 232 674916 348 823277 533 1903009 456 2044351 525659 412 621248 6231 676040 210 829316 528 1918512 441 2049352 527731 154 626 6796045 332 835430												209
624648 539 615506 308 670550 349 820849 533 1871713 434 2038665 524679 539 619931 389 672240 463 821914 534 188288 334 2040276 524686 539 620029 389 672378 532 82003 33 1994675 301 2040325 5256126 538 620036 389 673933 540 82246 533 19903009 456 2040356 525559 412 621248 232 674916 348 823277 533 1903009 456 2044251 527731 413 623082 230 67675 540 829316 528 1912829 266 2059042 529469 164 625864 526 679065 332 835430 530 1913741 266 2059402 530052 261 625871 526 679300 463 8												467
524655 539 619924 389 671670 349 821020 346 1886288 334 2040235 524869 539 619931 389 672240 463 821914 534 1893859 514 2040276 501 202071 4020276 501 802777 503 190009 468 2044251 50266 708027 501 6070276 504 829371 225 1908612 441 2049932 502 5050024 101 8020277 503 301 1913741 266 20504028 <td></td> <td>209</td>												209
624679 599 619931 389 672240 463 821914 534 1893889 514 2040276 522406 539 620029 389 673833 540 823246 533 1902997 456 2040356 525539 412 621248 232 674916 348 823277 533 1902997 456 2040356 525539 412 621248 232 676040 210 828077 225 1908512 441 2049932 527731 413 623075 230 676705 540 829316 528 1912829 266 2059006 529469 164 625864 526 679055 332 835430 530 1913411 266 2059402 251 625871 526 679300 463 836499 374 1914154 266 2059452 535828 261 625874 526 679300 463 836499 374 1914164 266												209
624886 539 620029 389 672578 532 822003 233 1894675 301 2040321 525539 412 621248 232 674916 348 823277 533 1903009 456 2044251 525607 414 621255 231 676040 210 828074 225 1908512 441 2049932 527731 413 623075 230 676705 540 82916 528 1912829 266 2059049 529449 164 625864 526 679065 332 835430 530 1913741 266 2059049 530052 261 625881 526 679300 463 836499 374 1914015 266 2059404 536054 261 625885 283 679607 535 1652254 414 1914171 266 2064788 536054 261 625895 283 679607 535 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>209</td></t<>												209
626126 538 620036 389 673933 540 823246 533 1902997 456 2044251 525539 412 621248 232 674916 348 823277 533 1903009 456 2044251 525607 414 621255 231 676040 210 828074 225 1908512 441 2049932 529421 164 623082 230 676712 540 829916 528 1918969 266 2059065 529469 164 625864 526 679065 332 835430 530 1913741 266 2059405 530052 261 625894 526 679300 463 836499 374 191415 266 2059455 538084 261 625898 526 679515 207 839759 527 1914154 266 2064748 538085 261 625895 283 699607 534 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>209</td></td<>												209
625539 412 621248 232 674916 348 823277 533 1903009 456 2044251 525607 414 621255 231 676040 210 282074 225 1908512 441 204925 529421 164 623082 230 676712 540 832965 309 1913741 266 2059049 529469 164 625864 526 67905 332 835430 303 1913741 266 2059410 530052 261 625861 526 679000 463 836499 374 1914015 266 2059410 530052 261 625898 526 679515 207 839759 527 1914154 266 2064788 536085 261 630905 534 680092 534 1652254 414 1914171 266 2064788 544295 270 6303974 531 683427 270 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>467</td></t<>												467
625607 414 621255 231 676040 210 828074 225 1908512 441 2049082 529721 164 623082 230 676705 540 829316 528 1912829 266 2059049 529469 164 623084 526 679055 332 835430 530 1913741 266 2059410 530052 261 625881 526 679505 332 835430 530 1913741 266 2059452 535828 261 625888 526 679515 207 839759 527 1914154 266 2064745 536085 261 625895 283 679607 535 1652254 414 1914171 267 2064785 544295 270 630974 531 683437 540 1660393 459 191470 267 2064786 544995 270 630974 531 683477 540 <												440
527731 413 623075 230 676705 540 829316 528 1912829 266 2059045 529421 164 623082 230 676712 540 832965 309 1913696 266 2059045 529469 164 625864 526 679065 332 835430 530 1913741 266 2059405 529469 164 625884 526 679065 332 835430 530 1913741 266 2059405 53628 261 625887 526 679300 463 836499 374 1914015 266 2059452 535828 261 625885 283 679607 535 1852254 414 1914171 266 2064745 536054 261 625885 283 679607 535 1852254 414 1914171 266 2064785 536085 261 630905 534 680092 534 1653943 466 1914226 267 2064796 544295 270 630974 531 683437 540 1660393 459 1914701 267 2064836 545971 283 634798 496 684212 270 1683894 534 1914710 267 2064850 550524 284 635399 284 685783 333 1693030 324 1914808 267 2064856 555624 284 635893 333 693078 532 1704608 134 1917347 222 2065326 555710 164 635832 333 693078 532 1704608 134 1917347 222 2065326 555710 164 635832 333 693078 532 1704608 134 1917347 222 2065326 555772 164 635849 349 694907 164 1707462 227 191986 350 2065385 556090 322 635931 540 697175 164 1707462 227 191986 350 2065385 556090 322 635931 540 697175 164 17207462 227 1919986 350 2065385 55604 309 635985 540 702367 270 1721176 285 1922040 448 2065455 566447 039 635955 540 703111 164 1721604 463 1922066 448 2065505 568479 526 635962 540 706983 207 1721678 208 1922296 268 2065505 570690 284 646753 527 757664 345 1721678 208 1922331 268 2065505 57075 540 64818 261 762740 134 1721918 208 1922266 268 2065505 57075 540 64818 261 762740 134 1721962 208 1922331 268 2065505 570750 249 648882 261 762828 134 1721900 208 192239 268 2065505 570750 249 648882 261 762828 134 1721962 208 192239 268 2065505 570750 249 648882 261 762828 134 1721900 208 192239 268 2065505 570750 240 64818 261 762740 134 1721962 208 1922331 268 2065505 570750 240 648818 261 762740 134 1721962 208 192239 268 2065505 570750 240 648882 261 762828 134 1721960 208 192239 268 2065505 570750 240 648882 261 762828 134 1721960 208 192239 268 2065505 570750 240 6488382 261 762828 134 172196 208 1922266 268 2078505 570750 240 648882 261 762804 134 1721962 208 19225												454
529421 164 623082 230 676712 540 822965 309 1913896 266 2059065 529469 164 625864 526 679065 332 835430 1913741 266 2059410 530052 261 625888 526 679515 207 839759 527 1914154 266 2064758 5360054 261 625895 283 679607 535 1652254 247 1914154 266 2064788 5360058 261 630905 534 680092 534 1653943 466 1914226 267 2064788 536085 261 630974 531 683437 540 1660393 459 1914701 267 2064853 544295 270 630974 531 683437 540 1660393 459 1914701 267 2064858 555002 284 635399 284 685783 333 1693030												209
529469 164 628864 526 679065 332 835430 530 1913741 266 2059452 530052 261 625871 526 679305 207 839759 527 1914154 266 2059452 536084 261 625895 283 679607 535 1652254 414 1914171 266 2064785 544295 270 630974 531 683437 540 1660393 459 1914701 267 2064863 545971 283 634798 496 684212 270 1683894 534 1914701 267 2064868 5550524 284 685898 332 691142 348 1693048 534 1914701 267 2064868 5556710 164 635818 332 691142 348 1693048 309 1914841 267 2065271 555710 164 6358649 349 994907 164												209
530052 261 625888 526 679300 463 836499 374 1914101 266 205482 535828 261 625888 526 679515 207 839759 527 1914154 266 2064745 536054 261 625895 283 679607 535 1652544 414 1914171 266 2064786 536054 261 630905 534 680092 534 1663943 466 1914226 267 2064796 544295 270 630974 531 683437 540 1660393 459 1914710 267 2064850 550524 284 635399 284 685783 333 1693083 324 1914808 267 2064868 553648 309 635788 332 691142 348 1693404 227 1914841 267 2065305 555703 164 635818 333 693078 532												489
538828 261 625888 526 679515 207 839759 527 1914154 266 2064748 536054 261 625895 283 679607 535 1652254 414 1914171 266 2064788 536085 261 630905 534 680092 534 1653943 466 1914226 267 2064868 544295 270 630974 531 683437 540 1660993 459 1914701 267 2064850 545971 283 635399 284 685783 333 1693030 324 1914808 267 2064868 555604 284 635399 284 685783 333 1693030 324 1914808 267 2064868 555703 164 6358183 332 691142 348 1693004 327 1914811 267 2064868 555703 164 6358493 349 694007 164												489
636064 261 625895 283 679607 535 1652254 414 1914171 266 2064788 536085 261 630905 534 680922 534 1653943 466 1914226 267 2064786 544295 270 630974 531 683437 540 1660939 459 1914701 267 2064836 545971 283 634798 496 684212 270 1683894 534 1914701 267 2064808 553648 309 635788 332 691142 348 1693048 309 1914832 267 2064808 555703 164 635818 333 692019 549 1694104 227 1914841 267 2065305 555772 164 635849 349 694907 164 1707462 227 1919086 350 2065326 555772 164 635863 349 696499 270									1914154			209
636085 261 630905 534 680992 534 1663943 466 1914226 267 2064786 544295 270 630974 531 683437 540 1660393 459 1914701 267 2064835 550524 284 635399 284 685783 333 1693030 324 1914808 267 2064858 553648 309 635788 332 691142 248 1693048 297 1914841 267 2065271 555703 164 635818 333 692019 549 1694104 227 1914841 267 2065305 555710 164 635849 349 694907 164 1707462 227 1914841 267 2065305 555772 164 635849 349 69499 270 1714371 413 1921418 446 2065305 556090 322 635931 540 697175 164												209
644295 270 630974 531 683437 540 1660393 459 1914701 267 2064833 545971 283 634798 496 684212 270 1683894 534 1914710 267 2064868 550524 284 635399 284 685783 333 1693030 324 1914808 267 2064868 5556048 309 635788 332 691142 348 1693048 309 1914832 267 2065271 555703 164 635818 333 693078 532 1704608 134 1917347 222 2065305 555702 164 635863 349 694907 164 1707462 227 1919086 350 2065376 555802 164 635863 349 694907 164 1707462 227 1919086 350 2065375 556104 703111 164 1721086 229 1921434 <td>085</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>2064796</td> <td>209</td>	085										2064796	209
545971 283 634798 496 684212 270 1683894 534 1914710 267 2064865 550524 284 635399 284 685783 333 1693030 324 1914808 267 2064868 553648 309 635788 332 691142 348 1693048 309 1914832 267 2065271 555710 164 635818 333 692019 549 1694104 227 1914841 267 2065305 555772 164 635849 349 694907 164 1707462 227 1919086 350 2065336 556802 164 635863 349 696499 270 1714371 413 1921418 446 2065369 556809 322 635931 540 697175 164 1720886 229 1921434 446 2065375 566144 309 635955 540 703111 164	295	270	630974	531	683437	540	1660393	459	1914701	267	2064833	209
553648 309 635788 332 691142 348 1693048 309 1914832 267 2065271 555703 164 635818 333 692019 549 1694104 227 1914841 267 2065326 555772 164 635849 349 694907 164 1707462 227 1919086 350 2065326 555772 164 635863 349 694907 164 1707462 227 1919086 350 2065326 555090 164 635863 349 696499 270 1714371 413 1921418 446 2065369 556106 324 635948 540 702367 270 1721176 285 1922040 448 2065365 556144 309 635955 540 703111 164 1721678 208 1922266 268 2065562 562879 526 635962 540 706933 207	971	283	634798	496	684212	270	1683894	534	1914710	267	2064850	209
553648 309 635788 332 691142 348 1693048 309 1914832 267 2065271 555703 164 635818 333 692019 549 1694104 227 1914841 267 2065326 555710 164 635849 349 694907 164 1707462 227 1919086 350 2065326 555772 164 635863 349 694907 164 1707462 227 1919086 350 2065334 5558090 164 635863 349 696499 270 1714371 413 1921418 446 2065365 556106 324 635948 540 702367 270 1721176 285 1922040 448 2065465 566144 309 635955 540 703111 164 1721678 285 1922040 448 2065562 562879 526 635962 540 706983 207				284		333				267	2064868	209
555703 164 635818 333 692019 549 1694104 227 1914841 267 2065306 555710 164 635832 333 693078 532 1704608 134 1917347 222 2065326 555772 164 635849 349 694907 164 1707462 227 1919086 350 2065326 556002 164 635863 349 696499 270 1714371 413 1921418 446 2065369 556090 322 635931 540 697175 164 1720886 229 1921434 446 2065377 556104 309 635955 540 703111 164 1721504 463 1922040 448 2065502 562879 526 635962 540 706983 207 1721678 208 1922266 268 2065502 564170 547 646098 546 707690 207			635788	332	691142	348	1693048	309	1914832	267	2065271	209
555772 164 635849 349 694907 164 1707462 227 1919086 350 2065334 555802 164 635863 349 696499 270 1714371 413 1921418 446 2065369 556000 322 635931 540 697175 164 1720886 229 1921434 446 2065365 556106 324 635948 540 702367 270 1721176 285 1922040 448 2065502 556144 309 635962 540 703111 164 1721504 463 1922066 448 2065502 562879 526 635962 540 706983 207 1721678 208 1922226 268 2065561 564170 547 646098 546 707690 207 1721688 208 1922233 268 2065588 570775 540 648177 324 762750 134	703	164	635818	333	692019	549	1694104	227	1914841	267	2065300	209
555802 164 635863 349 696499 270 1714371 413 1921418 446 2065369 556090 322 635931 540 697175 164 1720886 229 1921434 446 2065367 556106 324 635948 540 702367 270 1721176 285 1922040 448 2065465 556144 309 635955 540 703111 164 1721504 463 1922066 448 2065502 562879 526 635962 540 706983 207 1721678 208 1922226 268 2065502 564170 547 646098 546 707690 207 1721678 208 1922293 268 2065562 570690 284 646753 527 757664 345 1721694 208 1922331 268 2065582 570782 540 648818 261 762774 134	710	164	635832	333	693078	532	1704608	134	1917347	222	2065326	209
556090 322 635931 540 697175 164 1720886 229 1921434 446 2065377 556106 324 635948 540 702367 270 1721176 285 1922040 448 2065465 556144 309 635955 540 703111 164 1721504 463 1922066 448 2065502 562879 526 635962 540 706983 207 1721678 208 1922226 268 2065561 564170 547 646098 546 707690 207 1721686 208 1922293 268 2065567 570690 284 646753 527 757664 345 1721694 208 1922331 268 2065588 570775 540 648818 261 762774 134 1721900 208 1922496 268 2072850 572113 493 648812 261 762804 134											2065334	209
556106 324 635948 540 702367 270 1721176 285 1922040 448 2065465 556144 309 635955 540 703111 164 1721504 463 1922066 448 2065502 562879 526 635962 540 706983 207 1721678 208 1922293 268 2065561 564170 547 646098 546 707690 207 1721686 208 1922331 268 2065570 570690 284 646753 527 757664 345 1721694 208 1922331 268 2065588 570775 540 648177 324 762750 134 1721900 208 1922496 268 2072850 570782 540 648818 261 762774 134 1721918 208 1922584 268 2072868 572113 493 648825 261 762804 134											2065369	209
556144 309 635955 540 703111 164 1721504 463 1922066 448 2065502 562879 526 635962 540 706983 207 1721678 208 1922226 268 2065561 564170 547 646098 546 707690 207 1721686 208 1922293 268 2065570 570690 284 646753 527 757664 345 1721694 208 1922331 268 2065588 570775 540 648177 324 762750 134 1721900 208 1922496 268 2072850 5707782 540 648818 261 762774 134 1721918 208 1922584 268 2072850 572713 493 648825 261 762804 134 1721918 208 1922592 268 2079074 572120 493 648849 261 763009 529											2065377	209
562879 526 635962 540 706983 207 1721678 208 192226 268 2065561 564170 547 646098 546 707690 207 1721686 208 1922293 268 2065570 570690 284 646753 527 757664 345 1721694 208 1922331 268 2065588 570775 540 648177 324 762750 134 1721900 208 1922496 268 2072850 570782 540 648818 261 762774 134 1721918 208 1922584 268 2072850 572113 493 648825 261 762804 134 1721926 208 1922592 268 2079074 572120 493 648832 261 762804 134 1721951 208 1922621 269 2080382 572717 233 648849 261 763009 529											2065465	467
564170 547 646098 546 707690 207 1721686 208 1922293 268 2065570 570690 284 646753 527 757664 345 1721694 208 1922331 268 2065588 570775 540 648177 324 762750 134 1721900 208 1922496 268 2072850 570782 540 648818 261 762774 134 1721918 208 1922584 268 2072868 572113 493 648832 261 762804 134 1721926 208 1922592 268 20799074 572120 493 648832 261 762828 134 1721951 208 1922621 269 2080382 572717 233 648849 261 763009 529 1721977 208 1922664 269 2085669 572724 233 649808 527 763016 528	144	309	635955	540		164	1721504	463		448	2065502	380
570690 284 646753 527 757664 345 1721694 208 1922331 268 2065588 570775 540 648177 324 762750 134 1721900 208 1922496 268 2072850 570782 540 648818 261 762774 134 1721918 208 1922584 268 2072868 572113 493 648825 261 762804 134 1721926 208 1922592 268 2079074 572120 493 648832 261 762828 134 1721926 208 1922521 269 2080382 572717 233 648849 261 763009 529 1721977 208 1922664 269 2085669 572724 233 649808 527 763016 528 1722101 208 1922672 269 2085765 573578 324 650415 536 763054 528	879	526	635962	540	706983		1721678	208		268	2065561	380
570775 540 648177 324 762750 134 1721900 208 1922496 268 2072850 570782 540 648818 261 762774 134 1721918 208 1922584 268 2072868 572113 493 648825 261 762804 134 1721926 208 1922592 268 2079074 572120 493 648832 261 762828 134 1721951 208 1922661 269 2080382 572717 233 648849 261 763009 529 1721977 208 1922664 269 2085669 572724 233 649808 527 763016 528 1722101 208 1922672 269 2085669 573578 324 650415 536 763054 528 172232 208 1922710 269 2085629 575121 233 65042 228 764136 467	170	547	646098	546		207		208		268	2065570	380
570782 540 648818 261 762774 134 1721918 208 1922584 268 2072868 572113 493 648825 261 762804 134 1721926 208 1922592 268 2079074 572120 493 648832 261 762828 134 1721951 208 1922621 269 2080382 572717 233 648849 261 763009 529 1721977 208 1922664 269 2085669 572724 233 649808 527 763016 528 1722101 208 1922672 269 2085765 573578 324 650415 536 763054 528 1722232 208 1922710 269 2085765 573585 527 650453 536 763870 527 1747536 456 1922761 269 2089205 575121 233 650842 228 764136 467											2065588	380
572113 493 648825 261 762804 134 1721926 208 1922592 268 2079074 572120 493 648832 261 762828 134 1721951 208 1922621 269 2080382 572717 233 648849 261 763009 529 1721977 208 1922664 269 2085669 572724 233 649808 527 763016 528 1722101 208 1922672 269 2085765 573578 324 650415 536 763054 528 1722232 208 1922710 269 2085829 573585 527 650453 536 763870 527 1747536 456 1922761 269 2085829 575121 233 650842 228 764136 467 1747544 456 1922779 269 2099649 575138 233 652679 346 765447 207											2072850	429
572120 493 648832 261 762828 134 1721951 208 1922621 269 2080382 572717 233 648849 261 763009 529 1721977 208 1922664 269 2085669 572724 233 649808 527 763016 528 1722101 208 1922672 269 2085765 573578 324 650415 536 763074 528 1722232 208 1922710 269 2085829 573585 527 650453 536 763870 527 1747536 456 1922761 269 20898205 575121 233 650842 228 764136 467 1747544 456 1922779 269 2099649 575138 233 652679 346 765447 207 1747552 456 1922808 270 2104647 588282 325 652693 346 766260 234											2072868	460
572717 233 648849 261 763009 529 1721977 208 1922664 269 2085669 572724 233 649808 527 763016 528 1722101 208 1922672 269 2085765 573578 324 650415 536 763054 528 1722232 208 1922710 269 2085829 573585 527 650453 536 763870 527 1747536 456 1922761 269 2089205 575121 233 650842 228 764136 467 1747544 456 1922779 269 2099649 575138 233 652679 346 765447 207 1747552 456 1922808 270 2104647 588282 325 652693 346 766260 234 1747561 456 1922832 270 2107400 5891732 207 654253 236 767373 207												546
572724 233 649808 527 763016 528 1722101 208 1922672 269 2085765 573578 324 650415 536 763054 528 1722232 208 1922710 269 2085829 573585 527 650453 536 763870 527 1747536 456 1922761 269 2089205 575121 233 650842 228 764136 467 1747544 456 1922779 269 2099649 575138 233 652679 346 765447 207 1747552 456 1922808 270 2104647 588282 325 652693 346 766260 234 1747561 456 1922832 270 2107400 589777 207 654253 236 767373 207 1747579 456 1922841 270 2109632 591428 164 654819 526 767397 207											2080382	466
573578 324 650415 536 763054 528 1722232 208 1922710 269 2085829 573585 527 650453 536 763870 527 1747536 456 1922761 269 2089205 575121 233 650842 228 764136 467 1747544 456 1922779 269 2099649 575138 233 652679 346 765447 207 1747552 456 1922808 270 2104647 588282 325 652693 346 766260 234 1747561 456 1922832 270 2107400 589777 207 654253 236 767373 207 1747579 456 1922841 270 210963 591428 164 654819 526 767397 207 1747587 456 1927983 287 2122896 591732 234 654833 340 767403 207											2085669	514
573585 527 650453 536 763870 527 1747536 456 1922761 269 2089205 575121 233 650842 228 764136 467 1747544 456 1922779 269 2099649 575138 233 652679 346 765447 207 1747552 456 1922808 270 2104647 588282 325 652693 346 766260 234 1747561 456 1922832 270 2107400 589777 207 654253 236 767373 207 1747579 456 1922841 270 2109632 591428 164 654819 526 767397 207 1747587 456 1927983 287 2122896 591732 234 654833 340 767403 207 1748459 456 1929946 536 2122909 594986 277 655908 306 771967 534											2085765	379
575121 233 650842 228 764136 467 1747544 456 1922779 269 2099649 575138 233 652679 346 765447 207 1747552 456 1922808 270 2104647 588282 325 652693 346 766260 234 1747561 456 1922832 270 2107400 589777 207 654253 236 767373 207 1747579 456 1922841 270 2109632 591428 164 654819 526 767397 207 1747587 456 1927983 287 2122896 591732 234 654833 340 767403 207 1748459 456 1929946 536 2122909 594986 277 655908 306 771967 534 1749988 457 1929954 536 2122917											2085829	514
575138 233 652679 346 765447 207 1747552 456 1922808 270 2104647 588282 325 652693 346 766260 234 1747561 456 1922832 270 2107400 589777 207 654253 236 767373 207 1747579 456 1922841 270 2109632 591428 164 654819 526 767397 207 1747587 456 1927983 287 2122896 591732 234 654833 340 767403 207 1748459 456 1929946 536 2122909 594986 277 655908 306 771967 534 1749988 457 1929954 536 2122917											2089205	379
588282 325 652693 346 766260 234 1747561 456 1922832 270 2107400 589777 207 654253 236 767373 207 1747579 456 1922841 270 2109632 591428 164 654819 526 767397 207 1747587 456 1927983 287 2122896 591732 234 654833 340 767403 207 1748459 456 1929946 536 2122909 594986 277 655908 306 771967 534 1749988 457 1929954 536 2122917											2099649	229
589777 207 654253 236 767373 207 1747579 456 1922841 270 2109632 591428 164 654819 526 767397 207 1747587 456 1927983 287 2122896 591732 234 654833 340 767403 207 1748459 456 1929946 536 2122909 594986 277 655908 306 771967 534 1749988 457 1929954 536 2122917												447
591428 164 654819 526 767397 207 1747587 456 1927983 287 2122896 591732 234 654833 340 767403 207 1748459 456 1929946 536 2122909 594986 277 655908 306 771967 534 1749988 457 1929954 536 2122917												546
591732 234 654833 340 767403 207 1748459 456 1929946 536 2122909 594986 277 655908 306 771967 534 1749988 457 1929954 536 2122917											2109632	207
594986 277 655908 306 771967 534 1749988 457 1929954 536 2122917												532
												532
EDEDOT 004 GEEDOO 207 777400 E4G 1750710 000 1000000 500 010000F												532
		324	655922	307	777402	546	1750719	229	1929962	536	2122925	532
598212 325 655946 308 779208 346 1774286 374 1930031 536 2122933												532
599462 283 655953 308 780266 463 1775730 550 1930074 536 2122941	462	283	655953	308	780266	463	1775730	550	1930074	536	2122941	532

Article no.	Page	Article no.	Page	Article no.	Page	Article no.	Page	Article no.	Page	Article no.	Page
2122950	532	2210343	438	2331487	478	2455973	303	2571051	216	2611059	327
2122968	532	2212816	222	2331508	478	2455981	303	2571069	216	2611606	437
2124357	411	2212824	222	2331516	478	2456669	431	2571077	216	2614621	437
2124816	414	2215890	233	2332244	206	2456677	431	2571085	216	2614680	438
2124824	414	2215902	233	2332252	206	2456685	431	2571093	216	2619317	229
2124904	414	2219129	264	2338742	490	2456693	431	2571114	216	2619325	229
2124912	414	2219153	264	2345942	306	2464933	413	2573005	220	2619608	506
2125000	411	2219188	264	2345951	306	2464941	413	2573013	220	2619616	506
2125536	411	2219217	264	2351429	340	2464950	413	2573021	220	2619641	509
2125544	411	2219233	265	2351509	341	2464968	413	2573030	220	2619659	509
2137570	379	2219268	265	2351584	340	2465098	261	2573179	220	2619675	514
2137684	379	2219401	265	2369792	448	2465101	261	2573187	220	2619683	514
2137713	379	2219428	265	2390161	287	2465119	261	2573195	220	2620545	493
2137748	379	2229511	450	2396379	429	2465127	261	2573208	220	2620553	493
2137772	379	2229520	450	2396424	429	2465194	261	2573216	220	2620588	493
2137799	379	2229554	442	2404527	380	2465207	261	2573224	220	2622102	492
2144876	440	2229562	442	2404535	380	2465215	261	2573232	220	2622129	492
2149116	529	2229757	414	2404543	380	2465223	261	2573241	220	2622145	492
2152542	373	2229765	414	2404560	380	2473207	438	2573259	220	2622268	492
2152577	373	2230475	132	2404594	380	2474787	435	2573267	220	2622292	492
2152745	373	2236412	440	2404607	380	2475907	220	2573275	220	2622313	492
2152841	373	2236762	450	2404615	380	2475940	220	2573283	220	2622495	492
2156922	340	2236922	442	2404631	380	2475958	220	2573291	220	2622516	492
2157141	289	2236957	438	2405394	357	2475974	220	2573304	220	2622532	492
2157714	349	2243428	438	2405407	357	2475991	220	2573312	220	2630065	515
2158135	289	2244156	440	2405415	357	2476061	220	2573321	220	2630102	515
2159082	346	2244181	440	2405431	357	2478614	229	2573460	220	2637232	515
2159103	346	2245108	243	2405546	380	2480415	188	2573478	220	2637961	515
2159162	290	2245124	243	2405554	380	2480431	188	2573486	220	2637996	515
2159171	290	2245132	243	2405562	380	2480440	188	2573494	220	2638016	515
2161334	349	2245141	243	2405600	380	2480458	188	2574201	221	2641645	475
2161570	340	2245159	242	2407015	508	2480466	124	2574219	221	2641653	475
2168106	446	2245167	242	2407023	508	2480482	124	2574243	221	2641661	475
2177230	379	2245175	242	2407120	508	2480491	124	2574260	221	2641670	475
2177248	379	2245183	242	2407154	508	2480511	124	2574278	221	2641688	492
2177256	379	2245204	242	2407509	461	2487465	467	2574294	221	2641696	492
2183226	379	2245212	242	2407517	461	2491106	229	2574534	221	2641709	492
2183496	379	2245221	242	2407525	461	2492416	217	2574542	221	2641717	492
2183509	379	2245239	242	2407533	461	2492483	217	2574577	221	2641856	502
2183517	379	2245247	503	2407541	461	2492491	217	2574702	233	2641872	502
2183525	379	2245255	503	2407568	461	2492512	217	2574711	233	2653435	544
2192819	538	2245263	503	2409459	107	2492521	217	2574745	233	2653443	544
2195606	229	2245271	503	2409467	107	2492547	217	2574796	233	2653451	544
2197880 2202167	373 373	2245280 2245298	503 503	2410548 2413415	448 437	2492555 2492571	217 217	2574833 2574841	233 233	2664062 2664071	335 335
2202175	373	2245301 2245319	503	2417176 2417192	338	2492707	287 455	2574905	232	2664089	335 335
2202191 2202204	373 373	2245693	503 490	2417192	338 338	2503189 2513643	433	2574913 2574921	231 232	2664100 2664118	335
2202221	373	2246565	434	2420375	329	2513871	522	2574948	232	2664126	335
2202239	373	2254637	438	2441635	455	2530347	548	2574956	232	2664134	335
2202255	373	2257969	436	2450937	188	2537856	461	2574964	232	2664151	335
2202233	373	2257909	436	2450937	188	2537864	461	2574904	232	2665591	442
2202301	373	2258101	437	2450943	188	2537987	461	2574981	232	2665647	442
2202301	373	2258110	437	2450961	124	2539000	514	2575027	224	2665663	442
2202327	373	2258128	437	2450970	124	2539077	201	2575051	224	2665701	442
2202378	373	2258136	437	2450988	124	2539093	201	2575078	224	2694851	327
2202431	373	2266064	478	2450996	124	2539229	201	2575094	224	2694860	327
2202440	373	2266101	478	2451905	188	2540449	201	2575115	224	2694878	327
2202458	373	2266507	478	2451921	188	2540457	201	2575123	225	2700078	548
2202466	373	2266574	478	2451930	188	2540481	201	2575140	225	2707940	327
2202474	373	2273651	458	2451948	188	2540650	201	2575254	226	2708230	341
2206301	316	2274911	531	2451956	124	2540676	201	2575318	226	2708619	509
2206310	316	2275112	531	2451972	124	2540705	201	2575334	226	2723712	544
2206344	316	2285396	229	2451981	124	2546664	201	2575351	226	2723747	545
2206361	316	2292473	329	2451999	124	2546672	201	2575369	226	2723755	545
2206387	316	2292668	449	2452414	475	2546681	201	2575377	226	2723763	545
2206416	316	2292692	449	2452431	475	2546699	201	2575385	227	2723771	545
2206424	316	2292748	449	2452449	475	2546701	201	2575393	227	2723780	545
2206432	316	2292772	441	2452457	475	2546710	201	2575406	227	2723798	545
2206459	316	2292799	441	2452772	492	2546744	201	2575414	227	2723801	545
2206467	316	2292828	441	2452801	492	2546752	201	2575422	227	2725726	222
2206483	316	2298226	206	2452810	492	2546761	201	2575457	227	2726235	436
2206491	316	2298234	206	2452836	492	2547704	434	2575473	227	2726243	436
2206643	322	2301755	406	2453046	224	2548336	454	2575502	227	2726251	436
2206740	322	2301763	406	2455375	431	2550882	336	2589381	434	2726260	436
2206766	317	2301771	406	2455383	431	2550891	336	2589701	356	2730752	508
2206782	317	2301780	406	2455404	431	2554373	509	2589728	356	2730761	508
2206811	324	2301886	302	2455412	431	2554390	509	2589744	356	2730787	508
2206838	324	2301894	302	2455551	337	2570461	356	2589752	356	2730808	508
2206862	327	2301907	302	2455560	337	2570488	356	2596311	548	2730816	508
2206871	329	2301915	302	2455607	337	2570496	356	2607009	457	2730824	508
2210036	447	2306564	436	2455623	337	2570517	356	2607017	457	2730841	508
2210044	447	2317693	514	2455931	303	2570912	216	2607543	411	2730867	508
2210335	438	2331461	478	2455965	303	2571042	216	2607826	412	2737823	368
566											



Article no. 2737831 2739837 2742032 2744425 2760249 2763829 2764240 2764581 2766659 2766683 2767580 276758	Page 278 378 514 356 545 358 358	Article no. 2825698 2825701 2825727 2825786	106 106 106	Article no. 2832222 2832231	136 136	Article no. 2869164 2869210	Page 510 510	Article no. 2899531 2899540	Page 278 278	Article no. 2906771 2906797	Page 341
2742032 2744425 2760249 2763829 2764240 2764581 2766659 2766683 2767580 2767601	514 356 545 358 358	2825727 2825786	106		136	2869210	510	2899540	278	2906797	0.44
2744425 2760249 2763829 2764240 2764442 2764581 2766659 2766683 2767580 2767601	356 545 358 358	2825786		00			010				341
2760249 2763829 2764240 2764442 2764581 2766659 2766683 2767580 2767601	545 358 358			2833604	102	2869236	510	2899558	278	2912046	360
2763829 2764240 2764442 2764581 2766659 2766683 2767580 2767601	358 358	0005704	106	2833647	116	2869252	510	2899566	371	2912530	339
2764240 2764442 2764581 2766659 2766683 2767580 2767601	358	2825794	106	2833655	116	2869324	510	2899582	371	2912652	339
2764442 2764581 2766659 2766683 2767580 2767601		2825807	107	2833663	116	2869447	510	2899638	371	2912767	466
2764581 2766659 2766683 2767580 2767601		2825815	107	2833671	116	2869455	510	2899662	371	2912783	466
2766659 2766683 2767580 2767601	358	2825823	107	2838667	182	2869463	510	2899697	371	2912804	466
2766683 2767580 2767601	359	2825831	107	2838683	182	2871096	510	2899742	371	2912821	466
2767580 2767601	359	2825874	107	2838704	182	2875468	532	2899814	372	2913760	339
2767601	359	2825882	107	2839061	174	2879602	370	2899890	372	2913840	339
	360	2825938	140	2839070	174	2879901	370	2901363	289	2913962	339
2767758	360	2825946	140	2839117	174	2881796	347	2901371	289	2913989	339
	361	2825962	140	2839133	174	2881825	347	2901531	343	2915888	344
2767791	361	2825971	112	2839176	174	2881833	347	2901558	343	2915976	344
2767854	360	2825997	112	2839248	174	2881841	370	2901566	343	2916004	344
2767871	360	2826025	112	2839432	158	2881868	369	2901582	343	2916039	344
2768224	360	2826068	184	2839459	158	2881876	347	2901603	343	2916063	344
2768241	360	2826084	184	2839504	158	2881892	347	2901611	343	2916119	344
2775969	430	2826113	184	2839598	210	2881913	348	2901638	343	2930172	516
2794481	548	2826130	191	2839601	210	2881930	348	2901646	343	2930181	516
2798061	444	2826148	191	2839969	194	2884997	369	2902711	341	2930199	516
2799240 2799258	319	2826172	191	2839977	474	2887944	369	2902761	341	2930201	516
	319	2826201	181	2839985 2839993	194	2887995 2888040	371	2902796	341	2930244	516
2799274 2799952	319 190	2826228 2826244	181 116	2840003	538 538	2888517	371 371	2902809 2902876	341 341	2930252 2930287	516 516
2799932	190	2826287	181	2840151	194	2888656	371	2902876	341	2930332	516
2804820	430	2826308	181	2840249	194	2888728	372	2902905	341	2930332	516
2810390	309	2827159	430	2840302	194	2891679	368	2902903	341	2930341	516
2810429	309	2827343	116	2840361	194	2894669	362	2902913	366	2930359	516
2810728	192	2827386	116	2840417	194	2894685	362	2903342	366	2930375	516
2818754	134	2827407	116	2840441	194	2894749	362	2903351	342	2931001	154
2818762	134	2827415	116	2840484	194	2894765	362	2903377	366	2931010	154
2819909	134	2827423	116	2840548	210	2894909	362	2903406	342	2931036	154
2820820	90	2827440	116	2841698	180	2894933	362	2903414	365	2931044	154
2820838	90	2827458	116	2841807	180	2895047	362	2903449	342	2931052	154
2820969	94	2827765	182	2841823	180	2895098	362	2903481	342	2931061	154
2820993	94	2827802	182	2841866	180	2895151	362	2903490	342	2931079	154
2821064	182	2827909	182	2841891	180	2895178	362	2903561	365	2931095	154
2821072	182	2827917	182	2841920	180	2895194	362	2903596	365	2931116	482
2821275	182	2827941	182	2844629	430	2895215	362	2903617	342	2931124	482
2821283	182	2828346	181	2844784	337	2895231	362	2903721	342	2931132	482
2821435	135	2828442	181	2844805	337	2895258	362	2903748	342	2931141	482
2821478	135	2828717	192	2844813	337	2895274	362	2903764	342	2931167	482
2821591	135	2828768	192	2844821	337	2895291	362	2903844	342	2931183	482
2821654	135	2829349	195	2844830	337	2895451	362	2903879	342	2931191	482
2821822	98	2829357	195	2844848	337	2895477	362	2903895	342	2931204	482
2821849	98	2829365	195	2851482	135	2895493	362	2904370	400	2931221	154
2821857	98	2829381	195	2851503	135	2895514	362	2904388	400	2931247	154
2821890	98	2829402	195	2851520	135	2895557	362	2904581	400	2931255	154
2822180	144	2829411	195	2851546	135	2895611	362	2904767	348	2931263	154
2822198	144	2829453	195	2851571	94	2895653	362	2904775	348	2931597	445
2822227	144	2829461	195	2851597	94	2895717	362	2904783	347	2931600	445
2822251	144	2829470	195	2851706	182	2895928	371	2904791	347	2931618	445
2822260	144	2829488	195	2851714	182	2896082	371	2904804	347	2931626	445
2822286	144	2829496	195	2851722	182	2896154	363	2904812	347	2943213	482
2822307	144	2829509	195	2851941	192	2896189	363	2904821	347	2943230	482
2822331	144	2829859	120	2851984	192	2896197	371	2904839	368	2943248	482
2822526	502	2829875	182	2852127	135	2896234	363	2904847	278	2943256	482
2822622	535	2829891	182	2852135	135	2896251	363	2904863	350	2945542	400
2822631 2823051	535	2829912	300	2852143	135	2896285	363	2905022	290	2947396 2947484	207
	90	2829921	301	2852151	135	2896293	371	2905073	290		158
2823481 2823511	502	2829947 2829963	192	2852194 2852215	192	2896322 2896373	363	2905217 2905292	368	2947572 2947599	158
2823529	102 102	2829971	192 192		192 94	2896390	363 363	2905348	368 289	2970596	158 202
2823641	120	2829980	192	2858781 2859927	210	2896429	363	2905346	289	2970609	202
2823650	120	2830016	195	2860004	210	2896453	363	2905487	289	2970609	202
2823959	192	2830010	195	2860012	210	2896470	363	2905516	289	2970617	202
2823967	192	2830024	195	2860047	210	2896496	363	2905655	290	2970633	202
2823975	192	2830059	195	2860400	134	2896891	363	2905663	290	2970641	202
2823991	192	2830075	195	2860426	134	2896912	363	2906076	364	2970650	202
2824003	192	2830073	195	2860451	134	2896947	363	2906076	278	2970668	202
2824011	192	2830260	136	2860653	180	2896963	363	2906527	290	2970676	202
2824020	192	2830796	152	2860725	180	2897069	364	2906543	290	2970684	202
2824492	136	2830809	152	2860733	180	2897085	364	2906560	342	2970692	202
2824513	98	2830809	152	2866191	510	2897093	364	2906586	342	2970705	202
2824601	182	2832054	136	2866246	510	2897106	364	2906594	342	2970721	202
2825461	94	2832071	136	2866975	510	2897958	371	2906623	363	2970721	202
2825495	98	2832089	136	2866983	510	2899321	366	2906640	363	2970756	202
2825508	144	2832097	136	2867169	510	2899371	364	2906666	363	2970764	202
2825516	144	2832100	136	2867345	510	2899401	364	2906691	341	2970781	202
	144	2832118	136	2868655	510	2899419	364	2906703	363	2970801	202
2825532	144	2832126	136	2868778	510	2899427	364	2906711	343	2970810	202
2825532 2825559				2869050							

Article no.	Page	Article no.	Page	Article no.	Page	Article no.	Page	Article no.	Page	Article no.	Page
2970844	202	3055576	204	3112649	360	3206864	248	3207761	247	3224536	316
2970861	202	3055584	204	3112673	360	3206872	248	3207787	246	3224544	311
2970879	202	3055592	204	3112702	360	3206881	249	3207808	246	3224552	311
2970887	202	3055613	418	3112737	376	3206899	249	3207816	246	3224579	311
2970908	202	3058048	159	3112796	361	3206901	249	3207824	246	3224595	311
2970924	202	3058161	159	3114548	142	3206910	249	3207832	246	3224608	312
2970932	202	3058216	159	3114556	142	3206928	249	3207841	246	3224616	312
2970941	202	3058304	175	3122716	376	3206936	249	3207859	246	3224624	312
2971548	86	3058312	175	3123022	377	3206944	249	3207867	246	3224641	312
2971556	86	3058321	175	3125618	493	3206952	248	3209782	319	3224659	312
2971572	86	3062223	439	3125669	493	3206961	248	3210505	323	3224691	314
2971581	86	3062266	439	3136229	427	3206979	248	3211153	507	3224712	314
2971599	86	3062303	439	3136245	427	3206987	248	3211188	507	3224739	314
2971610	86	3062346	439	3137782	95	3206995	248	3211217	507	3224763	314
2971628	86	3063656	482	3137803	95	3207007	248	3211241	507	3224780	314
2971636	86	3063664	482	3137820	95	3207015	248	3211276	507	3224798	315
2971652	86	3063672	482	3137846	95	3207023	249	3211305	148	3224827	315
2971661	86	3063681	482	3137854	95	3207031	249	3211321	148	3224851	315
2971679	86	3063701	188	3137889	95	3207040	249	3211348	148	3224878	315
2971695	86	3063710	188	3167113	490	3207058	249	3211356	148	3224886	315
2977579	426	3063728	188	3189494	161	3207066	249	3211364	148	3224894	316
2977595	426	3063736	188	3189734	177	3207074	249	3211381	148	3224907	316
2977616	426	3063744	188	3189769	185	3207082	249	3211399	148	3224974	316
2977632	426	3063752	188	3189793	113	3207091	244	3211401	148	3225002	317
3028771	377	3063761	188	3189881	87	3207103	244	3211428	148	3225070	320
3028922	378	3063779	188	3189929	87	3207111	244	3211508	148	3225117	321
3032382	400	3063779	188	3189953	87	3207120	244	3211516	148	3225256	318
3035428	400	3066312	490	3189988	132	3207138	245	3211532	148	3225272	318
3036199	203	3068730	502	3189996	132	3207146	245	3211840	443	3225299	320
3036244	203	3070215	188	3190006	132	3207154	245	3211882	443	3225301	320
3036324	203	3070258	188	3190022	108	3207162	245	3218865	387	3225310	320
3039445	412	3070291	188	3190031	108	3207171	244	3218873	387	3225336	320
3039461	412	3070320	188	3190049	108	3207189	244	3218929	387	3225344	320
3039470	412	3074937	480	3198260	443	3207197	244	3218937	387	3225361	320
3039488	412	3074945	480	3198278	443	3207200	244	3218953	393	3225387	320
3041941	160	3074953	480	3201182	196	3207218	245	3218961	393	3225395	320
3041975	160	3074996	491	3201191	137	3207226	245	3218996	393	3225408	321
3042011	160	3075008	491	3201203	145	3207234	245	3219139	393	3225432	321
3042599	176	3075016	491	3201211	87	3207242	245	3219171	393	3225441	321
3042601	176	3080288	479	3201238	108	3207251	261	3219180	393	3225459	321
3042628	176	3085337	363	3201254	103	3207269	261	3219219	393	3225467	321
3042986	279	3085652	363	3203276	532	3207277	261	3219454	393	3225475	321
3043014	279	3085716	367	3203284	532	3207285	261	3219497	396	3225483	321
3043057	279	3085855	367	3203292	532	3207293	261	3219500	396	3225491	321
3043081	279	3085901	367	3203313	532	3207306	261	3219518	396	3225504	317
3043137	280	3085919	479	3203452	532	3207314	261	3219526	396	3225521	328
3043209	280	3085927	479	3203461	532	3207322	260	3219534	396	3225571	328
3043217	280	3085935	479	3203647	478	3207331	260	3219542	396	3225580	328
3043233	288	3085943	479	3203671	478	3207349	260	3219551	396	3225598	328
3043313	281	3086049	367	3203727	478	3207357	260	3219569	396	3225601	328
3043348	281	3086129	367	3203831	478	3207365	260	3219577	392	3225619	328
3043428	288	3086196	363	3206426	258	3207373	260	3219585	392	3225627	328
3043541	280	3086284	363	3206434	258	3207381	260	3219622	392	3225635	328
3043583	280	3086444	363	3206451	258	3207390	260	3219631	392	3225643	328
3043807	280	3086698	364	3206477	258	3207402	260	3219649	392	3225651	328
3049264	203	3092887	380	3206485	258	3207411	260	3219657	392	3225660	328
3049299	203	3094081	357	3206493	258	3207429	260	3219665	392	3225678	318
3049301	203	3094153	379	3206514	258	3207437	260	3219673	392	3225686	328
3051751	492	3094567	356	3206522	259	3207445	260	3219711	397	3225694	329
3054565	455	3095560	356	3206549	259	3207453	260	3219729	397	3225723	329
3054581 3054611	449	3095906	379	3206557	259	3207461	251	3219737	397	3225731	329
	90	3095973 3096061	379	3206573	259	3207470	251	3219761	397	3225740 3225766	330
3054629	90		356 356	3206581	259	3207488	251	3219972	395		330
3054645 3054696	90 300	3096079 3096087	356 356	3206590 3206602	259 259	3207496 3207509	251 251	3220009 3220084	395 395	3225774 3225782	331 330
3054696	300	3096095	356	3206611	259	3207509	251	3220084	395	3225782	330
3054709	216	3096221	379	3206629	258	3207525	251	3221888	323	3225803	330
3054723	216	3096280	356	3206637	258	3207592	250	3221896	323	3225811	330
3054733	216	3096301	356	3206645	258	3207605	250	3221909	323	3225820	330
3054741	216	3096319	356	3206653	258	3207603	250	3221909	323	3225838	330
3054768	216	3096327	356	3206661	258	3207621	250	3221917	323	3225846	330
3054766	216	3096335	356	3206670	258	3207630	250	3223947	394	3225854	330
3054776	216	3104999	209	3206696	259	3207648	250	3223947	394	3225862	330
3054764	216	3108033	376	3206709	259	3207656	250	3224026	394	3225871	330
3054805	502	3111582	376	3206709	259	3207664	250	3224026	394	3225889	331
3054805	94	3111890	360	3206717	259	3207672	250	3224065	310	3225897	331
3054821	94	3112112	132	3206725	259	3207672	250	3224325	310	3225900	331
3054848		3112112	132	3206733		3207699	250	3224341	312	3225900	331
3054848	94 98	3112103	360	3206741	259 259	3207701	250	3224421	311	3225916	331
3054991	98	3112243	360	3206730	248	3207710	250	3224464	312	3225920	299
3054901	98	3112286	360	3206776	248	3207710	250	3224481	312	3225942	299
3054926	120	3112518	170	3206821	248	3207736	247	3224461	315	3225977	299
3055138	120	3112526	170	3206830	248	3207744	247	3224501	314	3225985	299
3055154	120	3112534	360	3206856	248	3207752	247	3224510	315	3226005	331
	0	=== .			0	- =::==			0	. =====	
568											



Article no.	Page	Article no.	Page	Article no.	Page	Article no.	Page	Article no.	Page	Article no.	Page
3226013	332	3289938	142	3387482	486	3395554	481	3528281	391	6958078	386
3226021	328	3290154	169	3387976	513	3395562	481	3532192	534	6958755	276
3226030	330	3290171	169	3388143	513	3395571	481	3544425	428	6958763	276
3226048	330	3292061	166	3389824	254	3395589	481	3544450	427	6961239	533
3226937	462	3292096	166	3389841	254	3395597	481	3544476	428	6972038	338
3226961	462	3292109	166	3389859	254	3395600	481	3544484	428	6990741	374
3227147	428	3292272	484	3389867	254	3396021	511	3544492	427	6990949	374
3240747	474	3292379	488	3389875	255	3396047	511	3544513	460	6998462	276
3240755	474	3293507	178	3389883	255	3396063	511	3544530	460	8008120	375
3240763	474	3293515	178	3389891	255	3396098	511	3544556	460	8008138	375
3240771	474	3293662	186	3389904	255	3396135	415	3544572	460	8008146	375
3240860	475	3293671	186	3389912	254	3396143	415	3545022	445	8008179	375
3240878	475	3294083	506	3389921	254	3396151	415	3545161	445	8018681	526
3242822	480	3294091	506	3389947	254	3396178	415	3545196	445	8019556	340
3242831	480	3295967	451	3389955	254	3400448	109	3545217	445	8023061	374
3242849	480	3296177	389	3389963	255	3400440	109	3545241	430	8023087	374
3242857	480	3296185	389	3389971	255	3409611	172	3545268	430	8023103	374
		3296484		3389980	255	3416749	334	3545276	459		374
3243139	481		487							8034076	
3243147	481	3296492	487	3389998	255	3416757	334	3545305	459	8047037	536
3243163	481	3296505	487	3390251	257	3416765	334	3545330	459	8047177	536
3243180	481	3296513	487	3390260	257	3416773	334	3545372	459	8047193	374
3243585	491	3301141	172	3390278	257	3416781	334	3545621	458	8047201	536
3243593	491	3311146	485	3390286	257	3416790	334	3545663	458	8051211	307
3243614	491	3311197	488	3390294	256	3416802	334	3545815	458	8051229	306
3257371	378	3322081	507	3390307	256	3416811	334	3545858	426	8051252	308
3257389	378	3322099	507	3390315	256	3416829	334	3545866	426	8051260	308
3257397	378	3322101	507	3390323	256	3416837	334	3546236	496	8051302	308
3257400	378	3322110	507	3390331	256	3416845	334	3546244	496	8051336	308
3257469	378	3322486	507	3390340	256	3416853	334	3546261	496	8051377	308
3257477	378	3322515	507	3390358	256	3424968	286	3546279	496	8051385	307
3257485	378	3322558	507	3390366	256	3429144	150	3546404	496	8051419	307
3257493	378	3322591	507	3390884	512	3429152	156	3546412	496	8051427	307
3273362	513	3324334	197	3390921	451	3429161	485	3546421	496	8053597	533
3273434	513	3324342	197	3390930	452	3429179	485	3546439	496	8055246	276
3273442	513	3324377	138	3391174	336	3429187	485	3546447	496	8089146	374
3273653	513	3324385	138	3391191	336	3429195	485	3546463	496	8090912	340
3273661	513	3324406	146	3391203	336	3429208	485	3546471	496	8090938	340
3273670	513	3324414	146	3391211	336	3429232	130	3546480	496	8091316	345
3273792	486	3324431	109	3391828	511	3429259	170	3547079	427	8091498	345
3273881	486	3324449	109	3391836	511	3429267	177	3547909	286	8091506	345
3273899	486	3326401	391	3391852	511	3429275	166	3562341	286	8092371	345
3273901	486	3328466	391	3391861	511	3429283	166	3562527	286	8092546	345
3273928	487	3330216	200	3391879	511	3429291	166	4872820	534	8092892	345
3273936	487	3330224	200	3391887	511	3429401	166	6293153	526	8106056	447
3273944	487	3330232	200	3391895	511	3429419	166	6300743	530	8106080	447
3273952	487	3330241	205	3391908	511	3429427	166	6300859	530	8106577	447
3276900	130	3330259	205	3392441	156	3473292	507	6300867	530	8106585	374
3276942	130	3330267	205	3392468	156	3484063	513	6300875	530	8107252	447
3276951	130	3334081	390	3392476	156	3484207	513	6315873	345	8111320	326
3277030	130	3335050	390	3392484	156	3497163	485	6319958	345	8111403	326
3277048	130	3337231	390	3392492	156	3497227	486	6325518	345	8124372	297
3277072	130	3345389	390	3392505	156	3497235	486	6518369	310	8124414	313
3277081	130	3357072	506	3392513	156	3497331	486	6520605	310	8126013	484
3277099	130	3357081	506	3392521	156	3497358	486	6522924	526	8126062	484
3277101	130	3358534	172	3392530	156	3498799	486	6803977	536	8126096	484
3278690	131	3371405	453	3392548	156	3499177	450	6804538	325	8126401	483
3278788	142	3371421	453	3392556	156	3499185	450	6808521	528	8126625	483
3278921	169	3371561	453	3392564	156	3499193	450	6808562	528	8126641	483
3278999	168	3371587	453	3392572	150	3499206	450	6808570	528	8127318	490
3279001	168	3371675	512	3392581	150	3499821	487	6808596	528	8127342	490
3279019	168	3371683	512	3392599	150	3500043	453	6827273	282	8127391	490
3279019	168	3371691	512	3392601	150	3500043	453	6827299	282	8127409	490
3279035	168	3374497	132	3392610	150	3500078	452	6827661	282	8127425	490
3279043		3379001	452	3392628	150	3500254	451	6827679	282	8127433	490
3285566	168 452	3382358	486	3392636	150	3508635	451	6836233	297	8127672	457
						3508707					
3285671	452	3382420	487	3392644	150		451	6842348	277	8127680	457
3285697	452	3384450	205	3392652	150	3512984	489	6859177	306	8127722	457
3285718	452	3384476	205	3392661	150	3513101	489	6883896	386	8133332	296
3286471	451	3384492	205	3392679	150	3519730	534	6918353	340	8137416	489
3286497	451	3386560	446	3392687	150	3519756	534	6918890	340	8137432	489
3286518	451	3386607	446	3393719	443	3519828	534	6918940	340	8137440	489
3286585	451	3386623	446	3393735	443	3522218	534	6920607	386	8137457	489
3286606	451	3386640	446	3393751	443	3522251	534	6921696	340	8137473	489
3286622	451	3386666	444	3393778	443	3522269	534	6921837	341	8137481	489
3286649	451	3386703	444	3395440	483	3527511	507	6921852	341	8150591	296
3287051	452	3386746	444	3395458	483	3528142	512	6927156	530	8150617	296
3287078	452	3386762	444	3395466	483	3528151	512	6929020	386	8150625	296
	452	3387191	334	3395474	483	3528169	512	6931356	306	8150633	296
3287094	.02		004	3395491	483	3528185	512	6942601	306	8150641	296
	452	3387204	334	3393491	.00	0020100				0100011	
3287094		3387204 3387212	334	3395503	483	3528206	388	6943765	338	8150682	297
3287094 3287131	452										297 297
3287094 3287131 3287326	452 162	3387212	334	3395503	483	3528206	388	6943765	338	8150682	
3287094 3287131 3287326 3287334	452 162 162	3387212 3387221	334 334	3395503 3395511	483 483	3528206 3528214	388 388	6943765 6943849	338 338	8150682 8150708	297

Article no.	Page
8155525	457
8156499	456
8156507	456
8164535	456
8176323	462
8207102	374
8209496	374
8209629	374
8212847	386
8218885	457

Index - in numerical ascending order by design-number



DBASISSO	Design no.	Page	Design no.	Page	Design no.	Page
BIRRETER DESCRIPTION 447 0000-15002 371 0000-15002 372 0000-15002 0						308
ISBAN_ISBAN_PROTECTION Margin Mar						336
						545
			, ,		, , , , ,	531 530
DOMAH DOMA						530
BBBMCHASHAFTRORM 366					, ,	530
1996H49557N1730G 363 189,2222ZA26E1 (RKZ) 588 E058/USB68 1996H49557N1730G 374 189,426K48K5 189 E058/USB68 1996H49557N1730G 374 189,426K48K5 189 E058/USB68 1996H49557N1730G 374 189,426K48K5 189 E058/USB68 189 E058/USB						530
DEMON DEMO						454
BOBIN BOBI						44
DBM-LUP CHR			,			376
BOBSNLUSSE (TIDN Nm)						367
9989US962 (100 Nm)						366
01881/USB06	,				, ,	449
01400Us9566						458
0.0001.01263						444
0515/US956	0400/US956		421P	270	E0365/US956	440
0530105901.45905.3049PNS 478 482 (Set 1) 204 E04301.8596 05301.8596 438 482 (Set 2) 264 E04001.8596 05301.8596 7K-410 438 482 (Set 2) 264 E04001.8596 05301.8596 7K-410 438 482 (Set 2) 265 E05001.8596 150501.8596 7K-410 (100 Nm) 456 51367.35574.1500 E1 (SK2) 265 E29FLS-SK (2000.8596 150501.8596 7K-410 (100 Nm) 457 51367.35574.1500 E1 (SK2) 374 E30FG 350501.8596 7K-410 (100 Nm) 457 51367.35574.1500 E1 (SK2) 373 6K-2000 F1 (SK2) 374 E30FG 350501.8596 7K-410 (100 Nm) 457 51367.35574.1510 E1 (SK2) 363 E42NSA.458 E1 (SK2) 374 E42NSB 2.0 (100 Nm) 457 51367.35574.1510 E1 (SK2) 362 E42NSB 2.0 (200 Nm) 457 51367.35574.1510 E1 (SK2) 362 E42NSB 2.0 (200 Nm) 457 51367.35574.1510 E1 (SK2) 362 E42NSB 2.0 (200 Nm) 457 51367.35574.1510 E1 (SK2) 362 E42NSB 2.0 (200 Nm) 457 51367.35574.1510 E1 (SK2) 362 E42NSB 2.0 (200 Nm) 458 51367.35567.1510 E1 (SK2) 362 E42NSB 2.0 (200 Nm) 458 51367.35567.1510 E1 (SK2) 362 E42NSB 2.0 (200 Nm) 458 51367.35567.1510 E1 (SK2) 363 E42NSB 2.0 (200 Nm) 458 51367.35567.1510 E1 (SK2) 363 E42NSB 2.0 (200 Nm) 458 51367.35567.1510 E1 (SK2) 363 E42NSB 2.0 (200 Nm) 458 51367.35567.1510 E1 (SK2) 363 E42NSB 2.0 (200 Nm) 458 51367.35567.1510 E1 (SK2) 363 E42NSB 2.0 (200 Nm) 459 E42NSB 2	0510/U26	459	421PS	270	E0400/US956	435
0.590U.9590Z.M-K-1/10	0515/US956	461	430	496	E0400/US956/FK-410	435
DESIDULISSIDE/TRK-410 438	0530/66N/U26/0530/66NS/49PNS	478	492 (Set 1)	264	E0430/US956	458
	0530/US952	438	492 (Set 2)	264	E0440/US956	429
B309CNS952F/FA-101 (DO Nm)	0530/US952/FK-410	438	492 (Set 3)	265	E0800/US956	460
0.6909.L/0.592/Fix-410 (100 Nm)	0530S/U26 (TBT4)	436	492 (Set 5)	265	E29FLS-SK	109
0.5905WU26 497 513G/35902A3357M1510 ES1 (SK2) 373 E42NSA C710FU616 497 5380/33587M15110 ES1 (SK2) 382 E42NSB E42NSBA2WS ES1 (SK2) 710G/10FU66NS/49PNS 499 5380/33587A357M15130 ES1 (SK2) 382 E42NSB E42NSBA2WS ES1 (SK2) 466 554/3346M1530 S1 (SK2) 382 E42NSB E42NSBA2WS ES1 (SK2) 466 554/3346M1530 S1 (SK2) 382 E42NSB E42	0530S/US952 (100 Nm)	436	513G/3357N/1500	374	E30P	490
07101286	0530S/US952/FK-410 (100 Nm)	437	513G/3358/3357N/1500 ES1 (SK2)	373		490
0710ES/6 0710FUJGE0N1Z6/0710/68NS/49PNS 489 5886/3389ZA3387N/1313G EST (SK2) 362 EANSB-ZA 0710SVUZ6 456 5586/3389ZA3387N/1313G EST (SK2) 365 07381US9845 450 5584/3346/1710FH 379 EANSB-ZA/W28 07381US9845 (100 Nm) 449 8325-SK 380 EASS 0739US9844 442 8335-SK 380 EASS 0739US9845 (100 Nm) 441 1117/222PS 2721 E500ZK 081010U76 1117/222PS 281						348
07/10PH/06DNUZ6/0710/66DNS/49PNS						344
071051/126						345
07109SVIU26						344
07389/US945 (100 Nm)						348
107385/US946 (100 Nm)						345
07399LVB954 442 833.5 K 380 E42S 07398LVB954 (100 Nm)					` ,	344
0739SA/USB56 (100 Nm) 441 1117/2025P 201 E50/42K 0810/UPG 453 1117/2025P 400 E55S 0810/UPG 452 1117/88K/88KS 201 E55SDS 0810/UPG 451 1118/33/331/3440 ESI (SK2) 387 E55S-SK 0810/UPG 451 1188/33/32/A/3440 ESI (SK2) 387 E55S-SK 0810/UPG 451 1188/33/32/A/3440 ESI (SK2) 387 E55S-SR 0810/SW100 452 1140/30/P 487 E55S-SR-ZA 0810/SW1010 (DF) 451 1140/30/P 487 E55S-SR-ZA 0990KH/66N/U26/0530/66N/34PNS 478 1140/33/22/A/340 ESI (SK2) 390 E86/3331/3330/1182 ESI (SK2) 30P 492 113136/335/37N 383 E866/3331/3330/1182 ESI (SK2) 30PS 492 113136/335/37N 363 E866/3331/3330/1182 ESI (SK2) 30PS 492 113136/335/37N 363 E866/3331/3330/1182 ESI (SK2) 30PS 134 13136/335/37SN ESI (SK2) 362 E866/3331/3330/1182 ESI (SK2)	, ,					132
0810/961N/U10/0810/962NS/PNS						345
0810U/076						411
Desire D						346
08105\U110 (TBT1)						346
DelioS/USIO (100 Nm)			. ,			348
D810SV/U10 DF			` '			347
0810SVS/U10 (DF)	, ,					347
0.999(KH/66NV/26/0530/66NS/49PNS 478 1140/33322ZA/3440 ES1 (SK2) 390 E86G/3331/3330/1140Z ES1 (SK2) 30PF 492 1140/28I/242KS 174 E8GG/3331/3330/1140Z ES1 (SK2) 30PS 492 1313G/3357N 363 E8GG/3331/3330/1140Z ES1 (SK2) 30PS 492 1313G/33587N 363 E8GG/3331/3330/1140Z ES1 (SK2) 30PS 492 1313G/33587N 363 E8GG/3331/3330/1140Z ES1 (SK2) 30PS 492 1313G/35587N 363 E8GG/3331/23330/1140Z ES1 (SK2) 42KS 134 1313G/35587N 362 E8GG/3332ZA/3330/1140Z ES1 (SK2) 42NSA 340 1313G/35587N E8GG/3357M 362 E8GG/3357M/313G						346
30PS 492 1140/42k/42kS 174 E86G/3331/3320/140Z E81 (Sk2) 30PS 492 1313G/3357N 363 E86G/3331/3330/160Z E81 (Sk2) 42kK 134 1313G/3357NS 364 E86G/3332ZA/3330/160Z E81 (Sk2) 42kS 134 1313G/3358/3357N ES1 (Sk2) 362 E86G/3332ZA/3330/110Z ES1 (Sk2) 42kS 340 1313G/3358/3357N ES1 (Sk2) 362 E86G/3332ZA/3330/110Z ES1 (Sk2) 42kS 340 1313G/3558/3357N ES1 (Sk2) 362 E86G/3332ZA/3330/110Z ES1 (Sk2) 42kSA/42S ES1 (Sk2) 339 1313G/355 (Sk2) 364 E86G/333ZA/3330/110Z ES1 (Sk2) 42kSA/42S ES1 (Sk2) 339 1400/42k/42kS 130 E86G/3357N/1313G ES1 (Sk2) 42kSB4ZS ES1 (Sk2) 339 1400/42k/42kS 130 E86G/335ZA/3357N/1313G ES1 (Sk2) 42kSB4ZS ES1 (Sk2) 339 1400/42k/42kS 339 1600/3357N 374 E186G/335ZA/3357N/1313G ES1 (Sk2) 42kSB4ZA/42S ES1 (Sk2) 339 1500/3357N 374 E186G/335ZA/3357N/1313G ES1 (Sk2) 42kSB4ZA/42S ES1 (Sk2) 339 1500/3357N 375 E136ZA/42kVS 24SB4ZA/42KVS 24SB4ZA/42K 410 1500/335ZA/3357N ES1 (Sk2) 373 E138Z/42kV42kS 251 (Sk2) 42kSB4ZA/42K 410 1500/335ZA/3357N ES1 (Sk2) 373 E138Z/44kV42kS 251 (Sk2) 434 1510/3331/3330 ES1 (Sk2) 393 E138Z/44kV42kS 25SSA/44 401 1510/3331/3330 ES1 (Sk2) 393 E138Z/44kV42kS 25SSA/44 401 1510/3331/3330 ES1 (Sk2) 393 E138Z/44kV42kS 25SSA/44 401 1510/3332ZA/3330 ES1 (Sk2) 396 E444 25SSA/44 401 1510/3332ZA/3340 ES1 (Sk2) 396 E447 25SSA/43357N/1313G ES1 (Sk2) 396 E447 25SSA/4340/113E ES1 (Sk2) 396 E447 25SSA/4357N/1313G ES1 (Sk2) 396 E447 25SSA/4340/113E ES1 (Sk2) 396 E447 25SSA/4340/113E ES1 (Sk2) 396 E447 25SSA	` ,					412
30PS			, ,		, ,	388
42K 134 1313G/3357SN 364 E86G/3332ZA/3330/118Z ESI (SK2) 42KS 134 1313G/3356357N ESI (SK2) 362 E86G/333ZA/3330/118AZ ESI (SK2) 42NSA 340 1313G/355 364 E86G/333ZA/3330/1800Z ESI (SK2) 42NSB 340 1400/42K/42KS 130 E86G/333ZA/3330/1800Z ESI (SK2) 42NSB1/2S ESI (SK2) 339 1400/US950S (100 Nm) 434 E86G/335FN/1313G 42NSB-2A 340 1400/US950S (100 Nm) 434 E86G/335FN/1313G ESI (SK2) 42NSB-2A/42S 340 1500/3357N 374 E138F/42/2KVS 42NSB-2A/42S 340 1500/3357N 375 E138G/27/35FN/1313G ESI (SK2) 42NSB-2A/42S 340 1500/33592A/3357N ESI (SK2) 373 E138Z/42/EKS 42NSB-2A/42S 340 1500/33592A/3357N ESI (SK2) 373 E138Z/42/EKS 42NSB-2A/42S 340 1500/33592A/3357N ESI (SK2) 373 E138Z/42/EKS 42S 340 1500/33592A/3357N ESI (SK2) 373 E138Z/42/EKS 55S-M 341 1516/3332A					, ,	391
42KS 134 1313G/3358/3357N ES1 (SK2) 362 E86G/3332ZA/3330/1402 ES1 (SK2) 42NSA 340 1313G/3552A/3357N ES1 (SK2) 362 E86G/3332ZA/3330/180Z ES1 (SK2) 42NSA/42S ES1 (SK2) 339 1313G/355 364 E86G/3332ZA/3330/180Z ES1 (SK2) 42NSB/32S ES1 (SK2) 339 1400/USSBOS (100 Nm) 434 E86G/33587N/1313G ES1 (SK2) 42NSB-ZA 340 1400/USSBOS (100 Nm) 434 E86G/33587A/357N/1313G ES1 (SK2) 42NSB-ZA/42S 340 1400/USSBOS (100 Nm) 434 E86G/3359ZA/3357N/1313G ES1 (SK2) 42NSB-ZA/42S 340 1400/USSBOS (100 Nm) 375 E138GF2/55 42NSB-ZA/42S 340 1500/3357N 375 E138GF2/55 42S 340 1500/3357N 375 E138GF2/55 42S 340 1500/3358/3357N ES1 (SK2) 373 E138Z/24K 55S/42K 410 1510/3331/34300 ES1 (SK2) 393 E138Z/24K 54Z/221A/2440/1117 ES0 (SK1) 400 1510 190 E150Z/42K/2KS 55S-DS 340 1510					, ,	394 388
42NSA 340 1313G/355ZA/3357N EŚ1 (ŚK2) 362 E86G/3332ZA/3330/180Z EŚ1 (ŚK2) 42NSB 340 1400/42K/4SKS 130 E86G/3357N/1313G EŚ1 (ŚK2) 42NSB 340 1400/42K/4SKS 130 E86G/3557N/1313G EŚ1 (ŚK2) 42NSB 251 (ŚK2) 339 1400/12950S (100 Nm) 454 E86G/3557N/1313G EŚ1 (ŚK2) 42NSB 2A 340 1400Z/849 130 E86G/3557N/1313G EŚ1 (ŚK2) 42NSB 2A 340 1500/3557N 374 E138F/42/42K/S 42NSB 2A 340 1500/3557N 375 E138GF/2/55 42S 340 1500/3557N 375 E138GF/2/55 42S 340 1500/3557N EŚ1 (ŚK2) 373 E138Z/42K/42KS 53H/42K 410 1500/3559Z/A/357N EŚ1 (ŚK2) 373 E138Z/42K/42KS 53H/42K 410 1500/3559Z/A/3557N EŚ1 (ŚK2) 373 E138Z/42K/42KS 53H/42K 410 1510/3331/3330 EŚ1 (ŚK2) 393 E138Z/42K/42KS 55S-SK 340 1510/3331/3340 EŚ1 (ŚK2) 393 E150Z/42K/42KS 55S-SK 343 1515/3331/3440 EŚ1 (ŚK2) 396 E487 55S-SR 342 1515/42K/42KS 55S-SR 342 1515/42K/42KS 55S-SR 342 1515/42K/42KS 55S-SR 343 1515/3331/3440 EŚ1 (ŚK2) 396 E487 55S-SR 342 1515/42K/42KS 55S-SR 343 1515/3331/3440 EŚ1 (ŚK2) 396 E487 55S-SR 342 1515/42K/42KS 55S-SR 342 1515/42K/42KS 55S-SR 343 1515/3331/3440 EŚ1 (ŚK2) 396 E487 55S-SR 342 1515/42K/42KS 55S-SR 342 1515/42K/42KS 55S-SR 342 1515/42K/42KS 55S-SR 343 1515/3331/3440 EŚ1 (ŚK2) 396 E487 55S-SR 342 1515/42K/42KS 55S-SR 343 1515/3331/3440 EŚ1 (ŚK2) 396 E487 55S-SR 342 1515/42K/42KS 55S-SR 342 1515/42K/42KS 55S-SR 343 1515/3331/3440 EŚ1 (ŚK2) 396 E487 55S-SR 342 1515/42K/42KS 55S-SR 343 1515/3331/3440 EŚ1 (ŚK2) 396 E487 55S-SR 340 1510/33346 356 E538G/3359ZA/3357N/1313G EŚ1 (ŚK2) 60L/42K 310 1530/3346 356 E538G/3359ZA/3357N/1313G EŚ1 (ŚK2) 60L/42K 310 1530/3346 356 E538G/3359ZA/3357N/1313G EŚ1 (ŚK2) 60L/42K 310 1530/3346 357 E554/33567N/1313G EŚ1 (ŚK2) 60L/42K 310 1515/42K/42KS 66G/3331/3440/114D EŚ1 (ŚK2) 396 1710/3331/3440 EŚ1 (ŚK2) 392 E665 676G/33331/3440/114D EŚ1 (ŚK2) 396 1710/3331/3440 EŚ1 (ŚK2) 392 E665 676G/33331/3440/114D EŚ1 (ŚK2) 396 1710/3331/3440 EŚ1 (ŚK2) 392 E665 676G/33331/3440/114D EŚ1 (ŚK2) 396 1710/3331/3440 EŚ1 (ŚK2) 392 E665 676G/33331/3440/114D EŚ1 (ŚK2) 396 1710/3331/3440 EŚ1 (ŚK2) 392 E665 676G/33331/3440/114D EŚ1 (ŚK2) 396 1810/30P						391
42NSB 42S ES1 (SK2) 339			,			394
42NSB 42NSB 430						376
42NSB-ZA 340 1400/US950S (100 Nm) 434 E86G/3358/3357N/1313G ES1 (SK2) 42NSB-ZA 340 1400/Z849 130 E86G/3359ZA/3357N/1313G ES1 (SK2) 42NSB-ZA/42S 340 1500/3357N 374 E138F/42/42KVS 42NSB-ZA/42S ES1 (SK2) 339 1500/3357SN 375 E138GF2/55 42S 340 1500/3358/3357N ES1 (SK2) 373 E138GF2/55 43S57N/2313G ES1 (SK2) 340 1500/3358/C357N ES1 (SK2) 373 E138Z/24K/42KS 53H/42K 410 1500/3359ZA/3357N ES1 (SK2) 373 E138Z/24K/42KS 53H/42K 410 1510/3331/3330 ES1 (SK2) 373 E138Z/24K/42KS 53H/42K 410 1510/3331/3330 ES1 (SK2) 393 E138Z/US950S (100 Nm) 54/2221A/2440/1117 ES0 (SK1) 400 1510 190 E150F/42/42KVS 55S 340 1510/3332ZA/3330 ES1 (SK2) 393 E150Z/42K/42KS 55S-SS 340 1510/3331/3440 ES1 (SK2) 396 E487 55S-SR 342 1515/3331/3440 ES1 (SK2) 396 E487 55S-SR 342 1515/42K/42KS 194 E497 55S-SR-ZA 341 1530/30P 479 E538G/3357N/1313G ES1 (SK2) 55S-SR-ZA 341 1530/30P 479 E538G/3357N/1313G ES1 (SK2) 61G/2221Z/220/113 ES1 (SK2) 386 1530/3346S 356 E538G/33557N/1313G ES1 (SK2) 61G/2221Z/220/113 ES1 (SK2) 386 1530/3346SN 357 E554/3346/1138Z 61G/2222ZA/2220/113 ES1 (SK2) 396 1710/3331/3440 ES1 (SK2) 392 E664 5663/3357N/1313G ES1 (SK2) 396 1710/3331/3440 ES1 (SK2) 392 E665 5638G/3357N/1313G ES1 (SK2) 396 1710/3331/3440 ES1 (SK2) 392 E665 563/332ZA/3440/1140 ES1 (SK2) 396 1710/3331/3440 ES1 (SK2) 392 E665 563/332ZA/3440/1140 ES1 (SK2) 396 1710/3331/3440 ES1 (SK2) 392 E665 563/332ZA/3440/1140 ES1 (SK2) 396 1710/3331/3440 ES1 (SK2) 392 E665 563/332ZA/3440/1140 ES1 (SK2) 396 1710/3331/3440 ES1 (SK2) 392 E665 563/332ZA/3440/1140 ES1 (SK2) 396 1710/3331/3440 ES1 (SK2) 392 E665 563/332ZA/3440/1140 ES1 (SK2) 396 1710/3331/3440 ES1 (SK2) 392 E665 563/332ZA/3440/1140 ES1 (SK2) 396 1710/3331/3440 ES1 (SK2) 392 E665 563/332ZA/3440/1140 ES1 (SK2) 396 1710/3331/3440 ES1 (SK2) 392 E665 563/332ZA/3440/1140 ES1 (SK2) 396 1710/3331/3440 ES1 (SK2) 392 E665 563/332ZA/3440/1140 ES1 (SK2) 396 1710/3331/3440 ES1 (SK2) 396 E485 SK 566/33331/3400/1150 ES1 (SK2) 396 1810/300P 366 18						367
42NSB-ZA/42S 340 1400Z/649 130 E86G/3359ZA/3357N/1313G ES1 (SK2) 42NSB-ZA/42S S1 (SK2) 340 1500/3357N 374 E138F/42/42KVS 42NSB-ZA/42S ES1 (SK2) 339 1500/3357N S1 (SK2) 375 E138G/F2/55 42S 340 1500/3357N ES1 (SK2) 373 E138Z/42K/42KS 53H/42K 410 1500/3359ZA/3357N ES1 (SK2) 373 E138Z/42K/42KS 538/42K 410 1510/3331/3330 ES1 (SK2) 393 E138Z/49S90S (100 Nm) 54/2221A/2440/1117 ES0 (SK1) 400 1510 190 E150/F42/42KVS 55S 340 1510/3332ZA/3330 ES1 (SK2) 393 E150Z/42K/42KS 55S SK 341 1515/3331/3440 ES1 (SK2) 396 E487 55S-SK 343 1515/3332ZA/3440 ES1 (SK2) 396 E487 55S-SR 340 1516/3332ZA/3440 ES1 (SK2) 396 E487 55S-SR 340 1510 1500 130 134 E538G/3357N/1313G 55S-SR 340 1530/30P 479 E538G/3357N/1313G ES1 (SK2) 55S-SR 340 1530/30P 479 E538G/3357N/1313G ES1 (SK2) 61G/2221/2220/113 ES1 (SK2) 386 1530/3346 356 E538G/3359ZA/3357N/1313G ES1 (SK2) 61G/22221Z220/113 ES1 (SK2) 386 1530/3346 356 E538G/3359ZA/3357N/1313G ES1 (SK2) 61G/22222ZA/2220/113 ES1 (SK2) 386 1530G/831 357 E554/3357N/1313G ES1 (SK2) 61G/22222ZA/2220/113 ES1 (SK2) 390 1710/3331/3440 ES1 (SK2) 392 E664 56G/3331/3440/1138 ES1 (SK2) 390 1710/3331/3440 ES1 (SK2) 392 E665 56G/3331/3440/1138 ES1 (SK2) 390 1710/3331/3440 ES1 (SK2) 392 E665 56G/3331/3440/113 ES1 (SK2) 392 1710G/831 380 E695 76G/3331/3440/1138 ES1 (SK2) 396 1810/30P 486 E848S-SK 76G/3332ZA/3440/110 ES1 (SK2) 390 1710/R/3346 379 E795 76G/3331/3440/110 ES1 (SK2) 390 E110/30/P/30PS 485 E849S-SK 76G/3336/7100 S16 E1138Z/29FL 84/42K 411 5010 306 E1138Z/29FL 84/42K 51 E138Z/30P/30PS 5100 307 E11						366
42NSB-ZA/42S S1 (SK2) 339 1500/3357N 374 E138F/42/42KVS 42NSB-ZA/42S ES1 (SK2) 339 1500/3357SN S1 (SK2) 375 E138GF2/55 5						365
42NBS-ZA/42S ES1 (SK2) 339 1500/33567SN 375 E138GF2/55 42S 340 1500/3358/3357N ES1 (SK2) 373 E138Z/42K 53SH/42K 410 1500/3358/A3357N ES1 (SK2) 393 E138Z/US950S (100 Nm) 54Z221A/2440/1117 ES0 (SK1) 400 1510 190 E150F4/242KVS 55S 340 1510/3332ZA/3330 ES1 (SK2) 393 E138Z/US950S (100 Nm) 55S-SS 341 1515/3331/3440 ES1 (SK2) 396 E484 55S-SR 342 1515/3332ZA/3440 ES1 (SK2) 396 E487 55S-SR 342 1515/3332ZA/3440 ES1 (SK2) 396 E487 55S-SR-ZA 341 1530 134 E538G/3357N/1313G 55S-SR-ZA 340 1530/3346 356 E538G/3357N/1313G 60L/42K 410 1530/3346 356 E538G/3357N/1313G E156/3346/1338Z 61G/22227A/2220/113 ES1 (SK2) 386 1530/3346SN 357 E554/3346/1138Z 61G/22227A/2220/113 ES1 (SK2) 386 1530/3346SN 357 E554/3357N/1313G 76G/3331/3440/1140 ES1 (SK2) 390 1710/3331/3						170
42S 340 1500/3358/3357N ES1 (SK2) 373 E138Z/42K/42KS 53H/42K 410 1500/3359ZA/3357N ES1 (SK2) 373 E138Z/849 53S/42K 410 1500/3359ZA/3357N ES1 (SK2) 373 E138Z/849 54/2221A/2440/1117 ES0 (SK1) 400 1510 190 E150F/42/42KVS 55S 340 1510/3332ZA/3330 ES1 (SK2) 396 E484 55S-SS 341 1515/3331/3440 ES1 (SK2) 396 E487 55S-SR 342 1515/3332ZA/3440 ES1 (SK2) 396 E487 55S-SR 342 1515/42K/42KS 194 E497 55S-SR 341 1530/30P 479 E538G/3357N/1313G 55S-ZA 341 1530/30P 479 E538G/3358/357N/1313G ES1 (SK2) 61G/2221/2220/113 ES1 (SK2) 386 1530/3346 356 E538G/3358/357N/1313G ES1 (SK2) 61G/2221/2220/113 ES1 (SK2) 386 1530G/831 357 E554/3357N/1313G 61G/2221/2220/113 ES1 (SK2) 386 1530G/831 357 E554/3357N/1313G 76G/3331/3440/1140 ES1 (SK2) 390 1710/3331/3440 ES1 (SK2) 392 E665 76G/3331/3440/1140 ES1 (SK2) 390 1710/3331/3440 ES1 (SK2) 392 E665 76G/3331/3440/110 ES1 (SK2) 390 1710/3331/3440 ES1 (SK2) 392 E665 76G/33331/3440/110 ES1 (SK2) 390 1710/3331/3440 ES1 (SK2) 392 E665 76G/33331/3440/110 ES1 (SK2) 390 1710/3331/3440 ES1 (SK2) 392 E665 76G/33331/3440/110 ES1 (SK2) 390 1710/3331/3440 ES1 (SK2) 392 E665 76G/33332/A/3440/110 ES1 (SK2) 390 1710/3331/3440 ES1 (SK2) 392 E665 76G/33332/A/3440/110 ES1 (SK2) 390 1710/3331/3440 ES1 (SK2) 390 E847S-SK 76G/3332ZA/3440/110 ES1 (SK2) 390 1710/831 880 E848-S-K 76G/3332ZA/3440/110 ES1 (SK2) 390 1710/81/3346SN 380 E847S-SK 76G/3332ZA/3440/110 ES1 (SK2) 390 1710/81/3346SN 380 E848-S-K 76G/3332ZA/3440/170 ES1 (SK2) 392 1810/30P 486 E848S-SK 76G/3332ZA/3440/170 ES1 (SK2) 390 170 ES1 (SK2)						378
53H/42K 410 1500/3359ZA/3357N ES1 (SK2) 373 E138Z/849 53S/42K 410 1510/3331/3330 ES1 (SK2) 393 E138Z/US50S (100 Nm) 54/2221A/2440/1117 ES0 (SK1) 400 1510/3331/3330 ES1 (SK2) 393 E150Z/42K/VS 55S 340 1510/3332ZA/3330 ES1 (SK2) 393 E150Z/42K/42KS 55S-DS 341 1515/3331/3440 ES1 (SK2) 396 E484 55S-SR 342 1515/3332ZA/3440 ES1 (SK2) 396 E487 55S-SR 342 1515/42K/42KS 194 E497 55S-SR-ZA 341 1530/30P 479 E538G/3357N/1313G ES1 (SK2) 61G/2221/2220/113 ES1 (SK2) 386 1530/3346 356 E538G/3359ZA/3357N/1313G ES1 (SK2) 61G/2222ZA/2220/113 ES1 (SK2) 386 1530/346SN 357 E554/3346/1138Z 61G/2222ZA/2220/113 ES1 (SK2) 386 1530/346SN 357 E554/3346/1138Z 61G/3331/3440/1136 ES1 (SK2) 396 1710/3331/3440 ES1 (SK2) 392 E664 76G/3331/3440/1140 ES1 (SK2) 396 1710						169
53S/42K 410 1510/3331/3330 ES1 (SK2) 393 E138Z/US950S (100 Nm) 54/2221A/2440/1117 ES0 (SK1) 400 1510 190 E150F/42/42KVS 55S 340 1510/3332ZA/3330 ES1 (SK2) 398 E150Z/42K/42KS 55SDS 341 1515/3331/3440 ES1 (SK2) 396 E484 55S-SR 342 1515/3332ZA/3440 ES1 (SK2) 396 E487 55S-SR-ZA 341 1530 134 E538G/3357N/1313G 55S-SA-ZA 340 1530/30P 479 E538G/3358/3357N/1313G ES1 (SK2) 61G/2221/2220/113 ES1 (SK2) 386 1530/3346SN 356 E534G/33552A/3357N/1313G ES1 (SK2) 61G/22227A/2220/113 ES1 (SK2) 386 1530/3346SN 357 E554/3346/1138Z 61G/2222ZA/22220/113 ES1 (SK2) 386 1530G/831 357 E554/3357N/1313G 76G/3331/3440/1138 ES1 (SK2) 390 1710/3331/3440 ES1 (SK2) 392 E664 76G/3331/3440/1136 ES1 (SK2) 390 1710/R332ZA/3440 ES1 (SK2) 392 E665 76G/3332ZA/3440/110 ES1 (SK2) 390						170
54/2221A/2440/1117 ES0 (SK1) 400 1510 190 E150F/42/42KVS 55S 340 1510/3332ZA/3330 ES1 (SK2) 393 E150Z/42K/42KS 55SDS 341 1515/3331ZA/3330 ES1 (SK2) 396 E484 55S-SK 343 1515/3332ZA/3440 ES1 (SK2) 396 E487 55S-SR 342 1515/42K/42KS 194 E497 55S-SR-ZA 341 1530 134 E538G/3357N/1313G 55S-ZA 340 1530/30P 479 E538G/3358/357N/1313G E51(K2) 60L/42K 410 1530/3346 356 E538G/3358/357N/1313G ES1 (SK2) 61G/2222T/2220/113 ES1 (SK2) 386 1530/3346SN 357 E554/336/1138Z 61G/2222T/2220/113 ES1 (SK2) 386 1530/331/3440 180 E663 76G/3331/3440/1138 ES1 (SK2) 387 1710 180 E663 76G/3331/3440/1140 ES1 (SK2) 390 1710/3331/3440 ES1 (SK2) 392 E665 76G/3332ZA/3440/1515 ES1 (SK2) 392 1710RH/3346 379 <						454
55S 340 1510/3332ZA/3330 ES1 (SK2) 393 E150Z/42K/42KS 55SDS 341 1515/3331/3440 ES1 (SK2) 396 E484 55S-SK 343 1515/3332ZA/3440 ES1 (SK2) 396 E487 55S-SR 342 1515/42K/42KS 194 E497 55S-SR-ZA 341 1530 134 E538G/3357N/1313G 55S-ZA 340 1530/30P 479 E538G/3358/357N/1313G ES1 (SK2) 60L/42K 410 1530/3346 356 E538G/3359ZA/3357N/1313G ES1 (SK2) 61G/2221/222O/113 ES1 (SK2) 386 1530/3346SN 357 E554/3346/1138Z 61G/2221/222O/113 ES1 (SK2) 386 1530/3346SN 357 E554/3357N/1313G 76G/3331/3440/1140 ES1 (SK2) 386 1530/3346SN 357 E554/3357N/1313G 76G/3331/3440/1140 ES1 (SK2) 390 1710/3331/3440 ES1 (SK2) 392 E664 76G/3331/3440/1140 ES1 (SK2) 396 1710/3331/3440 ES1 (SK2) 392 E665 76G/3332ZA/3440/1140 ES1 (SK2) 396 1710RH/3346SN 380			` ,		, ,	142
55S-SK 343 1515/3332ZA/3440 ES1 (SK2) 396 E487 55S-SR 342 1515/42K/42KS 194 E497 55S-SR-ZA 341 1530 134 E538G/3357N/1313G 55S-ZA 340 1530/30P 479 E538G/3358/3357N/1313G ES1 (SK2) 60L/42K 410 1530/3346 356 E538G/3359ZA/3357N/1313G ES1 (SK2) 61G/2222ZZA/2220/113 ES1 (SK2) 386 1530/346SN 357 E554/3346/1138Z 61G/2221/2220/113 ES1 (SK2) 386 1530/3446SN 357 E554/3357N/1313G 61G/2221/2220/113 ES1 (SK2) 386 1530/3446SN 357 E554/3346/1138Z 61G/2221/2220/113 ES1 (SK2) 386 1530/3446SN 357 E564/3357N/1313G 61G/2221/222/113 ES1 (SK2) 386 1530/3446SN 357 E564/3346/1138Z 66(3/3331/3440/1138 ES1 (SK2) 387 1710 180 E663 76G/3331/3440/1710 ES1 (SK2) 392 1710G/831 380 E695 76G/3332ZA/3440/1710 ES1 (SK2) 391 1710RH/3346SN 380	55S		1510/3332ZA/3330 ES1 (SK2)		E150Z/42K/42KS	142
55S-SR 342 1515/42K/42KS 194 E497 55S-SR-ZA 341 1530 134 E538G/3357N/1313G 55S-ZA 340 1530/30P 479 E538G/3358/3357N/1313G ES1 (SK2) 60L/42K 410 1530/3346 356 E538G/3359ZA/3357N/1313G ES1 (SK2) 61G/2221/2220/113 ES1 (SK2) 386 1530/3346SN 357 E554/3346/1138Z 61G/2222A/2220/113 ES1 (SK2) 386 1530G/831 357 E554/3357N/1313G 61G/3331/3440/1138 ES1 (SK2) 387 1710 180 E663 76G/3331/3440/1140 ES1 (SK2) 390 1710/3331/3440 ES1 (SK2) 392 E664 76G/3331/3440/1151 ES1 (SK2) 396 1710G/831 380 E695 76G/3331/3440/1170 ES1 (SK2) 392 1710G/881 380 E695 76G/33332ZA/3440/1138 ES1 (SK2) 390 1710RH/3346 379 E795 76G/3332ZA/3440/1140 ES1 (SK2) 390 1710RH/3346SN 380 E847S-SK 76G/3332ZA/3440/11515 ES1 (SK2) 396 1810/30P 486 E848S-SK 76G/33346/1530 356 1810/3346 378	55SDS	341	1515/3331/3440 ES1 (SK2)	396	E484	52
55S-SR-ZA 341 1530 134 E538G/3357N/1313G 55S-ZA 340 1530/30P 479 E538G/3358/3357N/1313G ES1 (SK2) 60L/42K 410 1530/3346 356 E538G/3358/3357N/1313G ES1 (SK2) 60L/42K 410 1530/3346SN 356 E538G/3359ZA/3357N/1313G ES1 (SK2) 61G/2222ZA/2220/113 ES1 (SK2) 386 1530/3346SN 357 E554/3346/1138Z E554/3357N/1313G E516/3331/3440/1138 ES1 (SK2) 386 1530G/831 357 E554/3357N/1313G E663 E663/3331/3440/1138 ES1 (SK2) 387 1710 180 E663 E664 E663 E663/3331/3440/1136 ES1 (SK2) 390 1710/3332ZA/3440 ES1 (SK2) 392 E664 E664 E665 E665/33332ZA/3440/1515 ES1 (SK2) 392 E665 E665 E665/3332ZA/3440/1515 ES1 (SK2) 392 E795 E66/33332ZA/3440/1140 ES1 (SK2) 392 1710RH/3346SN 380 E847S-SK E848S-SK E66/3332ZA/3440/1515 ES1 (SK2) 396 1810/30P 486 E848S-SK E848S-SK E66/3332ZA/3440/1515 ES1 (SK2) 392 1810/30P/30PS 485 E849S-SK E1138F/42/42KVS E	55S-SK	343	1515/3332ZA/3440 ES1 (SK2)	396	E487	52
55S-ZA 340 1530/30P 479 E538G/3358/3357N/1313G ES1 (SK2) 60L/42K 410 1530/3346 356 E538G/3359ZA/3357N/1313G ES1 (SK2) 61G/2221/2220/113 ES1 (SK2) 386 1530/3346SN 357 E554/3346/1138Z 61G/2222ZA/2220/113 ES1 (SK2) 386 1530G/831 357 E554/3357N/1313G 76G/3331/3440/1138 ES1 (SK2) 387 1710 180 E663 76G/3331/3440/1140 ES1 (SK2) 390 1710/3331/3440 ES1 (SK2) 392 E664 76G/3331/3440/1151 ES1 (SK2) 396 1710/3331/3440 ES1 (SK2) 392 E665 76G/3332ZA/3440/1138 ES1 (SK2) 392 1710G/831 380 E695 76G/3332ZA/3440/1138 ES1 (SK2) 392 1710RH/3346SN 380 E847S-SK 76G/3332ZA/3440/1140 ES1 (SK2) 390 1710RH/3346SN 380 E847S-SK 76G/3332ZA/3440/1710 ES1 (SK2) 396 1810/30P 486 E848S-SK 76G/3332ZA/3440/1710 ES1 (SK2) 392 1810/30P/30PS 485 E849S-SK 76G/3346/1730RH 379 1810/42K/42KS 166 E1138F/42/42KVS 76G/3346/1710R	55S-SR	342	1515/42K/42KS	194	E497	52
60L/42K 410 1530/3346 356 E538G/3359ZA/3357N/1313G ES1 (SK2) 61G/2221/2220/113 ES1 (SK2) 386 1530/3346SN 357 E554/3346/1138Z ES1 (SK2) 61G/2222ZA/2220/113 ES1 (SK2) 386 1530G/831 357 E554/3357N/1313G ES1 (SK2) 61G/222ZA/2220/113 ES1 (SK2) 386 1530G/831 357 E554/3357N/1313G ES1 (SK2) 387 1710 180 E663 F6G/3331/3440/1140 ES1 (SK2) 390 1710/3331/3440 ES1 (SK2) 392 E664 F6G/3331/3440/1515 ES1 (SK2) 396 1710/3332ZA/3440 ES1 (SK2) 392 E665 F6G/3331/3440/1710 ES1 (SK2) 392 1710G/831 380 E695 F6G/3332ZA/3440/1140 ES1 (SK2) 392 1710G/831 380 E847S-SK F6G/3332ZA/3440/1140 ES1 (SK2) 390 1710RH/3346SN 380 E847S-SK F6G/3332ZA/3440/1515 ES1 (SK2) 396 1810/30P 486 E848S-SK F6G/3332ZA/3440/1710 ES1 (SK2) 392 1810/30P/30PS 485 E849S-SK F6G/3346/1530 356 1810/3346 378 E1138F/42/42KVS F6G/3346/1710RH 379 1810/42K/42KS 166 E1138F/55 F6G/3346/1810 378 5000 306 E1138Z/29FL 84H/42K 411 5004 306 E1138Z/29FL 84H/42K 411 5004 306 E1138Z/30P/80PS 86G/3331/3330/138L ES1 (SK2) 393 5110 307 E1138Z/30P/30PS E1138Z/30P/30PS	55S-SR-ZA	341	1530	134	E538G/3357N/1313G	367
60L/42K 410 1530/3346 356 E538G/3359ZA/3357N/1313G ES1 (SK2) 61G/2221/2220/113 ES1 (SK2) 386 1530/3346SN 357 E554/3346/1138Z ES1 (SK2) 61G/2222ZA/2220/113 ES1 (SK2) 386 1530G/831 357 E554/3357N/1313G ES1 (SK2) 61G/222ZA/2220/113 ES1 (SK2) 386 1530G/831 357 E554/3357N/1313G ES1 (SK2) 387 1710 180 E663 F6G/3331/3440/1140 ES1 (SK2) 390 1710/3331/3440 ES1 (SK2) 392 E664 F6G/3331/3440/1515 ES1 (SK2) 396 1710/3332ZA/3440 ES1 (SK2) 392 E665 F6G/3331/3440/1710 ES1 (SK2) 392 1710G/831 380 E695 F6G/3332ZA/3440/1140 ES1 (SK2) 392 1710G/831 380 E847S-SK F6G/3332ZA/3440/1140 ES1 (SK2) 390 1710RH/3346SN 380 E847S-SK F6G/3332ZA/3440/1515 ES1 (SK2) 396 1810/30P 486 E848S-SK F6G/3332ZA/3440/1710 ES1 (SK2) 392 1810/30P/30PS 485 E849S-SK F6G/3346/1530 356 1810/3346 378 E1138F/42/42KVS F6G/3346/1710RH 379 1810/42K/42KS 166 E1138F/55 F6G/3346/1810 378 5000 306 E1138Z/29FL 84H/42K 411 5004 306 E1138Z/29FL 84H/42K 411 5004 306 E1138Z/30P/80PS 86G/3331/3330/138L ES1 (SK2) 393 5110 307 E1138Z/30P/30PS E1138Z/30P/30PS	55S-ZA	340	1530/30P	479	E538G/3358/3357N/1313G ES1 (SK2)	366
61G/222ZA/2220/113 ES1 (SK2) 386 1530G/831 357 E554/3357N/1313G 76G/3331/3440/1138 ES1 (SK2) 387 1710 180 E663 76G/3331/3440/1140 ES1 (SK2) 390 1710/3331/3440 ES1 (SK2) 392 E664 76G/3331/3440/1515 ES1 (SK2) 396 1710/3332ZA/3440 ES1 (SK2) 392 E665 76G/3331/3440/1710 ES1 (SK2) 392 1710G/831 380 E695 76G/3332ZA/3440/1138 ES1 (SK2) 387 1710RH/3346 379 E795 76G/3332ZA/3440/1140 ES1 (SK2) 390 1710RH/3346SN 380 E847S-SK 76G/3332ZA/3440/1515 ES1 (SK2) 396 1810/30P 486 E848S-SK 76G/3332ZA/3440/1710 ES1 (SK2) 392 1810/30P/SOPS 485 E849S-SK 76G/3346/1530 356 1810/3346 378 E1138F/42/42KVS 76G/3346/1710RH 379 1810/42K/42KS 166 E1138F/55 76G/3346/1810 378 5000 306 E1138Z/29FL 84H/42K 411 5004 306 E1138Z/30P 86G/3331/3330/138L ES1 (SK2) 389 5100 307 E1138Z/30P/SOPS 86G/3331/3330/1510 ES1 (SK2) 393 5110 307 E1138Z/3331/3330 ES1 (SK2)		410	1530/3346	356	E538G/3359ZA/3357N/1313G ES1 (SK2)	365
76G//3331/3440/1138 ES1 (SK2) 387 1710 180 E663 76G/3331/3440/1140 ES1 (SK2) 390 1710/3331/3440 ES1 (SK2) 392 E664 76G/3331/3440/1515 ES1 (SK2) 396 1710/3332ZA/3440 ES1 (SK2) 392 E665 76G/3331/3440/1710 ES1 (SK2) 392 1710G/831 380 E695 76G/3332ZA/3440/1138 ES1 (SK2) 387 1710RH/33466 379 E795 76G/3332ZA/3440/1140 ES1 (SK2) 390 1710RH/3346SN 380 E847S-SK 76G/3332ZA/3440/11515 ES1 (SK2) 390 1710RH/3346SN 380 E847S-SK 76G/3332ZA/3440/1710 ES1 (SK2) 396 1810/30P 486 E848S-SK 76G/3332ZA/3440/1710 ES1 (SK2) 392 1810/30P/30PS 485 E849S-SK 76G/3346/1530 356 1810/3346 378 E1138F/42/42KVS 76G/3346/1710RH 379 1810/42K/42KS 166 E1138F/55 76G/3346/1810 378 5000 306 E1138Z/29FL 84/42K 411 5004 306 E1138Z/29FL 84/42K 411 5010 307 E1138Z/30P 86G/3331/3330/138L ES1 (SK2) 389 5100 307 E1138Z/30P/30PS		386	1530/3346SN	357	E554/3346/1138Z	376
76G/3331/3440/1140 ES1 (SK2) 390 1710/3331/3440 ES1 (SK2) 392 E664 76G/3331/3440/1515 ES1 (SK2) 396 1710/3332ZA/3440 ES1 (SK2) 392 E665 76G/3331/3440/1710 ES1 (SK2) 392 1710G/831 380 E695 76G/3332ZA/3440/1138 ES1 (SK2) 387 1710RH/3346 379 E795 76G/3332ZA/3440/1140 ES1 (SK2) 390 1710RH/3346SN 380 E847S-SK 76G/3332ZA/3440/1515 ES1 (SK2) 396 1810/30P 486 E848S-SK 76G/3332ZA/3440/1710 ES1 (SK2) 392 1810/30PS 485 E849S-SK 76G/3332ZA/3440/1710 ES1 (SK2) 392 1810/30PS 485 E849S-SK 76G/3346/1530 356 1810/3346 378 E1138F/42/42KVS 76G/3346/1710RH 379 1810/42K/42KS 166 E1138F/55 76G/3346/1810 378 5000 306 E1138Z/29FL 84/42K 411 5004 306 E1138Z/29FL 84/42K 411 5010 306 E1138Z/30P 86G/3331/3330/138L ES1 (SK2) 389 5100 307 E1138Z/30PS 86G/3331/3330/1510 ES1 (SK2) 393 5110 307 E1138Z/3331/3330 ES1 (SK2)	61G/2222ZA/2220/113 ES1 (SK2)	386	1530G/831	357	E554/3357N/1313G	367
76G/3331/3440/1515 ES1 (SK2) 396 1710/3332ZA/3440 ES1 (SK2) 392 E665 76G/3331/3440/1710 ES1 (SK2) 392 1710G/831 380 E695 76G/3332ZA/3440/1138 ES1 (SK2) 387 1710RH/3346 379 E795 76G/3332ZA/3440/1140 ES1 (SK2) 390 1710RH/3346SN 380 E847S-SK 76G/3332ZA/3440/1515 ES1 (SK2) 396 1810/30P 486 E848S-SK 76G/3332ZA/3440/1710 ES1 (SK2) 392 1810/30P/30PS 485 E849S-SK 76G/3346/1530 356 1810/3346 378 E1138F/42/42KVS 76G/3346/1710RH 379 1810/42K/42KS 166 E1138F/55 76G/3346/1810 378 5000 306 E1138Z/29FL 84/42K 411 5004 306 E1138Z/29FL 84H/42K 411 5010 306 E1138Z/30P/80PS 86G/3331/3330/138L ES1 (SK2) 393 5110 307 E1138Z/30P/30PS						520
76G/3331/3440/1710 ES1 (SK2) 392 1710G/831 380 E695 76G/3332ZA/3440/1138 ES1 (SK2) 387 1710RH/3346 379 E795 76G/3332ZA/3440/1140 ES1 (SK2) 390 1710RH/3346SN 380 E847S-SK 76G/3332ZA/3440/1515 ES1 (SK2) 396 1810/30P 486 E848S-SK 76G/3332ZA/3440/1710 ES1 (SK2) 392 1810/30P/30PS 485 E849S-SK 76G/3346/1530 356 1810/3346 378 E1138F/42/42KVS 76G/3346/1710RH 379 1810/42K/42KS 166 E1138F/55 76G/3346/1810 378 5000 306 E1138Z/29FL 84/42K 411 5004 306 E1138Z/29FLR 84H/42K 411 5010 306 E1138Z/30P/80PS 86G/3331/3330/138L ES1 (SK2) 389 5100 307 E1138Z/30P/80PS 86G/3331/3330/1510 ES1 (SK2) 393 5110 307 E1138Z/3331/3330 ES1 (SK2)						520
76G/3332ZA/3440/1138 ES1 (SK2) 387 1710RH/3346 379 E795 76G/3332ZA/3440/1140 ES1 (SK2) 390 1710RH/3346SN 380 E847S-SK 76G/3332ZA/3440/1515 ES1 (SK2) 396 1810/30P 486 E848S-SK 76G/3332ZA/3440/1710 ES1 (SK2) 392 1810/30P/30PS 485 E849S-SK 76G/3346/1530 356 1810/3346 378 E1138F/42/42KVS 76G/3346/1710RH 379 1810/42K/42KS 166 E1138F/55 76G/3346/1810 378 5000 306 E1138Z/29FL 84/42K 411 5004 306 E1138Z/29FL 84H/42K 411 5010 306 E1138Z/30P 86G/3331/3330/138L ES1 (SK2) 389 5100 307 E1138Z/30PS 86G/3331/3330/1510 ES1 (SK2) 393 5110 307 E1138Z/3331/3330 ES1 (SK2)			, ,			520
76G/3332ZA/3440/1140 ES1 (SK2) 390 1710RH/3346SN 380 E847S-SK 76G/3332ZA/3440/1515 ES1 (SK2) 396 1810/30P 486 E848S-SK 76G/3332ZA/3440/1710 ES1 (SK2) 392 1810/30P/30PS 485 E849S-SK 76G/3346/1530 356 1810/3346 378 E1138F/42/42KVS 76G/3346/1710RH 379 1810/42K/42KS 166 E1138F/55 76G/3346/1810 378 5000 306 E1138Z/29FL 84/42K 411 5004 306 E1138Z/29FL 84/42K 411 5010 306 E1138Z/39FLR 84H/42K 411 5010 306 E1138Z/39FLR 86G/3331/3330/138L ES1 (SK2) 389 5100 307 E1138Z/30PS 86G/3331/3330/1510 ES1 (SK2) 393 5110 307 E1138Z/3331/3330 ES1 (SK2)	76G/3331/3440/1710 ES1 (SK2)			380		522
76G/3332ZA/3440/1515 ES1 (SK2) 396 1810/30P 486 E848S-SK 76G/3332ZA/3440/1710 ES1 (SK2) 392 1810/30P/30PS 485 E849S-SK 76G/3346/1530 356 1810/3346 378 E1138F/42/42KVS 76G/3346/1710RH 379 1810/42K/42KS 166 E1138F/55 76G/3346/1810 378 5000 306 E1138Z/29FL 84/42K 411 5004 306 E1138Z/29FL 84H/42K 411 5010 306 E1138Z/39FLR 84H/42K 411 5010 306 E1138Z/30P 86G/3331/3330/138L ES1 (SK2) 389 5100 307 E1138Z/30PS 86G/3331/3330/1510 ES1 (SK2) 393 5110 307 E1138Z/3331/3330 ES1 (SK2)	. ,					350
76G/3332ZA/3440/1710 ES1 (SK2) 392 1810/30P/30PS 485 E849S-SK 76G/3346/1530 356 1810/3346 378 E1138F/42/42KVS 76G/3346/1710RH 379 1810/42K/42KS 166 E1138F/55 76G/3346/1810 378 5000 306 E1138Z/29FL 84/42K 411 5004 306 E1138Z/29FLR 84H/42K 411 5010 306 E1138Z/30P 86G/3331/3330/138L ES1 (SK2) 389 5100 307 E1138Z/30P/30PS 86G/3331/3330/1510 ES1 (SK2) 393 5110 307 E1138Z/3331/3330 ES1 (SK2)						87
76G/3346/1530 356 1810/3346 378 E1138F/42/42KVS 76G/3346/1710RH 379 1810/42K/42KS 166 E1138F/55 76G/3346/1810 378 5000 306 E1138Z/29FL 84/42K 411 5004 306 E1138Z/29FLR 84H/42K 411 5010 306 E1138Z/30P 86G/3331/3330/138L ES1 (SK2) 389 5100 307 E1138Z/30PS 86G/3331/3330/1510 ES1 (SK2) 393 5110 307 E1138Z/3331/3330 ES1 (SK2)	, ,					132
76G/3346/1710RH 379 1810/42K/42KS 166 E1138F/55 76G/3346/1810 378 5000 306 E1138Z/29FL 84/42K 411 5004 306 E1138Z/29FL 84H/42K 411 5010 306 E1138Z/30P 86G/3331/3330/138L ES1 (SK2) 389 5100 307 E1138Z/30P/30PS 86G/3331/3330/1510 ES1 (SK2) 393 5110 307 E1138Z/3331/3330 ES1 (SK2)	,					108
76G/3346/1810 378 5000 306 E1138Z/29FL 84/42K 411 5004 306 E1138Z/29FLR 84H/42K 411 5010 306 E1138Z/30P 86G/3331/3330/138L ES1 (SK2) 389 5100 307 E1138Z/30P/30PS 86G/3331/3330/1510 ES1 (SK2) 393 5110 307 E1138Z/3331/3330 ES1 (SK2)						160
84/42K 411 5004 306 E1138Z/29FLR 84H/42K 411 5010 306 E1138Z/30P 86G/3331/3330/138L ES1 (SK2) 389 5100 307 E1138Z/30P/30PS 86G/3331/3330/1510 ES1 (SK2) 393 5110 307 E1138Z/3331/3330 ES1 (SK2)						37
84H/42K 411 5010 306 E1138Z/30P 86G/3331/3330/138L ES1 (SK2) 389 5100 307 E1138Z/30P/30PS 86G/3331/3330/1510 ES1 (SK2) 393 5110 307 E1138Z/3331/3330 ES1 (SK2)						16
86G/3331/3330/138L ES1 (SK2) 389 5100 307 E1138Z/30P/30PS 86G/3331/3330/1510 ES1 (SK2) 393 5110 307 E1138Z/3331/3330 ES1 (SK2)						16
86G/3331/3330/1510 ES1 (SK2) 393 5110 307 E1138Z/3331/3330 ES1 (SK2)						485
						484
XBG-733377 A 73331/1510 EST (SK2) 303 5/300 504 (OZO)	` ,				, ,	388
86G/335ZZA/333U/1510 EST (SK2) 393 5200 308 ET138Z/3332ZA/3330 EST (SK2) 86G/3357N/1313G 363 5210 308 ET138Z/3346	86G/3332ZA/3330/1510 ES1 (SK2)	393	5200	308	E1138Z/3332ZA/3330 ES1 (SK2)	388

Index - in numerical ascending order by design-number


Design no.	Page	Design no.	Page	Design no.	Page
E1138Z/3346SN	377	FDW-Profile spindle	533	HCS® strike plate SB-D (Brass)	232
E1138Z/42K/42KS	159	FDW-Profile spindle efha	532	HCS® strike plate SB-D (Stainless steel)	230
E1138Z/849	161	FDW-solid spindle	532	HCS® strike plate SB-E (Brass)	232
E1140F/42/42KVS	176	FE-411	522	HCS® strike plate SB-E (Stainless steel)	231
E1140F/55	378	Fixing nut M5	537	Hexagonal column	544
E1140Z/29FL	178	Fixing nut M6	537	HS-0530/431N	507
E1140Z/29FLR	178	Fixing System no 1	526	HS-0530/431N/422	507
E1140Z/30P	488	Fixing System no 10	529	HS-0739/431N	510
E1140Z/30P/30PS	488	Fixing System no 11	529	HS-0739/431N/422	510
E1140Z/3331/3330 ES1 (SK2)	391	Fixing System no 2	526	HS-0810/431N	513
E1140Z/3332ZA/3330 ES1 (SK2)	391	Fixing System no 5	527	HS-0810/431N/422	513
E1140Z/42K/42KS	175	Fixing System no 7	527	HS-571/431N	515
E1140Z/848	177	Fixing System no 8	528	HS-571/431N/422	515
E1140Z/849	177	Fixing System no 9	528	HS-E038Z/431N	514
E1310Z/42K/42KS	152	FS-50G/55	289	HS-E038Z/431N/422	514
E1313G/3357N	367	FS-58G/55	289	HS-E050Z/431N	509
E1313G/3357SN	368	FS-1313G/55	278	HS-E050Z/431N/422	509
E1313G/3358/3357N ES1 (SK2)	366	FS-E50G/55	290	HS-E0400Z/431N	506
E1313G/3359ZA/3357N ES1 (SK2)	365	FS-E58/42/42S/1138F	280	HS-E0400Z/431N/422	506
E1313G/55	368	FS-E58/42/42S/138F	283	HS-M0530/431N	508
E1365Z/42K/42KS	140	FS-E58/42/42S/1400F	277	HS-M0530/431N/423	508
E1400F/42/42KVS	132	FS-E58/42/42S/1401F	287	HS-M0643/419N	511
E1400Z/42K/42KS	131	FS-E58G/55	290	HS-M0643/419N/423	511
E1400Z/848	132	FS-E86G/3331/3330/1138F	279	HS-M550/455	503
E1401F/42/42KVS	172	FS-E86G/3331/3330/138F	282	HS-M550/455/423	503
E1430Z/29FL	186	FS-E86G/3331/3330/1400F	276	HS-M576/419	516
E1430Z/29FLR	186	FS-E86G/3331/3330/1401F	286	HS-M576/419/423	516
E1430Z/42K/42KS	184	FS-E86G/3332ZA/3330/1138F	279	HS-M576K/419/423	516
E1430Z/848	185	FS-E86G/3332ZA/3330/138F	282	HS-M5172/419	502
E1440Z/19K/19KS	112	FS-E86G/3332ZA/3330/1400F	276	HS-M5172/419/423	502
E1440Z/847	113	FS-E86G/3332ZA/3330/1401F	286	i-Solid profile spindle	533
E1730Z/17K/17KS	203	FS-E138F/3331/3330	279	K15S	348
E1800Z/3331/3330 ES1 (SK2)	394	FS-E138F/3331/3330	282	K42NSA	349
E1800Z/3332ZA/3330 ES1 (SK2)	394	FS-E138F/3332ZA/3330	279	K42NSB	349
E1800Z/42K/42KS	191	FS-E138F/3332ZA/3330	282	K42NSB-ZA	348
E1850Z/17K/17KS	203	FS-E138F/353K	283	K55S	349
E5000	309	FS-E138F/42/42S	283	K55SDS	349
E5010	309	FS-E1138F/353K	280	K435	493
E5011	310	FS-E1138F/42/42S	280	K5130	332
E5011D with decorative elements	296	FS-E1138F/55	281	K5230	333
E5011D with decorative elements	312	FS-E1138F/55/55S	281	K5330	333
E5011D with design-rings	311	FS-E1140F/353K	288	Kit patent	540
E5012	313	FS-E1140F/42/42S	288	M029/US918	427
E5012D with decorative elements	297	FS-E1313G/55	278	M029/US937	427
E5012D with decorative elements	315	FS-E1400F/3331/3330	276	M029/US937	428
E5012D with design-rings	314	FS-E1400F/3332ZA/3330	276	M051/US956	460
E5014	316	FS-E1400F/353K	277	M056/US937	426
E5014D with decorative elements	317	FS-E1400F/42/42S	277	M068L/U23	467
E5015	317	FS-E1401F/3331/3330	286	M070/U30	459
E5016	318	FS-E1401F/3332ZA/3330	286	M072/7	431
E5016D with decorative elements	318	FS-E1401F/353K	287	M0515/US956	461
E5019AD with design-rings	319	FS-E1401F/42/42S	287	M0530/US956	440
E5040	319	FS-K58/202K/138	284	M0530/US956/FK-410	439
E5061	320	FS-K138/202K	284	M0530S/US910 (100 Nm)	439
E5062	321	FS-K138/55/55S	285	M0535/US956	429
E5100	322	HCS® A1530	220	M0545/US956	442
E5110	322	HCS® Clip-in component ZYL-15	234	M0550/US920	430
E5110-110	322	HCS® Clip-in components (Aluminium)	232	M0558/US918	426
E5119C	323	HCS® Clip-in components (Brass)	233	M0607/US910	443
E5200	324	HCS® Clip-in components (Nylon)	233	M0613/U30	445
E5210	324	HCS® decorative rings (Aluminium)	224	M0613T/265KF	445
E5215	324	HCS® decorative rings (Brass)	228	M0623/US943	446
E5310	325	HCS® decorative rings (Nylon)	226	M0640/US937	430
E5311	325	HCS® decorative rings (Stainless steel)	225	M0643/US943	444
E5410	326	HCS® drill jig BHL1	236	M0643S/US943 (100 Nm)	443
E5511	327	HCS® GD A1530 (15/15)	221	M0693KH/U26	462
E5513D	298	HCS® GD A760/761	222	M0710RH/U30	458
E5519FD with decorative element	299	HCS® GD A761/762	221	M0840/U23	466
E5600	327	HCS® GD A763/764	222	M0941/U23	467
E5601	328	HCS® hole saw 54-7	236	M0950/US956	428
E5604	328	HCS® installation key	236	M8 Presentation board HCS®	548
E5606	329	HCS® latch bolt sets (Aluminium)	229	M35G/19	107
E5716	329	HCS® latch bolt sets (Brass)	229	M35G/19K/19KS	107
E5718	330	HCS® M156S	216	M40H/17K	418
E5804	330	HCS® M1950S	217	M40HE/15K-2	412
E5806	331	HCS® presentation case for glass doors	548	M43/843	415
E5912	331	HCS® presentation case for wood doors	548	M45/42K	412
E5917	332	HCS® sample block	547	M55S	349
Expanding lug M5	537	HCS® sample for glass doors	546	M55SDS	350
Expanding lug M6	537	HCS® stepped drill bit 16/22-7	236	M55S-ZA	349
Expanding spindle	534	HCS® strike plate SB-A (Stainless steel)	230	M57/334A/333N/112SH	389
ESK810/30P/OL810	493	HCS® strike plate SB-A (Brass)	231	M63/15K-2	413
F/Ei-Profile spindle	533	HCS® strike plate SB-C (Brass)	231	M63/42K	413
Facing cutter	530	HCS® strike plate SB-C (Stainless steel)	230	M72/312	431
E70					




Design no. 183	Page 414
183/42K	413
184/42K	414
184H/42K 186G/3331/3330/151 ES1 (SK2)	414
186G/3331/3330/151 ES1 (SK2)	395 397
186G/3332ZA/3330/151 ES1 (SK2)	395
186G/3332ZA/3330/1515 ES1 (SK2)	397
186G/3357N/1313G	371
186G/3357N/1530	360
186G/3358/3357N/1313G ES1 (SK2)	370
186G/3358/3357N/1530 ES1 (SK2)	359
186G/3359ZA/3357N/1313G ES1 (SK2)	
M86G/3359ZA/3357N/1530 ES1 (SK2)	358
1112PL 1112SH/334A/333N	164 389
1129/19K/19KS	98
1151/265	192
/151/3331/3330 ES1 (SK2)	395
1151/3332ZA/3330 ES1 (SK2)	395
1151/42K/42KS	192
1156/19K/19KS	90
1166SL/2705	206
1168L/332P 1168L/88K/88KS	210 210
1170/15K-2/15KS-2	188
1170/20/20S	492
1170/2211	188
1171/17K/17KS	204
1171/332P	204
1172/15K-2/15KS-2	124
1172/36-2/36S-2	475
1425 (Set 4) 1425 (Set 5)	242 242
1425 (Set 7)	242
1429	261
1429S	261
1439/15	337
1443 (Set 2)	254
1443 (Set 4)	254
1443 (Set 5)	255
1443 (Set 7) 1462 (Set 2)	255 244
1462 (Set 4)	244
1462 (Set 5)	245
1462 (Set 7)	245
1463 (Set 4)	246
1463 (Set 5)	246
1463 (Set 7)	247
1464 (Set 4) 1464 (Set 5)	256 256
1464 (Set 7)	257
1471 (Set 2)	258
1471 (Set 4)	258
1471 (Set 5)	259
1471 (Set 7)	259
1472 (Set 4)	260 260
1472 (Set 5) 1472 (Set 7)	260
1472 (Set 7) 1474 (Set 2)	248
1474 (Set 2) 1474 (Set 4)	248
1474 (Set 5)	249
1474 (Set 7)	249
1475 (Set 4)	250
1475 (Set 5)	250
1475 (Set 7)	251
1476/15 1492 (Set 1)	303
1492 (Set 1) 1492 (Set 2)	266 266
1492 (Set 2) 1492 (Set 3)	267
1492 (Set 5)	267
1493 (Set 1)	268
1493 (Set 2)	268
1493 (Set 3)	269
1493 (Set 4)	269
1493 (Set 5)	270
1497 15151 C	521
1515LG 1515LG/23	338 337
1516 1516	300
M516/19	300
M517	301
1517/19	301
1543	336

M551G/3357N/1530 360 M551G/3357N/1530 360 M551G/3358/3357N/1530 ES1 (SK2) 359 M551G/3359ZA/3357N/1530 ES1 (SK2) 359 M551G/3359ZA/3357N/1530 ES1 (SK2) 358 M553 334 M554/3357N/1530 360 M555 334 M564/3357N/1530 360 M555 334 M695 522 M696 522 M697 522 M698 522 M699 522 M696 522 M695 522 M696 522 M696 522 M856/Z9HK/25KS 406 M1313G/33587SN 372 M1313G/33587SN 372 M1313G/33587SN 872 M1513G/3335/33SSPX 851 (SK2) 370 M1515/29FL 197 M1515/29FLR 197 M1515/29SL 196 M1530/29FL 138 M1530/3357N 360		
M545LG/23 335 M55DLG 302 M551G/3357N/1313G 371 M551G/3357N/1530 360 M551G/3358/3357N/1530 ES1 (SK2) 359 M551G/3358/335PX/1530 ES1 (SK2) 359 M551G/3359ZA/3357N/1530 ES1 (SK2) 358 M551G/3359ZA/3357N/1530 ES1 (SK2) 358 M554/3357N/1530 360 M554/3357N/1530 360 M5588 334 M596 522 M696 522 M696 522 M696 522 M696 522 M696 522 M557/25HK/25KS 406 M1313G/3358/3357N ES1 (SK2) 370 M1313G/3358/3357N ES1 (SK2) 370 M1515/29FL 197 M1516/29FL 197 M1516/29FL 197 M1516/29FL 197 M1516/29FL 197 M1516/3321/3330 ES1 (SK2) 397 M1516/29FL 198 M1530/3357N 36 M		
M550LG 302 M551G/3357N/133G 371 M551G/3357N/1530 360 M551G/3358/3357N/1313G ES1 (SK2) 370 M551G/3358/32A/3357N/1313G ES1 (SK2) 369 M551G/3359ZA/3357N/1530 ES1 (SK2) 358 M553 334 M554/3357N/1530 360 M555 334 M588 334 M696 522 M696 522 M697 522 M698 522 M53/3/357N 371 M1313G/3358/3357N 372 M1313G/3358/3357N ES1 (SK2) 370 M1313G/3358/3357N ES1 (SK2) 369 M1515/29FLR 197 M1313G/3358/3357N ES1 (SK2) 369 M1515/29FLR 197 M1515/29FLR 197 M1515/331/23A/3330 ES1 (SK2) 397 M1515/332ZA/3330 ES1 (SK2) 397 M1515/332ZA/3330 ES1 (SK2) 397 M1515/332ZA/3330 ES1 (SK2) 397 M1515/6849 196 M1530/39FN		
M551G/3357N/1530 360 M551G/3357N/1530 360 M551G/3358/3357N/1530 ES1 (SK2) 359 M551G/3359ZA/3357N/1530 ES1 (SK2) 359 M551G/3359ZA/3357N/1530 ES1 (SK2) 358 M553 334 M554/3357N/1530 360 M555 334 M564/3357N/1530 360 M555 334 M695 522 M696 522 M697 522 M698 522 M699 522 M696 522 M695 522 M696 522 M696 522 M856/Z9HK/25KS 406 M1313G/33587SN 372 M1313G/33587SN 372 M1313G/33587SN 872 M1513G/3335/33SSPX 851 (SK2) 370 M1515/29FL 197 M1515/29FLR 197 M1515/29SL 196 M1530/29FL 138 M1530/3357N 360		302
M551G/3358/3357N/1313G ES1 (SK2) 370 M551G/3358J2A/3357N/1530 ES1 (SK2) 359 M551G/3359ZA/3357N/1530 ES1 (SK2) 359 M551G/3359ZA/3357N/1530 ES1 (SK2) 369 M551G/3359ZA/3357N/1530 ES1 (SK2) 384 M554/3357N/1530 360 M554/3357N/1530 360 M555 334 M558 334 M558 334 M588 334 M696 522 M855/25HK/25KS 406 M1313G/3357N 372 M1313G/33587N 377 M1313G/33587N ES1 (SK2) 369 M1515/29FLR 197 M1515/29FLR 197 M1515/3331/3330 ES1 (SK2) 397 M1515/3331/3330 ES1 (SK2) 397 M1515/3331/3330 ES1 (SK2) 397 M1515/330/29FLR 138 M1530/29FLR 138 M1530/29FLR 138 M1530/39P 480 M1530/3357N 360 M1530/3357N 360 M1530/3357N 361 M1530/3357N 361 M1530/3357N 361 M1530/3357N 361 M1530/3357N 361 M1530/3357N BS1 (SK2) 359 M1530/3357N BS1 (SK2) 359 M1530/3357N 361 M1530/3357N BS1 (SK2) 359 M1530/3357N BS1 (SK2) 359 M1530/3357N BS1 (SK2) 359 M1530/3357N BS1 (SK2) 359 M1530/335PL 109 M1530/335PL 109 M1530/335PL 109 M1535/29FL 109 M1535/29FL 109 M1535/29FL 109 M1535/29FL 109 M1535/29FLR 109 M1535/29FL 109 M1530/39PA/39FS 145 M1602/18K/18KS 106 M1643/29FL2W/42KS 116 M1545/29FL 109 M1535/29FL 109 M1535/29FL 109 M1536/29FL 109 M1546/29FL 109 M1546/29F	M551G/3357N/1313G	371
M551G/3358/3357N/1530 ES1 (SK2) 359 M551G/3359ZA/3357N/1530 ES1 (SK2) 358 M553 334 M554/3357N/1530 360 M555 334 M554/3357N/1530 360 M555 334 M588 334 M695 522 M696 522 M855/25HK/25KS 406 M1313G/3357N 371 M1313G/3357N 372 M1313G/3357N 372 M1313G/3358/3357N ES1 (SK2) 370 M1313G/3358/3357N ES1 (SK2) 370 M1515/23K/23KS 195 M1515/29FL 197 M1515/29FLR 197 M1515/29FL 197 M1515/331/3330 ES1 (SK2) 397 M1515/39F29FL 198 M1530/29FL 138 M1530/29FL 138 M1530/30P30P3 480 M1530/33FN 361 M1530/33FN 361 M1530/33FN 361 M1530/33FN 361<		360
M551G/3359ZA/3357N/1530 ES1 (SK2) 368 M551G/3359ZA/3357N/1530 ES1 (SK2) 358 M554/3357N/1530 360 M555 334 M558 334 M588 334 M695 522 M696 522 M696 522 M696 522 M697 370 M1313G/3357N 371 M1313G/3358/357N 371 M1313G/3358/357N 371 M1313G/3358/357N ES1 (SK2) 370 M1313G/3359ZA/3357N ES1 (SK2) 369 M1515/23KL/23KS 195 M1515/29FL 197 M1515/23ELR 197 M1515/3332ZA/3330 ES1 (SK2) 397 M1515/3332ZA/3330 ES1 (SK2) 397 M1515/3332ZA/3330 ES1 (SK2) 397 M1515/3332ZA/3330 ES1 (SK2) 397 M1530/29FLR 138 M1530/39FN 361 M1530/39FN 361 M1530/3357N 361 M1530/3357N 361	, ,	
M553 334 M554/3357N/1313G 371 M554/3357N/1530 360 M555 334 M688 334 M695 522 M896 522 M896 522 M855/25HK/25KS 406 M1313G/3357N 371 M1313G/3357N 371 M1313G/3357N 371 M1313G/3357N 371 M1313G/3357N 571 M1313G/3357N 571 M1313G/3359ZA/3357N ES1 (SK2) 369 M1515/23K/23KS 195 M1515/29FL 197 M1515/29FL 197 M1515/29FL 197 M1515/332ZA/3330 ES1 (SK2) 397 M1515/332ZA/3330 ES1 (SK2) 397 M1516/3331/3330 ES1 (SK2) 397 M1516/3332/A/3330 ES1 (SK2) 397 M1516/3331/3330 ES1 (SK2) 397 M1516/3337N 360 M1530/29FL 138 M1530/29FL 138 M1530/30P 480 M1530/3357N 361 M1530/3359PL 109 M1535/29FL 109 M1535/349 108 M1545/29FL 109 M1535/29FL 109 M1536/29FL 109 M1546/29FL 109 M1546/29FL 109 M1546/29FL 109 M1546/29FL 109 M1546/29FL 109 M1546/		
M554/3357N/1313G 371 M554/3357N/1530 360 M555 334 M588 334 M696 522 M696 522 M696 522 M696 522 M697 371 M1313G/3357N 371 M1313G/3357N 371 M1313G/3357N 371 M1313G/3357N 371 M1313G/3358/3357N ES1 (SK2) 370 M1313G/3358/3357N ES1 (SK2) 369 M1515/29FL 197 M1515/29FLR 197 M1515/3331/3330 ES1 (SK2) 397 M1515/3332ZA/3330 ES1 (SK2) 397 M1515/339ZPL 138 M1530/29FL 138 M1530/29FL 138 M1530/39F 480 M1530/3357N 360 M1530/3357N 360 M1530/3357N 361 M1530/3358/3357N ES1 (SK2) 359 M1530/3359ZA/3357N ES1 (SK2) 359 M1530/3359ZA/3357N ES1 (SK2) 358 M1530/3359ZA/3357N ES1 (SK2) 358 M1530/359PL 109 M1535/29FL	,	
M554/3357N/1530 360 M555 334 M588 334 M696 522 M655/25HK/25KS 406 M1313G/3357N 371 M1313G/3358/3357N ES1 (SK2) 370 M1313G/3359ZA/3357N ES1 (SK2) 369 M1515/29FL 197 M1515/29FLR 197 M1515/29FLR 197 M1515/3331/3330 ES1 (SK2) 397 M1515/331/3330 ES1 (SK2) 397 M1515/332ZA/3330 ES1 (SK2) 397 M1515/332ZA/3330 ES1 (SK2) 397 M1515/332ZA/3330 ES1 (SK2) 397 M1515/332ZA/3330 ES1 (SK2) 397 M1530/29FL 138 M1530/29FL 138 M1530/30P/30PS 480 M1530/30P/30PS 480 M1530/33S9/3357N ES1 (SK2) 359 M1530/33S9/3357N ES1 (SK2) 358 M1530/33S9/33S7N ES1 (SK2) 358 M1530/33S9/2A/3357N ES1 (SK2) 358 M1530/34S9/19KS 106 M1535/19K/19KS 106		
M588 334 M695 522 M696 522 M855/25HK/25KS 406 M1313G/3357N 371 M1313G/3358/3357N ES1 (SK2) 370 M1313G/3359ZA/3357N ES1 (SK2) 369 M1515/29FL 197 M1515/29FLR 197 M1515/29FLR 197 M1515/3331/3330 ES1 (SK2) 397 M1515/3331/3330 ES1 (SK2) 397 M1515/3332ZA/3330 ES1 (SK2) 397 M1515/849 196 M1530/29FL 138 M1530/29FLR 138 M1530/29FLR 138 M1530/30PS 480 M1530/3357N 360 M1530/3357N 360 M1530/3357SN 360 M1530/3359ZA/3357N ES1 (SK2) 359 M1530/3359ZA/3357N ES1 (SK2) 359 M1530/3359ZA/3357N ES1 (SK2) 359 M1530/349 137 M1530/35/29FL 109 M1535/29FL 109 M1535/29FL 109 <t< td=""><td></td><td></td></t<>		
M695 522 M696 522 M855/25HK/25KS 406 M1313G/3357N 371 M1313G/3358/3357N ES1 (SK2) 370 M1313G/3359ZA/3357N ES1 (SK2) 369 M1515/23K/23KS 195 M1515/29FLR 197 M1515/331/3330 ES1 (SK2) 397 M1515/3331/3330 ES1 (SK2) 397 M1515/3331/3330 ES1 (SK2) 397 M1515/3331/3330 ES1 (SK2) 397 M1515/331/3330 ES1 (SK2) 397 M1515/39FL 138 M1530/29FL 138 M1530/29FL 138 M1530/30P 480 M1530/30PS 480 M1530/3357N 360 M1530/3357N 360 M1530/3359ZA/3357N ES1 (SK2) 359 M1530/3359ZA/3357N ES1 (SK2) 359 M1530/3359ZA/3357N ES1 (SK2) 358 M1530/3359ZA/3357N ES1 (SK2) 358 M1530/35PB/3FB/3FB 137 M1530/37P 135 M1530/37P 135		
M696 522 M856/25HK/25KS 406 M1313G/3357N 371 M1313G/3359ZA/3357N ES1 (SK2) 370 M1313G/3359ZA/3357N ES1 (SK2) 369 M1515/23K/23KS 195 M1515/29FL 197 M1515/29FLR 197 M1515/3331/3330 ES1 (SK2) 397 M1515/3332ZA/3330 ES1 (SK2) 397 M1515/3332ZA/3330 ES1 (SK2) 397 M1515/3332ZA/3330 ES1 (SK2) 397 M1515/334P 196 M1530/29FL 138 M1530/29FLR 138 M1530/39FLR 138 M1530/30PS 480 M1530/30PS 480 M1530/3357N 360 M1530/3357N 361 M1530/359ZA/3357N ES1 (SK2) 358 M1530/359ZA/3357N ES1 (SK2) 358 <td></td> <td></td>		
M855/25HK/25KS 406 M1313G/3357N 371 M1313G/3357SN 372 M1313G/3356/3357N ES1 (SK2) 369 M1515/23K/23KS 195 M1515/29FL 197 M1515/29FLR 197 M1515/29FLR 197 M1515/29FLR 197 M1515/3331/3330 ES1 (SK2) 397 M1515/349 196 M1530/23K/23KS 136 M1530/23FL 138 M1530/29FL 138 M1530/29FL 138 M1530/39FL 138 M1530/39FL 138 M1530/39FL 138 M1530/39PL 480 M1530/39PL 480 M1530/3357N 360 M1530/3357N 360 M1530/3357N 360 M1530/3357N 361 M1530/3359X357N ES1 (SK2) 358 M1530/3359X357N ES1 (SK2) 358 M1530/3359X357N ES1 (SK2) 358 M1530/349 137 M1530/349		
M1313G/3357SN 372 M1313G/33587S7N ES1 (SK2) 370 M1313G/3358ZA/3357N ES1 (SK2) 369 M1515/23K/23KS 195 M1515/29FL 197 M1515/3331/3330 ES1 (SK2) 397 M1515/3332ZA/3330 ES1 (SK2) 397 M1515/3332ZA/3330 ES1 (SK2) 397 M1515/849 196 M1530/23K/23KS 136 M1530/29FLR 138 M1530/29FLR 138 M1530/30PG 480 M1530/30PG 480 M1530/30PG 480 M1530/3357N 360 M1530/3357N 361 M1530/3357N 361 M1530/3357N 361 M1530/3357N 361 M1530/3357N 581 (SK2) 358 M1530/3357N 581 (SK2) 359 M1530/3357N 681 M1530/3357N 681 (SK2) 358 M1530/3359ZA/3357N ES1 (SK2) 358 M1530/3649 137 M1535/19K/19KS 106 M1535/29FL 109 M1535/29FL 109 M1535/29FL 109 M1535/29FL 146 M1545/29FL 146 M1545/29FL 146 M1545/29FL 146 M1545/29FL 146 M1545/29FL 146 M1545/849 145 M1550/25K/25KS 116 M1558/847 87 M1602/18K/18KS 95 M1602/18K/18KS 150 M163/30BH 156 M153/84B 156 M163/30BH 156 M153/84B 156 M163/30BH 156 M163/84B 156 M163/38B+2/88KS-2 154 M1623/844P/844PS 483 M1623/84B 156 M163/84B 156 M1643/84B/843KS 150 M1643/84B/843KS 150 M1643/84B/843KS 150 M1693/84P/844PS 481 M1643/84B/844PS 483 M1623/84B/843KS 150 M1693/84B/843KS 150 M1693/84B/844PS 481 M1693/84B/84S 500 M1701/17KW/17KVS 205 M1710RH/30P 491 M1710RH/30P 491 M1710RH/30P 491 M1710RH/30P30PS 491 M		
M1313G/3358/3357N ES1 (SK2) 370 M1313G/3359ZA/3357N ES1 (SK2) 369 M1515/23FL M1515/29FL M1515/29FLR M1515/3331/3330 ES1 (SK2) 397 M1515/3331/3330 ES1 (SK2) 397 M1515/3332ZA/3330 ES1 (SK2) 397 M1515/3332ZA/3330 ES1 (SK2) 397 M1515/3349 M1530/29FL M1530/29FL M1530/29FL M1530/30P M1530/30P M1530/30P M1530/3357N M1530/357N M1530/3357N M1530/3357N M1530/3357N M1530/3359ZA/3357N ES1 (SK2) 358 M1530/3359ZA/3357N ES1 (SK2) 358 M1530/3359ZA/3357N ES1 (SK2) 358 M1530/349 M1535/29FL M10535/29FL M10535/29FL M10535/29FL M10535/29FL M10545/29FL M1545/29FL M1645/29FL M1		
M1313G/3359ZA/3357N ES1 (SK2) 369 M1515/23K/23KS 195 M1515/29FLR 197 M1515/3331/3330 ES1 (SK2) 397 M1515/3332ZA/3330 ES1 (SK2) 397 M1515/849 196 M1530/23K/23KS 136 M1530/29FLR 138 M1530/29FLR 138 M1530/30P 480 M1530/30P 480 M1530/3357N 360 M1530/3357N 360 M1530/3357N 360 M1530/3357N 361 M1530/3357N 361 M1530/3357N 361 M1530/3357N 51 (SK2) 359 M1530/3357N 51 (SK2) 359 M1530/3357N ES1 (SK2) 359 M1530/3359ZA/3357N ES1 (SK2) 359 M1530/3359ZA/3357N ES1 (SK2) 359 M1530/349 137 M1535/19K/19KS 106 M1535/29FL 109 M1535/29FL 109 M1535/29FL 109 M1535/29FL 109 M1535/29FL 146 M1545/23FLR 146 M1545/29FLR 146 M1545/30P/30PS 481 M1545/849 145 M150/25K/25KS 116 M1588/18K/18KS 86 M1558/38P/38PS 475 M1602/19K/19KS 94 M1602/19K/19KS 94 M1602/19K/19KS 94 M1602/19K/19KS 94 M1602/19K/19KS 94 M1602/38P/38PS 475 M1602/19K/19KS 94 M1602/38P/38PS 475 M1603/844P/844PS 483 M163/843/844PS 483 M1623/848 150 M1643/843K 150 M1643/848 150 M1693KH/3357N/1530 360 M1701/17KV/17KVS 205 M140/38PS 491 M1710RH/265 182 M1710RH/265 182 M1710RH/265 182 M1710RH/265 182 M1710RH/265 182 M1710RH/267 M180/23P/23PS 496 M1840/23P/23PS 49		
M1515/29FL M1515/3331/3330 ES1 (SK2) M1515/3331/3330 ES1 (SK2) M1515/3332ZA/3330 ES1 (SK2) M1515/3332ZA/3330 ES1 (SK2) M1515/3332ZA/3330 ES1 (SK2) M1530/29FL M1530/29FL M1530/30P M1530/30P M1530/30P M1530/3357N M1530/3357N M1530/3357N M1530/3357N M1530/3357N M1530/3357N M1530/3357N M1530/3357N M1530/3359ZA/3357N ES1 (SK2) M1530/3359ZA/3357N ES1 (SK2) M1530/379 M1530/849 M1535/19K19KS M1635/29FL M109 M1535/29FL M109 M1535/29FL M109 M1535/29FL M109 M1535/29FL M104 M1545/29FL M1545/29FL M1545/29FL M1545/29FL M1545/29FL M1545/29FL M1545/30P/30PS M1545/849 M1545/849 M1545/88P M1643/884B M1		
M1515/29FLR 197 M1515/3331/3330 ES1 (SK2) 397 M1515/3332ZA/3330 ES1 (SK2) 397 M1515/849 196 M1530/29FL 138 M1530/29FL 138 M1530/39FLR 138 M1530/30P 480 M1530/30P/30PS 480 M1530/3357N 360 M1530/3357N 361 M1530/3357SN 361 M1530/3358/3357N ES1 (SK2) 359 M1530/3359ZA/3357N ES1 (SK2) 359 M1530/359FL 109 M1535/29FL 109 M1536/29FL 109 M1536/		195
M1515/3331/3330 ES1 (SK2) 397 M1515/3332ZA/3330 ES1 (SK2) 397 M1515/849 196 M1530/23KL/23KS 136 M1530/29FLR 138 M1530/30P 480 M1530/30P 480 M1530/3357N 360 M1530/3357N 360 M1530/3357N 360 M1530/3357N 581 (SK2) 359 M1530/3359ZA/3357N ES1 (SK2) 359 M1530/3359ZA/3357N ES1 (SK2) 359 M1530/3359ZA/3357N ES1 (SK2) 358 M1530/379 135 M1530/379 135 M1535/29FL 109 M1535/29FL 109 M1535/29FL 109 M1535/29FL 109 M1535/29FL 109 M1535/29FL 109 M1545/23K/23KS 114 M1545/29FL 146 M1545/29FL 146 M1545/29FL 146 M1545/30P/30PS 481 M1545/30P/30PS 481 M1545/849 145 M1550/25K/25KS 116 M1558/18K/18KS 86 M1558/38P/38PS 474 M1558/847 87 M1602/18K/18KS 95 M1602/18K/18KS 95 M1602/18K/18KS 95 M1602/18K/18KS 148 M1613/20/20S 482 M1613/300LF 482 M1613/88K-2/88KS-2 154 M1623/844P/844PS 483 M1623/848 156 M1643/848K/843KS 150 M1643/848K/843KS 150 M1643/848H/844PS 481 M1643/848 150 M1693KH/3357N/1530 360 M1701/17KV/17KVS 205 M1710RH/265 182 M1710RH/30P 491 M1710RH/30P 496 M1840/33P/3PS 496 M1840/33P/3PS 496 M1840/33P/3PS 496 M1840/33P/3PS 496 M		
M1515/3332ZA/3330 ES1 (SK2) 397 M1515/849 196 M1530/23FL 138 M1530/29FL 138 M1530/30P 480 M1530/30P/30PS 480 M1530/3357N 360 M1530/3357N 360 M1530/3357N 361 M1530/3359ZA/3357N ES1 (SK2) 359 M1530/3359ZA/3357N ES1 (SK2) 359 M1530/3359ZA/3357N ES1 (SK2) 359 M1530/3359ZA/3357N ES1 (SK2) 358 M1530/379 135 M1530/849 137 M1535/19K/19KS 106 M1535/29FL 109 M1535/29FL 109 M1535/29FL 109 M1535/29FL 109 M1535/29FL 146 M1545/29FL 146 M1545/29FL 146 M1545/29FL 146 M1545/29FL 146 M1545/30P/30PS 481 M1545/849 145 M1550/25K/25KS 116 M1558/18K/18KS 86 M1545/88PS 474 M1602/18K/18KS 95 M1602/19K/19KS 94 M1602/38P/38PS 475 M1602/19K/19KS 94 M1602/38P/38PS 475 M1602/19K/19KS 156 M1613/300LF 482 M1613/20/20S 482 M1613/20/20S 482 M1613/80LF 482 M1613/80LF 482 M1613/80LF 483 M1623/844P/844PS 483 M1623/844P/844PS 483 M1623/844P/844PS 481 M1643/848 156 M1640/19K/19KS 120 M1643/843K/843KS 150 M1643/844P/844PS 481 M1693KH/3357N/1313G 371 M1693KH/3357N/1313G 371 M1693KH/3357N/1313G 371 M1693KH/3357N/1530 360 M1701/17KV/17KVS 205 M1710RH/26F 182 M1840/23P 209 M1941/88K/88KS 209		
M1530/23K/23KS 136 M1530/29FL 138 M1530/30P 1480 M1530/30P 1480 M1530/30P 1480 M1530/3357N 360 M1530/3357N 361 M1530/3357N 361 M1530/3358/3357N ES1 (SK2) 359 M1530/3359ZA/3357N ES1 (SK2) 358 M1530/349 137 M1535/19K/19KS 106 M1535/29FL 109 M1535/29FL 109 M1535/29FL 109 M1535/29FL 109 M1535/29FL 109 M1545/23K/23KS 144 M1545/29FL 146 M1545/29FL 146 M1545/29FL 146 M1545/29FL 146 M1545/30P/30PS 1481 M1558/18K/18KS 86 M1558/18K/18KS 86 M1558/38P/38PS 474 M1558/847 87 M1602/18K/19KS 94 M1602/38P/38PS 475 M1602/19K/19KS 148 M1613/20/20S 1482 M1613/80K-2/88KS-2 154 M1623/844P/844PS 483 M1623/844B 156 M1643/844B 150 M1643/844P/844PS 481 M1643/848 150 M1643/844P/3357N/1530 360 M1701/17KW/17KVS 205 M1710RH/265 182 M1710RH/30P 491 M1710RH/30P 491 M1710RH/30P/30PS 496 M1840/23P 209 M1941/88K/88KS 209 M1950/847 103 M1955/17K/17KS 205 M1950/847 103 M1955/17K/17KS 205 M1950/847 103 M1955/17K/17KS 205 M1950/17K/17KS 205		
M1530/29FL 138 M1530/30P 480 M1530/30P/30PS 480 M1530/3357N 360 M1530/3357SN 361 M1530/3359ZA/3357N ES1 (SK2) 359 M1530/3359ZA/3357N ES1 (SK2) 358 M1530/379 135 M1530/849 137 M1535/19K/19KS 106 M1535/29FL 109 M1535/29FLR 109 M1535/29FLR 109 M1535/29FLR 109 M1535/29FLR 109 M1545/23K/23KS 144 M1545/29FLR 146 M1545/29FLR 146 M1545/29FLR 146 M1545/29FLR 146 M1545/29FLR 146 M1545/30P/30PS 481 M1545/30P/30PS 481 M1558/849 145 M1558/18K/18KS 86 M1558/18K/18KS 86 M1558/18K/18KS 86 M1558/18K/18KS 95 M1602/18K/19KS 94 M1602/38P/38PS 475 M16002/19K/1		
M1530/29FLR 138 M1530/30P 480 M1530/30P/30PS 480 M1530/3357N 360 M1530/3357SN 361 M1530/3359ZA/3357N ES1 (SK2) 358 M1530/379 135 M1530/849 137 M1535/19K/19KS 106 M1535/29FL 109 M1535/29FLR 109 M1535/29FLR 109 M1535/29FL 118 M1545/29FL 146 M1545/29FL 146 M1		
M1530/30P/30PS 480 M1530/3357N 360 M1530/3357N 361 M1530/3358/3357N ES1 (SK2) 359 M1530/3359ZA/3357N ES1 (SK2) 358 M1530/379 135 M1530/849 137 M1535/19K/19KS 106 M1535/29FL 109 M1535/29FL 109 M1535/29FL 109 M1535/29FL 146 M1545/23K/23KS 144 M1545/29FL 146 M1545/29FL 146 M1545/29FL 146 M1545/29FL 146 M1545/29FL 146 M1545/30P/30PS 481 M1545/849 145 M1550/25K/25KS 116 M1558/18K/18KS 86 M1558/38P/38PS 474 M1602/19K/19KS 94 M1602/38P/38PS 475 M1602/19K/19KS 94 M1613/20/20S 482 M1613/80LF 482 M1613/80LF 482 M1613/8484 156 M1623/844PS 43KS 156 M1623/844PS 43FS 150 M1643/844PS 481 M1643/848 156 M1640/19K/19KS 120 M1643/844PS 481 M1643/848 M1693KH/3357N/1313G 371 M19693KH/3357N/1530 360 M1701/17KW/17KVS 205 M1710RH/265 M1710RH/30P 491 M1710RH/30P 496 M1840/23P 202 M1840/83PP 202 M1941/88K/88KS 209 M1941/88K/88KS 209 M1950/15K/17KS 205 M1950/17K/17KS 205		
M1530/3357N 361 M1530/3358/3357N ES1 (SK2) 359 M1530/3359ZA/3357N ES1 (SK2) 358 M1530/3499 137 M1535/19K/19KS 106 M1535/29FL 109 M1535/29FLR 109 M1535/29FLR 109 M1535/29FLR 109 M1535/29FLR 146 M1545/23K/23KS 144 M1545/29FL 146 M1545/29FL 146 M1545/30P/30PS 481 M1550/25K/25KS 116 M1558/18K/18KS 86 M1558/38P/38PS 474 M1558/847 87 M1602/18K/18KS 95 M1602/18K/18KS 95 M1602/18K/18KS 150 M1613/80KS 156 M1623/844P/844PS 483 M1623/848 156 M1643/844P/844PS 481 M1643/844B 150 M1643/844P/844PS 481 M1643/848 M1650/15K/15KS 100 M1701/17KW/17KVS 205 M1710RH/30P 491 M1710RH/30P 491 M1710RH/30P 491 M1710RH/30P 491 M1710RH/30P 491 M1710RH/30P 491 M1710RH/30P 496 M1840/23P/30PS 496 M1840/23P/30PS 496 M1840/23P/30PS 496 M1840/23P/30PS 496 M1840/23P/30PS 496 M1840/2		480
M1530/3357SN 361 M1530/3358/3357N ES1 (SK2) 359 M1530/3359ZA/3357N ES1 (SK2) 358 M1530/379 135 M1535/19K/19KS 106 M1535/29FL 109 M1535/29FLR 109 M1535/29FLR 109 M1535/29FLR 109 M1535/29FLR 109 M1535/29FLR 108 M1545/23K/23KS 144 M1545/29FLR 146 M1545/29FLR 146 M1545/30P/30PS 481 M1545/30P/30PS 481 M1545/849 145 M1550/25K/25KS 116 M1558/38P/38PS 474 M1558/38P/38PS 474 M1558/38P/38PS 475 M1602/18K/18KS 95 M1602/18K/18KS 95 M1602/38P/38PS 475 M1607/42K/42KS 148 M1613/20/20S 482 M1613/300LF 482 M1613/848K-2/88KS-2 154 M1623/843K/843KS 156 M1623/844P/844PS 483 M1623/844R M163/848K-2/84KS 156 M1640/19K/19KS 120 M1643/844B/844PS 483 M1623/844R M1693KH/3357N/1313G 371 M1693KH/3357N/1313G 371 M1693KH/3357N/1530 360 M1701/17KW/17KVS 205 M1710RH/265 182 M1710RH/30P M1710RH/30P M191 M1710RH/30P/30PS 491 M1710RH/33P 202 M1941/83K/8KS M1950/15K/15KS 102 M1950/15K/15KS 102 M1950/15K/15KS 200 M1950/17K/17KS 200 M2021 164		
M1530/3358/3357N ES1 (SK2) M1530/3359ZA/3357N ES1 (SK2) M1530/849 M1535/19K/19KS M1635/29FL M1535/29FLR M19M1535/29FLR M1545/29FLR M1545/29FL M1545/29FL M1545/29FL M1545/29FL M1545/29FL M1545/29FL M1545/29FL M1545/30P/30PS M1545/30P/30PS M1545/38PS M1545/38PS M1558/38PS M1558/38PS M1558/38PS M1602/18K/18KS M1602/18K/18KS M1613/20/20S M1613/300LF M1613/88K-2/88KS-2 M1613/88K-2/88KS-2 M1643/844B M1623/844K/844PS M1623/844K/844PS M163/84K/844PS M1603/84K/84SKS M1603/84K/18KS M1603/84K/18KS M1603/844K/844PS M1613/80PS M1603/844P/844PS M1613/84SK/843KS M1623/844R/844PS M163/844K/844PS M163/844K/844PS M163/844K/844PS M1643/848B M1640/19K/19KS M1693KH/3357N/1313G M1701/17KW/17KVS M1693KH/3357N/1530 M1693KH/335P M1710RH/265 M1840/23P M1941/88K/88KS M1950/15K/15KS M1950/15K/15KS M1950/15K/15KS M1950/15K/15KS M1950/15K/15KS M1995/17K/17KS M1995/17K/17K		
M1530/379 135 M1530/849 137 M1535/19K/19KS 106 M1535/29FL 109 M1535/29FL 109 M1535/29FL 109 M1535/29FL 109 M1535/849 108 M1545/23K/23KS 144 M1545/29FL 146 M1545/29FL 146 M1545/29FL 146 M1545/30P/30PS 481 M1545/849 145 M1550/25K/25KS 116 M1558/18K/18KS 86 M1558/38P/38PS 474 M1602/18K/18KS 95 M1602/19K/19KS 94 M1602/38P/38PS 475 M1602/38P/38PS 475 M1602/38K/8KS 148 M1613/20/20S 482 M1613/20/20S 482 M1613/80KF 484PS 483 M1623/844P/844PS 483 M1623/844P/844PS 483 M1643/848 156 M1640/19K/19KS 120 M1643/844P/844PS 481 M1643/848 156 M1640/19K/19KS 120 M1643/844P/844PS 481 M1643/844B 156 M1693KH/3357N/1313G 371 M1693KH/3357N/1530 360 M1701/17KW/17KVS 205 M1710RH/265 182 M1710RH/267 M1840/23P 209 M1840/23P 209 M1840/23P 209 M1941/88K/88KS 209 M1950/15K/15KS 100 M1955/17K/17KS 205 M1950/17K/17KS 205 M1955/17K/17KS 205 M1950/17K/17KS 205 M1950/17K/17KS 205 M1950/17K/17KS 205		
M1530/849 137 M1535/19K/19KS 106 M1535/29FL 109 M1535/29FLR 109 M1535/29FLR 108 M1545/23K/23KS 144 M1545/29FL 146 M1545/29FL 146 M1545/30P/30PS 481 M1545/30P/30PS 481 M1545/849 145 M1550/25K/25KS 116 M1558/18K/18KS 86 M1558/38P/38PS 474 M1558/847 87 M1602/18K/18KS 95 M1602/19K/19KS 94 M1602/38P/38PS 475 M1601/42K/42KS 148 M1613/20/20S 482 M1613/80LF 482 M1613/80LF 482 M1613/843K/843KS 156 M1623/844P/844PS 483 M1623/848 156 M1643/844P/844PS 481 M1643/848 150 M1643/844P/844PS 481 M1643/844P/844PS 482 M1840/23P/33PS 496 M1840/23P/33PS 496 M1840/23P/33PS 496 M1840/23P/33PS 496 M1840/23P/33PS 496 M1840/85K/8KS 200 M1950/15K/15KS 200 M1950/15K/17KS 200 M1950/17K/17KS 200 M1950/17K/17KS 200 M2021 164	` ,	
M1535/19K/19KS 106 M1535/29FL 109 M1535/29FLR 109 M1535/849 108 M1545/23K/23KS 144 M1545/29FLR 146 M1545/30P/30PS 481 M1545/849 145 M1545/849 145 M1558/30P/30PS 481 M1545/849 145 M1558/18K/18KS 86 M1558/18K/18KS 86 M1558/38P/38PS 474 M1558/847 87 M1602/18K/18KS 95 M1602/19K/19KS 94 M1602/38P/38PS 475 M1602/19K/19KS 94 M1613/20/20S 482 M1613/30OLF 482 M1613/30LF 482 M1613/88K-2/88KS-2 154 M1623/843K/843KS 156 M1623/848 156 M1643/844P/844PS 481 M1643/844P/844PS 481 M1643/844B 150 M1693KH/3357N/1313G 371 M1693KH/3357N/1530 360 M1710RH/265 <td></td> <td></td>		
M1535/29FL 109 M1535/29FLR 109 M1535/849 108 M1545/23K/23KS 144 M1545/29FL 146 M1545/29FLR 146 M1545/30P/30PS 481 M1545/849 145 M1550/25K/25KS 116 M1558/18K/18KS 86 M1558/18K/18KS 86 M1558/38P/38PS 474 M1558/847 87 M1602/18K/18KS 95 M1602/18K/19KS 94 M1602/38P/38PS 475 M1607/42K/42KS 148 M1613/20/20S 482 M1613/30OLF 482 M1613/30OLF 482 M1613/80K-2/88KS-2 154 M1623/843K/843KS 156 M1623/844P/844PS 483 M1623/848 156 M1640/19K/19KS 120 M1643/844P844PS 481 M1693KH/3357N/1313G 371 M1693KH/3357N/1530 360 M1710RH/30P 491 M1710RH/30P 491 M1710RH/30		
M1535/849 108 M1545/23K/23KS 144 M1545/29FL 146 M1545/29FLR 146 M1545/30P/30PS 481 M1545/30P/30PS 481 M1545/849 145 M1550/25K/25KS 116 M1558/18K/18KS 86 M1558/38P/38PS 474 M1558/847 87 M1602/18K/18KS 95 M1602/19K/19KS 94 M1602/38P/33PS 475 M1607/42K/42KS 148 M1613/20/20S 482 M1613/20/20S 482 M1613/80LF 482 M1613/80LF 482 M1613/84SK-2/88KS-2 154 M1623/844P/844PS 483 M1623/844P/844PS 483 M1623/844P/844PS 481 M1643/844B 156 M1643/844P/844PS 481 M1643/844P/844PS 481 M1643/844B 150 M1693KH/3357N/1313G 371 M110RH/30P 491 M1710RH/30P 491 M1710RH/		
M1545/23K/23KS 144 M1545/29FL 146 M1545/29FLR 146 M1545/30P/30PS 481 M1545/30P/30PS 481 M1545/849 145 M1550/25K/25KS 116 M1558/18K/18KS 86 M1558/38P/38PS 474 M1558/847 87 M1602/18K/18KS 95 M1602/18K/18KS 95 M1602/19K/19KS 94 M1602/38P/38PS 475 M1602/38P/38PS 475 M1607/42K/42KS 148 M1613/20/20S 482 M1613/80UF 482 M1613/80UF 482 M1613/88K-2/88KS-2 154 M1623/8448/844PS 483 M1623/844P/844PS 483 M1640/19K/19KS 120 M1643/844P/844PS 481 M1643/848 156 M1643/844P/844PS 481 M1643/84B 150 M1701/17KW/17KVS 205 M1710RH/265 182 M1710RH/30P 491 M1710RH/30P 491 M1710RH/30P/30PS 491 M1710RH/30P/30PS 496 M1840/23P 496 M1840/23P 496 M1840/23P 202 M1840/83P 496 M1840/23P 209 M1941/88K/88KS 209 M1941/88K/88KS 209 M1950/15K/15KS 102 M1950/15K/15KS 102 M1950/17K/17KS 205 M1995/17K/17KS 205 M1995/17K/17KS 205 M1900/21 164		109
M1545/29FL 146 M1545/29FLR 146 M1545/30P/30PS 481 M1545/849 145 M1550/25K/25KS 116 M1558/18K/18KS 86 M1558/38P/38PS 474 M1558/847 87 M1602/18K/18KS 95 M1602/19K/19KS 94 M1602/38P/38PS 475 M1602/38P/38PS 475 M1607/42K/42KS 148 M1613/20/20S 482 M1613/300LF 482 M1613/88K-2/88KS-2 154 M1623/843K/843KS 156 M1623/844P/844PS 483 M1623/848 156 M1643/844P/844PS 481 M1643/844P/844PS 481 M1693KH/3357N/1313G 371 M1693KH/3357N/1530 360 M1701/17KV/17KVS 205 M1710RH/265 182 M1710RH/30P 491 M1710RH/32P 496 M1840/23P 496 M1840/23PS 496 M1840/23PS 496 M1840		
M1545/30P/30PS 481 M1545/849 145 M1550/25K/25KS 116 M1558/18K/18KS 86 M1558/38P/38PS 474 M1558/847 87 M1602/18K/18KS 95 M1602/19K/19KS 94 M1602/38P/38PS 475 M160742K/42KS 148 M1613/20/20S 482 M1613/300LF 482 M1613/300LF 482 M1613/88K-2/88KS-2 154 M1623/843K/843KS 156 M1623/844P/844PS 483 M1623/844B 156 M1640/19K/19KS 120 M1643/844B 156 M1643/844P/844PS 481 M1643/844B 150 M1693KH/3357N/1313G 371 M1693KH/3357N/1530 360 M1701/17KV/17KVS 205 M1710RH/265 182 M1710RH/30P 491 M1710RH/30P/30PS 491 M1710RH/30P 491 M1710RH/332P 496 M1840/23P/23PS 496 <t< td=""><td></td><td></td></t<>		
M1545/849 145 M1550/25K/25KS 116 M1558/18K/18KS 86 M1558/38P/38PS 474 M1558/847 87 M1602/18K/18KS 95 M1602/19K/19KS 94 M1602/38P/38PS 475 M1607/42K/42KS 148 M1613/20/20S 482 M1613/300LF 482 M1613/80LF 482 M1613/84SK-2/88KS-2 154 M1623/844P/844PS 483 M1623/844B 156 M1640/19K/19KS 120 M1643/844B 156 M1643/844P/844PS 481 M1643/844B 150 M1643/844P/844PS 481 M1643/844B 150 M1693KH/3357N/1313G 371 M1693KH/3357N/1530 360 M1701/17KV/17KVS 205 M1710RH/30P 491 M1710RH/30P 491 M1710RH/30P/30PS 491 M1710RH/42K/42KS 182 M1840/23P 496 M1840/23P 496 M184		
M1550/25K/25KS 116 M1558/18K/18KS 86 M1558/38P/38PS 474 M1558/847 87 M1602/18K/18KS 95 M1602/19K/19KS 94 M1602/38P/38PS 475 M1607/42K/42KS 148 M1613/20/20S 482 M1613/300LF 482 M1613/88K-2/88KS-2 154 M1623/843K/843KS 156 M1623/844P/844PS 483 M1623/848 156 M1643/843K/843KS 150 M1643/844P/844PS 481 M1643/844P/844PS 481 M1643/844P/844PS 481 M1693KH/3357N/1313G 371 M1693KH/3357N/1530 360 M1701/17KV/17KVS 205 M1710RH/265 182 M1710RH/30P 491 M1710RH/30P 491 M1710RH/30PS 496 M1840/23P 496 M1840/23P 496 M1840/332P 202 M1840/88K/88KS 202 M1950/15K/15KS 102		
M1558/38P/38PS 474 M1558/847 87 M1602/19K/19KS 95 M1602/19K/19KS 94 M1602/38P/38PS 475 M1607/42K/42KS 148 M1613/20/20S 482 M1613/88K-2/88KS-2 154 M1613/88K-2/88KS-2 154 M1623/843K/843KS 156 M1623/844P/844PS 483 M1623/848 156 M1640/19K/19KS 120 M1643/844B/844PS 481 M1643/844P/844PS 481 M1693KH/3357N/1313G 371 M1693KH/3357N/1530 360 M1701/17KW/17KVS 205 M1710RH/265 182 M1710RH/30P 491 M1710RH/30P 491 M1710RH/32P 496 M1840/23P/23PS 496 M1840/332P 496 M1840/332P 202 M1941/88K/88KS 209 M1950/15K/15KS 102 M1950/15K/15KS 102 M1950/17K/17KS 205 M1995/17K/17KS 205		
M1558/847 87 M1602/18K/18KS 95 M1602/19K/19KS 94 M1602/38P/38PS 475 M1607/42K/42KS 148 M1613/20/20S 482 M1613/300LF 482 M1613/83K-2/88KS-2 154 M1623/843K/843KS 156 M1623/844P/844PS 483 M1623/848 156 M1640/19K/19KS 120 M1643/844B/843KS 150 M1643/844P/844PS 481 M1693KH/3357N/1313G 371 M1693KH/3357N/1530 360 M1701/17KW/17KVS 205 M1710RH/265 182 M1710RH/30P 491 M1710RH/30P/30PS 491 M1710RH/42K/42KS 182 M1840/23P 496 M1840/23P 496 M1840/332P 202 M1941/88K/88KS 209 M1950/15K/15KS 102 M1950/15K/15KS 102 M1950/17K/17KS 205 M1995/17K/17KS 205 M1995/17K/17KS 205 <td></td> <td></td>		
M1602/18K/18KS 95 M1602/19K/19KS 94 M1602/38P/38PS 475 M1607/42K/42KS 148 M1613/20/20S 482 M1613/80LF 482 M1613/88K-2/88KS-2 154 M1623/844P/844PS 483 M1623/844P/844PS 483 M1623/844P/844PS 156 M1640/19K/19KS 120 M1643/843K/843KS 150 M1643/844P/844PS 481 M1643/844P 481 M1693KH/3357N/1313G 371 M1693KH/3357N/1530 360 M1701/17KV/17KVS 205 M1710RH/265 182 M1710RH/30P 491 M1710RH/30P/30PS 491 M1710RH/32P 496 M1840/23P 496 M1840/332P 496 M1840/332P 202 M1941/88K/88KS 202 M1941/88K/88KS 209 M1941/88K/88KS 209 M1950/15K/15KS 102 M1950/17K/17KS 205 M1995/17K/17KS 205		
M1602/38P/38PS 475 M1607/42K/42KS 148 M1613/20/20S 482 M1613/300LF 482 M1613/88K-2/88KS-2 154 M1623/843K/843KS 156 M1623/844P/844PS 483 M1623/848 156 M1640/19K/19KS 120 M1643/843K/843KS 150 M1643/844P/844PS 481 M1693KH/3357N/1313G 371 M1693KH/3357N/1530 360 M1701/17KV/17KVS 205 M1710RH/265 182 M1710RH/30P 491 M1710RH/30P/30PS 491 M1710RH/42K/42KS 182 M1840/23P 496 M1840/332P 202 M1941/332P 209 M1941/88K/88KS 209 M1950/15K/15KS 102 M1950/15K/15KS 102 M1995/17K/17KS 205 M1995/17K/17KS 205 M2021 164		
M1607/42K/42KS 148 M1613/20/20S 482 M1613/300LF 482 M1613/88K-2/88KS-2 154 M1623/843K/843KS 156 M1623/844P/844PS 483 M1623/848 156 M1640/19K/19KS 120 M1643/843K/843KS 150 M1643/844P/844PS 481 M1643/844P/844PS 481 M1693KH/3357N/1313G 371 M1693KH/3357N/1530 360 M1701/17KV/17KVS 205 M1710RH/265 182 M1710RH/30P 491 M1710RH/30P 491 M1710RH/42K/42KS 182 M1840/23P 496 M1840/23PS 496 M1840/332P 202 M1941/332P 209 M1941/88K/88KS 209 M1950/15K/15KS 102 M1950/15K/15KS 102 M1955/17K/17KS 205 M2021 164		
M1613/20/20S 482 M1613/300LF 482 M1613/88K-2/88KS-2 154 M1623/843K/843KS 156 M1623/844P/844PS 483 M1623/848 156 M1640/19K/19KS 120 M1643/848/843KS 150 M1643/844PS 481 M1643/844B 150 M1693KH/3357N/1313G 371 M1693KH/3357N/1530 360 M1701/17KW/17KVS 205 M1710RH/265 182 M1710RH/30P 491 M1710RH/30P/30PS 491 M1710RH/42K/42KS 182 M1840/23P 496 M1840/23PS 496 M1840/332P 202 M1941/382P 209 M1941/88K/88KS 209 M1950/15K/15KS 102 M1950/15K/15KS 102 M1950/17K/17KS 205 M1995/17K/17KS 205 M2021 164		
M1613/88K-2/88KS-2 154 M1623/843K/843KS 156 M1623/844P/844PS 483 M1623/848 156 M1640/19K/19KS 120 M1643/843K/843KS 150 M1643/844P/844PS 481 M1643/844B 150 M1693KH/3357N/1313G 371 M1693KH/3357N/1530 360 M1701/17KW/17KVS 205 M1710RH/265 182 M1710RH/30P 491 M1710RH/30PS 491 M1710RH/42K/42KS 182 M1840/23P 496 M1840/23PS 496 M1840/332P 202 M1840/88K/88KS 202 M1941/88K/88KS 209 M1950/15K/15KS 102 M1950/847 103 M1955/17K/17KS 205 M1995/17K/17KS 205 M2021 164		
M1623/843K/843KS 156 M1623/844P/844PS 483 M1623/848 156 M1640/19K/19KS 120 M1643/843K/843KS 150 M1643/844P/844PS 481 M1643/844P/844PS 481 M1693KH/3357N/1313G 371 M1693KH/3357N/1530 360 M1701/17KV/17KVS 205 M1710RH/265 182 M1710RH/30P 491 M1710RH/30P 491 M1710RH/30P 491 M1710RH/42K/42KS 182 M1840/23P 496 M1840/23P 496 M1840/23PS 496 M1840/332P 202 M1941/332P 202 M1941/332P 202 M1941/332P 209 M1941/88K/88KS 202 M1950/15K/15KS 102 M1950/15K/17KS 205 M1955/17K/17KS 200 M2021 164		482
M1623/844P/844PS 483 M1623/848 156 M1640/19K/19KS 120 M1643/843K/843KS 150 M1643/844P/844PS 481 M1693KH/3357N/1313G 371 M1693KH/3357N/1530 360 M1701/17KV/17KVS 205 M1710RH/265 182 M1710RH/30P 491 M1710RH/30P/30PS 491 M1710RH/42K/42KS 182 M1840/23P 496 M1840/23PS 496 M1840/332P 202 M1941/332P 209 M1941/38K/88KS 209 M1950/15K/15KS 102 M1950/15K/15KS 102 M1950/17K/17KS 205 M1995/17K/17KS 200 M2021 164		
M1623/848 156 M1640/19K/19KS 120 M1643/844SK/843KS 150 M1643/844P/844PS 481 M1643/8448 150 M1693KH/3357N/1313G 371 M1693KH/3357N/1530 360 M1701/17KW/17KVS 205 M1710RH/265 182 M1710RH/30P 491 M1710RH/30P/30PS 491 M1710RH/42K/42KS 182 M1840/23P 496 M1840/23P/23PS 496 M1840/332P 202 M1941/332P 209 M1941/88K/88KS 209 M1950/15K/15KS 102 M1950/15K/15KS 102 M1955/17K/17KS 205 M1995/17K/17KS 205 M2021 164		
M1643/843K/843KS 150 M1643/844P/844PS 481 M1643/848 150 M1693KH/3357N/1313G 371 M1693KH/3357N/1530 360 M1701/17KW/17KVS 205 M1710RH/265 182 M1710RH/30P 491 M1710RH/30P/30PS 491 M1710RH/42K/42KS 182 M1840/23P 496 M1840/23P/33PS 496 M1840/332P 202 M1840/88K/88KS 202 M1941/382P 209 M1941/88K/88KS 209 M1950/847 103 M1955/17K/17KS 205 M1995/17K/17KS 205 M2021 164		156
M1643/844P/844PS 481 M1643/848 150 M1693KH/3357N/1313G 371 M1693KH/3357N/1530 360 M1701/17KV/17KVS 205 M1710RH/265 182 M1710RH/30P 491 M1710RH/30P/30PS 491 M1710RH/42K/42KS 182 M1840/23P 496 M1840/23P/23PS 496 M1840/332P 202 M1840/88K/88KS 202 M1941/332P 209 M1941/88K/88KS 209 M1950/15K/15KS 102 M1955/17K/17KS 205 M1995/17K/17KS 200 M2021 164		
M1643/848 150 M1693KH/3357N/1313G 371 M1693KH/3357N/1530 360 M1701/17KW/17KVS 205 M1710RH/265 182 M1710RH/30P 491 M1710RH/30P/30PS 491 M1710RH/42K/42KS 182 M1840/23P 496 M1840/23PS 496 M1840/332P 202 M1941/332P 202 M1941/38K/88KS 209 M1950/15K/15KS 102 M1950/847 103 M1955/17K/17KS 205 M1995/17K/17KS 200 M2021 164		
M1693KH/3357N/1530 360 M1701/17KW/17KVS 205 M1710RH/265 182 M1710RH/30P 491 M1710RH/30P/30PS 491 M1710RH/42K/42KS 182 M1840/23P 496 M1840/23PS 496 M1840/332P 202 M1941/332P 209 M1941/88K/88KS 209 M1950/15K/15KS 102 M1950/847 103 M1955/17K/17KS 205 M1995/17K/17KS 200 M2021 164		150
M1701/17KW/17KVS 205 M1710RH/265 182 M1710RH/30P 491 M1710RH/30P/30PS 491 M1710RH/42K/42KS 182 M1840/23P 496 M1840/23P/23PS 496 M1840/332P 202 M1840/88K/88KS 202 M1941/382P 209 M1950/15K/15KS 102 M1950/847 103 M1955/17K/17KS 205 M1995/17K/17KS 200 M2021 164		
M1710RH/265 182 M1710RH/30P 491 M1710RH/30P/30PS 491 M1710RH/42K/42KS 182 M1840/23P 496 M1840/23P/23PS 496 M1840/332P 202 M1840/88K/88KS 202 M1941/332P 209 M1941/83K/88KS 209 M1950/15K/15KS 102 M1950/847 103 M1955/17K/17KS 205 M1995/17K/17KS 200 M2021 164		
M1710RH/30P 491 M1710RH/30P/30PS 491 M1710RH/42K/42KS 182 M1840/23P 496 M1840/23P/23PS 496 M1840/332P 202 M1840/88K/88KS 202 M1941/332P 209 M1941/88K/88KS 209 M1950/15K/15KS 102 M1950/847 103 M1955/17K/17KS 205 M1995/17K/17KS 200 M2021 164		
M1710RH/42K/42KS 182 M1840/23P 496 M1840/23PS 496 M1840/332P 202 M1840/332P 209 M1941/332P 209 M1941/88K/88KS 209 M1950/15K/15KS 102 M1950/847 103 M1955/17K/17KS 205 M1995/17K/17KS 200 M2021 164		
M1840/23P 496 M1840/23P/23PS 496 M1840/332P 202 M1840/88K/S8KS 202 M1941/332P 209 M1941/88K/88KS 209 M1950/15K/15KS 102 M1950/847 103 M1955/17K/17KS 205 M1995/17K/17KS 200 M2021 164		
M1840/23P/23PS 496 M1840/332P 202 M1840/88K/88KS 202 M1941/332P 209 M1941/88K/88KS 209 M1950/15K/15KS 102 M1950/847 103 M1955/17K/17KS 205 M1995/17K/17KS 200 M2021 164		
M1840/88K/88KS 202 M1941/332P 209 M1941/88K/88KS 209 M1950/15K/15KS 102 M1950/847 103 M1955/17K/17KS 205 M1995/17K/17KS 200 M2021 164		
M1941/332P 209 M1941/88K/88KS 209 M1950/15K/15KS 102 M1950/847 103 M1955/17K/17KS 205 M1995/17K/17KS 200 M2021 164		202
M1941/88K/88KS 209 M1950/15K/15KS 102 M1950/847 103 M1955/17K/17KS 205 M1995/17K/17KS 200 M2021 164		
M1950/15K/15KS 102 M1950/847 103 M1955/17K/17KS 205 M1995/17K/17KS 200 M2021 164		
M1955/17K/17KS 205 M1995/17K/17KS 200 M2021 164		
M1995/17K/17KS 200 M2021 164		
M2021 164		
, 0	Nylon lug	

Design no.	Page
Nylon profile – Secustik®	547
Nylon washers	539
Panic spindle	535
Profile spindle	532
PSK-0530/US952-1	507
PSK-0530S/US952 (100 Nm)	506
PSK-0735/U26	514
PSK-0739/US954-1	509
PSK-0810/U10	512
PSK-0810S/US10 (100 Nm)	512
PSK-M0530/US956	508
PSK-M0643/US943	511
RFL-R/L	474
Sample block	546
Sample block – sliding door set	546
Sample board	546
Sample board MT-1	549
Sample board MT-2	549
Sample board MT-2	549
Sample boards in exceptional dimensions	550
Sample boards M1-M6	545
Sample case	545
Screws	539
SecuSignal® presentation case	548
Set of fixing accessories for knob/lever sets	
Set of fixing accessories for lever/lever sets	535
Set of fixing accessories for lift/slide door sets	
Set of fixing accessories for security sets	536
SG0710RH	462
SK802/30P/OL46	492
Sleeves for spindles	539
Sleeves for window handles	539
Solid profile spindle	534
Solid spindle	531
Special spindle for knobs	538
Special spindle for knobs SUP54	538
Star-shaped column	544
Triangular column	544
U26SV	463
Wall presentation	544
Wood profile - Secustik®	547









Product overview (in alphabetical order by series names)

Duaduat lines		Material *						
Product lines Series name	Design number	Aluminium	Stainless steel	Nylon	Brass	Sets for internal doors	HCS® - HOPPE Compact System	Program fo sliding door
dura vert ®								
Acapulco	M1558				•	p. 84		
Athinai	M156				•	p. 88	p. 216	
Bergen	M1602				•	p. 92	p. 210	
	M129							
Bruxelles					•	p. 96	- 047	
Capri	M1950				•	p. 100	p. 217	
Genova	M1535				•	p. 104		
Las Vegas	E1440		•			p. 110		
Monte Carlo	M1550				•	p. 114		p. 242
Phoenix	M1640				•	p. 118		
Singapore	M172				•	p. 122		
	n cover all product lines	•	•		•			p. 244
								F1 = 11
dura plus ®								
Amsterdam	(E)1400	•	•			p. 129		
Atlanta	(M)1530	•			•	p. 133	p. 220	
Bilbao	E1365		•			p. 139		
Bonn	E150		•			p. 141		
Brest	0739	•				ρ. 111		
		_			_	- 110		
Cannes	M1545				•	p. 143		
Dakar	M1607				•	p. 147		
Dallas new	M1643				•	p. 149		
Denver	E1310		•			p. 151		
Elba	M1613				•	p. 153		
Houston new	M1623				•	p. 155		
Liverpool	(E/M)1313	•	•		•			
London	113	•						
Luxembourg	1500	•						
Marseille	(E)1138	•	•			p. 157		
Metz	0738	•				pi ioi		
München	M112SH				•	p. 163		
		_				·		
New York new	1810	•				p. 165		
Paris	(E/K)138	•	•	•		p. 167		
Rotterdam	E1401		•			p. 171		
Stockholm	(E)1140	•	•			p. 173		
Strasbourg	0735	•						
Tôkyô	(M)1710	•			•	p. 179		
Trondheim	E1430		•			p. 183		
Valencia	M170				•	p. 187		
Verona	1510, E1800, M151	•	•		•	p. 189		
Vitória	(M)1515	•			•	p. 193		
	n cover all product lines	•	•	•	•	ρ. 100	p. 224	p. 254
Todact areas writer	1 cover all product lines	-	_				ρ. 22τ	ρ. 204
dura norm ®								
Bari	M1995				•	p. 200		
Birmingham	1117	•				p. 201		
Buenos Aires	M1840				•	p. 202		
Cardiff								
	E1850		•			p. 203		
Helsingborg	E1730		•			p. 203		
stanbul	M171				•	p. 204		
zmir	M1701				•	p. 205		
_ucca	M1955				•	p. 205		
Malaga	M166SL				•	p. 206		
Milano	143	•				p. 207		
Roissy	M1941				•	p. 209		
Seattle	M168L				•	p. 210		

Product areas which cover all product lines

p. 264



Finishes



Program for fire-resistant doors	Pull handles and security escutcheons	Program for profile doors	Security sets	Knobs	Program for windows	Program for balcony doors	Lift/slide door sets
					p. 426	p. 474	
	p. 300				p. 426		p. 502
						p. 475	
					p. 427		
					p. 428		
					p. 429		
					p. 429		
	p. 302			p. 406	p. 430		p. 503
	000				p. 430	475	
	p. 303				p. 431	p. 475	
	p. 296						
p. 276					p. 434		p. 506
		p. 356			p. 436	p. 478	p. 506
					p. 440		500
					p. 441		p. 509
	- 005				p. 441	- 404	p. 509
	p. 335				p. 442	p. 481	
	p. 336			n 415	p. 443 p. 443	n 491	n E11
	μ. 330			p. 415	p. 444 p. 444	p. 481	p. 511
					p. 444	p. 482	
					p. 446	p. 483	
p. 278		p. 362			ρ. 440	ρ. 400	
p. 210		p. 002	p. 386				
		p. 373	ρ. σσσ		p. 446	p. 483	
p. 279	p. 336	p. 376	p. 387		p. 448	p. 484	
p. 2. 5	p. 555	p. s. s	p. ss.		p. 449	p. 151	
			p. 389				
		p. 378			p. 450	p. 485	p. 512
p. 282		p. 378	p. 389		p. 453		p. 514
p. 286							
p. 288		p. 378	p. 390		p. 455	p. 487	
							p. 514
		p. 379	p. 392		p. 456	p. 489	p. 515
					p. 458		
	p. 337				p. 459	p. 492	
			p. 393		p. 459		
	p. 337		p. 396		p. 461		
p. 289	p. 306, p. 338	p. 382		p. 410	p. 462	p. 492	
			p. 400				
					p. 466	p. 496	
					p. 466		
					p. 467		
					p. 467		

Aluminium

F1 - silver

F4 - bronze



F9 - steel

F8707 - dark brown **F8716** -dark brown

F1-2 - silver matt



F9-2 - steel matt

F9005 - jet black



F9/F7501 -

steel/nylon

F69/F7501 -

steel arev

wenge wood decor/

F8901/F1-2

brushed/nylon

steel grey





F3 - gold





F69/F31-1 -

silver matt

brushed/aluminium

light beige grey matt F69/F8901/F1-2 brushed/

decor/aluminium

wenge wood

F9010 - pure white F9016 - traffic white

beige grey matt

F9714 - black matt





brushed/polished

F69/F8901/F31-1 brushed/wenge wood decor/

aluminium light beige





F69/F9016 brushed/traffic white

F69 - brushed

ultramarine blue

F77-R brass-coloured. polished - Resista®

F69/F1 - brushed/ F69/F1-2 - brushed/ aluminium silver aluminium silver matt

F69/F8901 brushed/wenge wood decor

F8901/F31-1 wenge wood decor/ F8901/F69 - wenge aluminium light aluminium silver matt beige grey matt wood decor/brushed

arev matt Nylon

F69/F68 -









F9003M - signal F9005 - jet black F9005M - jet black







F9010M - pure white F9016 - traffic white

Brass



F45-R - brushed

chrome/polished

chrome - Resista®

F49/F69 - polished

brushed

chrome/stainless steel

satin/polished - Resista

F74-R - brass-

coloured, satin/

polished - Resista®

F98-R/F49-R

Matt chrome/polished

F65-R - nickel-coloured, F71 - polished



F8019M - grey



satin/polished - Resista®

polished chrome/matt

chrome - Resista®

F49-R/F98-R -

F75-R - brass-

coloured, polished/



F46-R - chrome-coloured, F49 - polished chrome F49-R - polished

F52-R/F77-R -

brass coloured, satin/

beige

F76 - brass

earth antiqua

F71/F1011 polished/

nylon brown

polished - Resista®










1 F49-R/F41-R - polished chrome/brushed

























Resista®

Product range features

Core-range

Service-range

DIY-range

chrome - Resista

F54 - antiqua

F72 - brushed

F77-R - brass-

coloured, polished -



for further information see p. 14.





www.hoppe.cominfo.it@hoppe.com

Appointed Distributor:

| Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributor: | Appointed Distributo

Every effort has been made to ensure the accuracy of the information contained in this publication, but in the interest of progress, we reserve the right to modify products as necessary.